




# DART®

Power tool accessories  
engineered for the professional.

2023/2024

[darttoolgroup.com](http://darttoolgroup.com)



## OUR MISSION

Our mission is to enhance user experience through providing quality, reliability, value and choice in the power tool industry.

## OUR VISION

Our vision is to become the leading power tool accessories specialist by having a DART product in every toolbox.

## SUSTAINABILITY

Our company is committed to a sustainable future, embracing innovative practices that not only future-proof our operations but also ensure we are carbon neutral, safeguarding the environment for generations to come.

## RESEARCH & DEVELOPMENT

Prioritising continuous research and development to engineer cutting-edge accessories that not only meet the highest standards of quality but also deliver superior performance.



---


# Power tool accessories engineered for the professional.

As power tool accessory specialists, we constantly strive to make tools perform better.

Our universally compatible accessories are better designed for superior performance, and better engineered for exceptional durability.



**We make it - Your tool, but better.**



---


Metabo

DeWALT

Milwaukee

Bosch

**Makita**



HiKOKI

Festool

Stihl

Rvobi

**DART**®

**Universal  
accessories  
designed to fit  
all brands of  
power tools.**

# Keeping our distributors in focus.



**NEXT DAY  
DELIVERY  
IN UK**



**ONLINE  
ORDERING**



**DIRECT TO  
SITE DELIVERY**



**PARTNER  
FOCUS  
ON PROFIT**



**MARKETING  
SUPPORT**



**POS FOR  
SELLING  
WITH EASE**



**DEDICATED  
CUSTOMER  
SERVICE**



**SECURE  
SUPPLY  
CHAIN**




**SUSTAINABILITY**





# Building an online community.

Social media connects users to our brand. By reaching over 6.3 million people in 2022, we were able to raise brand awareness, provide updates on new releases and engage with the trade.



Connect with us to stay in the loop.



@darttoolgroup



@DART Tool Group




@darttools




@darttools





We create profiles tailored to meet the needs of your customers.




Point of sale units act as a silent salesman. They can increase sales by an average of 30%.

Approximately 70% of shoppers make additional unplanned purchases at point of sale units.



See pages 192 - 195 to view our full point of sale range.



# Contents.

## Can't find what you're looking for?

Whether it's a specific product that you're after, or a technical question that you need answered, just get in touch; our team are ready to help.

**T** +44 (0)1592 652900

**E** [sales@darttoolgroup.com](mailto:sales@darttoolgroup.com)

## DART POWER TOOL ACCESSORIES

Holesaws	20
Quick Release Arbor	26
Carbide Holesaws	27
Annular Cutters	28
HSS Twist Drills	29
Blacksmith Drills	36
Stub Drills	37
Brad Drill Bits	38
Flat Bits	39
Auger Bits	40
Quick Change Countersink Bits	42
Hinge Drill Bit Guides	43
Tile/Glass Drills	44
Countersink Bits	45
Step Drills	47
Forstner Bits	48
Multi-Purpose Drills	50
SDS Drills	52
Circular Saw Blades	60
Reducing Rings	70
Reciprocating Blades	75
Jigsaw Blades	80
Hacksaw Blades	84
Planer Blades	84
Multi-tool Blades	86
Router Cutters	88
Double Magnetic Holder	94
Magnetic Bit Holders	95
Impact Driver Bits	96
Insert Driver Bits	99
Driver Bit Sets	100
Angle Drivers	101
Nutsetters	102
Channel Trunking Sockets	103
Chucks	104
Drywall Sanding Discs	105
Jointing Biscuits	105
Mixing Paddles	106

## DART RED TEN

LMI-15 Universal Diamond Blades	111
BMI-10 Universal Diamond Blades	112
SMI-7 Universal Diamond Blades	113
BGP-15 Concrete Diamond Blades	114
SGP-15 Concrete Diamond Blades	115
MGP-10 Concrete Diamond Blades	116
AC-DUO Abrasive Diamond Blades	117
AS-10 Asphalt Diamond Blades	118

XT-10 Porcelain Diamond Blade	119
ST-10 Super Thin Diamond Tile Blades	120
RT-10 Smooth Cut Diamond Ceramic Blades	121
MR-6 Mortar Raker Diamond Blades	122
Diamond Twin Packs	123
X Turbo Cut & Grind Diamond Blades	125
DCD/Spiro Premium Dry Core Bits	126
M14 porcelain holesaws	128
Mini Diamond Porcelain Drills	129
SS/INOX Abrasive Disks	131
Diamond Cup Grinders	132
CD-X Carbide Demolition Blade	134
CM-X Carbide Multi Cutting Disc	135

## DART NAILS & GAS

1st Fix Nails & Gas	140
2nd Fix Nails & Gas	144

## DART GLOVES

PU Glove	148
Orange Latex Builders Glove	150
Thermal Latex Glove	151
Thermal Plus Latex Glove	152
Foam Nitrile Glove	153
Nitrile Glove	154
TDM Cut Level B PU Glove	155
TDM Cut Level C PU Glove	156
TDM Cut Level D PU Glove	157
Waterproof Foam Latex Glove	158
Thermal Waterproof Foam Latex Glove	159

## MPS

Jigsaw Blades	164
Reciprocating Saw Blades	173

## MERCHANDISE

DART Workwear Hoodie	184
DART Baseball Cap	184
DART Beanie Hat	184
DART Soft Shell Jacket	185
DART Tool Bags	186
Tape Measures	189

## POINT OF SALE













Display Stands	192
----------------	-----

# Information system.










## Metal

	Non-ferrous metals		Steel		Stainless steel		Aluminium		Metal, mild steel
	Sheet metal		Cast iron						















## Stone

	Masonry		Marble		Natural stone		Granite		Aerated concrete
	Concrete		Concrete reinforced		Concrete roof tiles		Concrete block		Paving
	Asphalt		Roof tiles						

















## Wood

	Hard & soft wood		Plywood		Construction timber		Soft wood		Hard wood
	Laminated chipboard		Veneered wood		Wood with nails		Composite board		

## Other materials

















	Insulating materials		Fibre material MDF		Wall tiles		Plastic		Fibre cement board
	Epoxy		Cement screed		Glass		Mirror glass		Clay pipe
	Porcelain tile		Mortar removal		Plaster		Grout		

## Technical information









	Split point angle		Tungsten carbide tipped		High speed steel - ground		DIN reference		Long life
	Working length info		Total length info		Cross cut		Rip cut		Clean cut
	Fast cut		Velcro		Tear & crack resistant		Anti-clog coating		Dust extraction
	M14 fitment								



## Reciprocating and jigsaw blade cutting information

	Recip + straight cut		Material thickness - metal		Material thickness - wood		Coarse cut		Curve cut
	Plunge cut		Tooth pitch, reverse		Tooth pitch		Firewood / timber		Green wood / branches
	Bi-metal		High carbon steel		High speed steel		Flexible blade (Bi-metal) for flush cut		Composite boards
	Tree roots								

## Workwear and toolbag information

	Triple stitched seams		Comfort		Adjustable buckle		Waterproof		Breathable
	Heavy duty		Durable and wear resistant		Detachable shoulder strap				

## Imperial/metric size conversion chart

Listed next to the common imperial sizes are the metric equivalents (with common metric equivalents shown in brackets)

Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)
1/64"	0.40	21/64"	8.33	21/32"	16.67	31/32"	24.61	4"	101.60 (100)
1/32"	0.79	11/32"	8.73	43/64"	17.06	63/64"	25.00	4-1/2"	114.30 (115)
3/64"	1.19	23/64"	9.13	11/16"	17.46	1"	25.40 (25.0)	5"	127.00 (125)
1/16"	1.59	3/8"	9.52 (10.0)	45/64"	17.86	1-1/16"	26.99	5-1/2"	139.70 (140)
5/64"	1.98	25/64"	9.92	23/32"	18.26	1-3/32"	27.78	6"	152.40 (150)
3/32"	2.38	13/32"	10.32	47/64"	18.65	1-1/8"	28.58 (28.0)	6-1/2"	165.10 (165)
7/64"	2.78	27/64"	10.72	3/4"	19.05 (19.0)	1-5/32"	29.37	7"	177.80 (180)
1/8"	3.17 (3.0)	7/16"	11.11	49/64"	19.45	1-3/16"	30.16 (30.0)	7-1/2"	190.50 (190)
9/64"	3.57	29/64"	11.51	25/32"	19.84	1-7/32"	30.96	8"	203.20 (200)
5/32"	3.97 (4.0)	15/32"	11.91	51/64"	20.24	1-1/4"	31.75 (32.0)	8-1/2"	215.90 (215)
11/64"	4.37	31/64"	12.30	13/16"	20.64	1-1/2"	38.10 (38.0)	9"	228.60 (230)
3/16"	4.76 (5.0)	1/2"	12.70 (13.0)	53/64"	21.03	1-3/4"	45.45 (45.0)	9-1/2"	241.30 (240)
13/64"	5.16	17/32"	13.49	27/32"	21.43	2"	50.80 (50.0)	10"	254.00 (250/255)
7/32"	5.56	35/64"	13.89	55/64"	21.83	2-1/4"	57.15 (57.0)	11"	279.40 (280)
15/64"	5.95	9/16"	14.29 (14.0)	7/8"	22.23 (22.0)	2-1/2"	63.50 (65.0)	12"	304.80 (305)
1/4"	6.35 (6/6.5)	37/64"	14.68	57/64"	22.62	2-3/4"	69.85 (70.0)	13"	330.20 (330)
17/64"	6.75	19/32"	15.08	29/32"	23.02	3"	76.20 (75.0)	14"	335.60 (350/355)
9/32"	7.14	39/64"	15.48	59/64"	23.42	3-1/4"	82.55 (82.0)	15"	381.00 (380)
19/64"	7.54	5/8"	15.88 (16.0)	15/16"	23.81	3-1/2"	88.90 (90.0)	16"	406.40 (400/405)
5/16"	7.94 (8.0)	41/64"	16.27	61/64"	24.21	3-3/4"	95.25 (95.0)	18"	457.20 (455/460)



---

# Accessories range:

Designed for the construction industry professional, our range includes holesaws, drill bits, circular saw blades, bit holders, impact driver bits and angle drivers. Precise, durable, and universally compatible, our accessories provide value and choice.

# HSS premium cobalt bi-metal holesaws.

Variable pitched premium 8% cobalt holesaw for professional use

**8% COBALT**  
LONG LIFE  
RESISTANCE

**LONGER LIFE**  
**ADVANCE CUT**



Cutting speeds & metric/imperial size conversions



## FEATURES

8% cobalt for resistance and long life

Features a smooth and fast cutting action

Precision set teeth for aggressive material penetration and swarf clearance


38mm cutting depth

TPI 4-6

Enhanced heat and wear resistance for greater product life

Will cut thin and thick gauge materials

Suitable for cutting stainless steel, steel, aluminium, sheet metal, metal/mild metal, non-ferrous metals, cast iron, hard/soft wood and PVC



## PREMIUM HOLESAWS

Product Code	Size mm	Product Code	Size mm
DPH014	14	DPH065	65
DPH016	16	DPH067	67
DPH017	17	DPH068	68
DPH019	19	DPH070	70
DPH020	20	DPH073	73
DPH021	21	DPH075	75
DPH022	22	DPH076	76
DPH024	24	DPH079	79
DPH025	25	DPH082	82
DPH027	27	DPH083	83
DPH029	29	DPH086	86
DPH030	30	DPH089	89
DPH032	32	DPH092	92
DPH033	33	DPH095	95
DPH035	35	DPH098	98
DPH038	38	DPH100	100
DPH040	40	DPH102	102
DPH041	41	DPH105	105
DPH043	43	DPH108	108
DPH044	44	DPH111	111
DPH045	45	DPH114	114
DPH046	46	DPH121	121
DPH048	48	DPH127	127
DPH050	50	DPH133	133
DPH051	51	DPH140	140
DPH052	52	DPH152	152
DPH054	54	DPH160	160
DPH055	55	DPH165	165
DPH056	56	DPH168	168
DPH057	57	DPH177	177
DPH060	60	DPH200	200
DPH062	62	DPH210	210
DPH064	64		

## PREMIUM HOLESAW SETS

Product Code	Size mm	Type
DPHK8	16, 20, 25, 32, 44, 51, A1 + A2	Electricians set
DPHK9	19, 22, 29, 38, 44, 51, 57, A1 + A2	Plumbers set
DPHK11	16, 20, 25, 32, 44, 51, 64, 68, 76, A1 + A2	General purpose/electricians set



## PREMIUM ARBORS

Product Code	Size mm	Shank Size mm	Pilot Drill Overall Length mm
DPA1	14 - 30	9.5	83
DPA2	32 - 210	11	83



## PREMIUM QUICK RELEASE A2 ARBOR

Product Code	Size mm	Shank Size mm	Pilot Drill Overall Length mm
DPQRA2	32 - 210	11	83



## SDS ARBORS

Product Code	Size mm	Pilot Drill Overall Length mm
SDSDPA1	14 - 30	83
SDSDPA2	32 - 210	83



## PILOT DRILLS

Product Code	Size mm	Dia. mm	Quantity
DAP75	75	6.3	Pk. 5
DAP83	83	6.3	Pk. 5
DAP90	90	6.3	Pk. 5
DAP104	104	6.3	Pk. 5



## EXTENSION BARS

Product Code	Size mm
DAEBA1	300 (To fit A1 Arbor)
DAEBA2	300 (To fit A2 Arbor)



## EJECTOR SPRING

Product Code	Size mm
DAES50	44



DART

RED TEN

NAILS & GAS

GLOVES

MPS

POINT OF SALE

MERCHANDISE

# HSS bi-metal holesaws.


Variable pitched bi-metal holesaw for multi-use

**CLEAN CUT**



### FEATURES

- Features a smooth and fast cutting action
- Aggressive material penetration and swarf clearance
- 38mm cutting depth
- TPI 4-6
- Will cut thin and thick gauge materials
- Suitable for cutting steel, aluminium, sheet metal, non-ferrous metals, cast iron, hard/soft wood and PVC



## BI-METAL HOLESAWS

Product Code	Size mm	Product Code	Size mm
DAH014	14	DAH067	67
DAH016	16	DAH068	68
DAH017	17	DAH070	70
DAH019	19	DAH073	73
DAH020	20	DAH075	75
DAH021	21	DAH076	76
DAH022	22	DAH079	79
DAH024	24	DAH082	82
DAH025	25	DAH083	83
DAH027	27	DAH086	86
DAH029	29	DAH089	89
DAH030	30	DAH092	92
DAH032	32	DAH095	95
DAH033	33	DAH098	98
DAH035	35	DAH100	100
DAH038	38	DAH102	102
DAH040	40	DAH105	105
DAH041	41	DAH108	108
DAH043	43	DAH111	111
DAH044	44	DAH114	114
DAH045	45	DAH121	121
DAH046	46	DAH127	127
DAH048	48	DAH133	133
DAH050	50	DAH140	140
DAH051	51	DAH146	146
DAH052	52	DAH152	152
DAH054	54	DAH160	160
DAH055	55	DAH165	165
DAH057	57	DAH168	168
DAH060	60	DAH177	177
DAH062	62	DAH200	200
DAH064	64	DAH210	210

Cutting speeds & metric/imperial size conversions



## BI-METAL HOLESAW SETS

Product Code	Size mm	Type
DAHK10	19, 22, 29, 38, 44, 51, 57, A1 + A2	General purpose/plumbers set
DAHK13	16, 20, 25, 32, 40, 52, 64, 70, 82, A1 + A2	Electricians set



## ARBORS

Product Code	Size mm	Shank Size mm	Pilot Drill Overall Length mm
DAA1	14 - 30	9.5	83
DAA2	32 - 210	11	83



## SDS ARBORS

Product Code	Size mm	Pilot Drill Overall Length mm
SDSDAA1	14 - 30	83
SDSDAA2	32 - 210	83



## PILOT DRILLS

Product Code	Size mm	Dia. mm	Quantity
DAP75	75	6.3	Pk. 5
DAP83	83	6.3	Pk. 5
DAP90	90	6.3	Pk. 5
DAP104	104	6.3	Pk. 5



## EXTENSION BARS

Product Code	Size mm
DAEBA1	300 (To fit A1 Arbor)
DAEBA2	300 (To fit A2 Arbor)



## EJECTOR SPRING

Product Code	Size mm
DAES50	44



# Tungsten carbide tipped holesaws.

Professional holesaw with tough steel body and tungsten carbide tipped teeth which can be re-sharpened for extended life

**FAST CUT**      **MULTI PURPOSE**



SEE IN ACTION




## FEATURES

55mm cutting depth

Smooth cut, with minimal heat build-up

Designed for fast accurate drilling in machinable material up to 55mm thick

Suitable for cutting solid wood, laminate coated board, plywood, PVC, plasterboard, clay tile, hollow gauged brick and ceramic tiles



## TCT HOLESAWS

Product Code	Size mm	Product Code	Size mm
TCH019	19	TCH064	64
TCH020	20	TCH068	68
TCH022	22	TCH070	70
TCH025	25	TCH073	73
TCH029	29	TCH076	76
TCH032	32	TCH079	79
TCH038	38	TCH083	83
TCH040	40	TCH089	89
TCH044	44	TCH092	92
TCH051	51	TCH102	102
TCH054	54	TCH105	105
TCH057	57	TCH127	127
TCH060	60	TCH152	152

## ARBORS

Product code	Size mm	Shank size mm	Pilot drill overall length mm
TCA1	14 - 30	9.5	90
TCA2	32 - 127	11	90





# HSS premium cobalt mini holesaws.

Ultra fast cutting mini holesaw with 8% cobalt, designed for drilling through sheet metal

**8% COBALT**  
LONG LIFE  
RESISTANCE

**FAST CUT**

**ADVANCE CUT**



## PREMIUM COBALT MINI HOLESAWS

Product Code	Size mm
DPM014	14
DPM016	16
DPM018	18
DPM020	20
DPM022	22
DPM025	25
DPM030	30
DPM032	32
DPM035	35
DPM038	38

## PREMIUM 3PC MINI HOLESAW SET

Product Code	Size mm
DPMSET3	20, 25, 32

### Mini Holesaw Cutting Speeds (RPM)

Size (mm)	Mild Steel	Stainless Steel	Cast Iron	Copper/ Brass/ Bronze	Aluminium
14	580	300	400	790	900
16	550	275	365	730	825
18	500	250	330	665	750
20	445	220	290	580	660
22	390	195	260	520	585
25	350	175	235	470	525
30	285	145	190	380	425
32	275	140	180	360	410
35	250	125	165	330	375
38	230	115	150	300	345



## FEATURES

HSS cutting edge with 8% cobalt for extra durability

Ultra thin kerf for fast drilling

Small, sharp and durable tooth design

Suitable for materials up to 1.6mm

Internal spring for continuous drilling without clogging

Can be used in an impact driver

Suitable for use in stainless steel, metal & mild steel and aluminium

DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# Universal quick release arbor.

Ultimate universal quick release arbor for all brands of holesaw

## FEATURES

Unique quick release system for rapid holesaw change

Easy locking system for secure drilling

Replaceable pilot drill for long arbor life

Fits all brands of pilot drill


Fits all brands of holesaw including: Bosch, Starrett, Makita, DeWalt, Milwaukee, Lenox, Heller, CK

## UNIVERSAL QUICK RELEASE ARBOR

Product Code	Size mm	Shank Size	Includes / Pk size
DPUQRASET	A1 Collars - 14-30mm, A2 Collars - 32-210mm	9,5mm	1x Arbor, 2x A1 Collars, 2x A2 Collar, 1x Hex Key
DPUQRACA1	To fit 14-30mm holesaws	n/a	Pk. 3
DPUQRACA2	To fit 32-210mm holesaws	n/a	Pk. 3



**UNI-FIT**  
**RAPID CHANGE**



SEE IN ACTION



# Carbide tipped holesaws.

Carbide tipped holesaw for extreme long life and durability

**EXTREME  
LONG  
LIFE**



SEE IN ACTION



## FEATURES

Tungsten carbide teeth and solid body design for industrial use


Extreme long life and durability in stainless steel and tough alloys

Fast and accurate cutting action

Short series suitable for cutting materials up to 5mm thick, long series suitable for cutting materials up to 25mm thick

Internal spring for continuous drilling without clogging

Hex key included



## CARBIDE TIPPED HOLESAWS - LONG SERIES

Product Code	Size mm	Cutting Depth mm
DCTHL016	16	25
DCTHL018	18	25
DCTHL019	19	25
DCTHL020	20	25
DCTHL022	22	25
DCTHL025	25	25
DCTHL028	28	25
DCTHL030	30	25
DCTHL032	32	25
DCTHL035	35	25
DCTHL038	38	25
DCTHL040	40	25
DCTHL045	45	25
DCTHL050	50	25
DCTHL060	60	25
DCTHL065	65	25
DCTHL070	70	25
DCTHL075	75	25

## CARBIDE TIPPED HOLESAWS - SHORT SERIES

Product Code	Size mm	Cutting Depth mm
DCTHS014	14	5
DCTHS016	16	5
DCTHS020	20	5
DCTHS022	22	5
DCTHS025	25	5
DCTHS032	32	5

# Annular cutters.

Popular range of precision made annular cutters for mag drills



## FEATURES

Unique cutter geometry for fast hole cutting

Fully ground finish

3/4" Weldon Shank

Unique tooth geometry, for optimum tool life and cutting speed


Ideal for mild steel and softer metals including mild steel, structural steel, construction steel, aluminium, copper/brass, plastics

High wear resistance and suitable for most drilling applications

Suitable for site and construction work, bridge building and repair, truck and vehicle fabrication and general fabrication applications

Manufactured in the UK

Annular cutter pins sold separately



## ANNULAR CUTTERS



Product Code	Diameter mm	Cutting Length mm	Long/Short Series	Shank Size
DAC12030	12	30	Short Series	3/4"
DAC13030	13	30	Short Series	3/4"
DAC14030	14	30	Short Series	3/4"
DAC16030	16	30	Short Series	3/4"
DAC18030	18	30	Short Series	3/4"
DAC20030	20	30	Short Series	3/4"
DAC22030	22	30	Short Series	3/4"
DAC24030	24	30	Short Series	3/4"
DAC25030	25	30	Short Series	3/4"
DAC30030	30	30	Short Series	3/4"
DAC32030	32	30	Short Series	3/4"
DAC18050	18	50	Long Series	3/4"
DAC24050	24	50	Long Series	3/4"
DAC25050	25	50	Long Series	3/4"



## ANNULAR CUTTER PILOT PINS

Product Code	Length
DACPPL63097	Long - 97mm
DACPPS63076	Short - 76mm

SEE IN ACTION



# Premium HSS cobalt twist drill bits.

Precision engineered steel drill bits, with 5% cobalt shaft, for use on tough materials and hard steel, including stainless steel

## FEATURES

Manufactured to DIN338 standards

135° split point tip for spot drilling without pre-centring

Reduced drilling pressure required


Excellent resistance to heat and wear

For specialized applications used in the engineering industry. Long life drill bits for continuous drilling through metal

M35 steel shaft with 5% cobalt

Right hand cutting at 30°, Type N

Suitable for drilling aluminium, sheet metal, non-ferrous metal, steel, stainless steel, brass and cast iron



**15x LONGER LIFE**



## HSS COBALT TWIST DRILL BIT PACKS

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
CHSS100	1.0	34	12	Pk. 10
CHSS150	1.5	40	18	Pk. 10
CHSS200	2.0	49	24	Pk. 10
CHSS240	2.4	57	30	Pk. 10
CHSS250	2.5	57	30	Pk. 10
CHSS270	2.7	59	31	Pk. 10
CHSS300	3.0	61	33	Pk. 10
CHSS320	3.2	65	36	Pk. 10
CHSS330	3.3	65	36	Pk. 10
CHSS350	3.5	70	39	Pk. 10
CHSS380	3.8	75	43	Pk. 10
CHSS400	4.0	75	43	Pk. 10
CHSS420	4.2	75	43	Pk. 10
CHSS450	4.5	80	47	Pk. 10
CHSS480	4.8	86	52	Pk. 10
CHSS490	4.9	86	52	Pk. 10
CHSS500	5.0	86	52	Pk. 10
CHSS510	5.1	86	52	Pk. 10
CHSS520	5.2	86	52	Pk. 10

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
CHSS530	5.3	86	53	Pk. 10
CHSS550	5.5	93	57	Pk. 10
CHSS590	5.9	93	57	Pk. 10
CHSS600	6.0	93	57	Pk. 10
CHSS650	6.5	101	63	Pk. 10
CHSS700	7.0	109	69	Pk. 10
CHSS750	7.5	109	69	Pk. 10
CHSS800	8.0	117	75	Pk. 10
CHSS850	8.5	117	75	Pk. 10
CHSS900	9.0	125	81	Pk. 5
CHSS950	9.5	125	81	Pk. 5
CHSS1000	10.0	133	87	Pk. 5
CHSS1050	10.5	133	87	Pk. 5
CHSS1100	11.0	142	94	Pk. 5
CHSS1150	11.5	142	94	Pk. 5
CHSS1200	12.0	151	101	Pk. 5
CHSS1250	12.5	151	101	Pk. 5
CHSS1300	13.0	151	101	Pk. 5

## HSS COBALT TWIST DRILL BIT SETS

Product Code	Size mm	Quantity
CHSSSET19	19 Piece, 1-10mm (in ½ Increments)	Pk. 1
CHSSSET25	25 Piece, 1-13mm (in ½ Increments)	Pk. 1

SEE IN ACTION





## HSS COBALT TWIST DRILL BIT - SINGLES

Product Code	Size mm	Overall Length mm	Working Length mm	Qty	Product Code	Size mm	Overall Length mm	Working Length mm	Qty
SCTD100	1.0	34	12	Pk. 2	SCTD750	7.5	109	69	Pk. 1
SCTD150	1.5	40	18	Pk. 2	SCTD800	8.0	117	75	Pk. 1
SCTD200	2.0	49	24	Pk. 2	SCTD850	8.5	117	75	Pk. 1
SCTD250	2.5	57	30	Pk. 2	SCTD900	9.0	125	81	Pk. 1
SCTD300	3.0	57	30	Pk. 1	SCTD950	9.5	125	81	Pk. 1
SCTD350	3.5	65	36	Pk. 1	SCTD1000	10.0	133	87	Pk. 1
SCTD400	4.0	70	39	Pk. 1	SCTD1050	10.5	133	87	Pk. 1
SCTD450	4.5	75	43	Pk. 1	SCTD1100	11.0	142	94	Pk. 1
SCTD500	5.0	80	47	Pk. 1	SCTD1150	11.5	142	94	Pk. 1
SCTD550	5.5	86	52	Pk. 1	SCTD1200	12.0	151	101	Pk. 1
SCTD600	6.0	93	57	Pk. 1	SCTD1250	12.5	151	101	Pk. 1
SCTD650	6.5	93	57	Pk. 1	SCTD1300	13.0	151	101	Pk. 1
SCTD700	7.0	109	69	Pk. 1					



# Premium M2 TiN coated twist drill bits.

Precision ground M2 TiN coated steel drill bits for use on the toughest materials



**15x LONGER LIFE**



SEE IN ACTION



## FEATURES

Manufactured to DIN338 standards

135° split point tip for spot drilling without pre-centring


Excellent resistance to heat and wear

Very high quality

For specialized applications used in the engineering industry. Long life drill bits for continuous drilling through metal

Right hand cutting at 30°, Type N

Suitable for drilling sheet metal, non-ferrous metal, steel, stainless steel, cast iron, brass and aluminium



## M2 TIN COATED TWIST DRILL BIT PACKS (METRIC)

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
THSS100	1.0	34	12	Pk. 10
THSS150	1.5	40	18	Pk. 10
THSS200	2.0	49	24	Pk. 10
THSS250	2.5	57	30	Pk. 10
THSS300	3.0	57	30	Pk. 10
THSS330	3.3	61	33	Pk. 10
THSS350	3.5	65	36	Pk. 10
THSS400	4.0	70	39	Pk. 10
THSS420	4.2	75	43	Pk. 10
THSS450	4.5	75	43	Pk. 10
THSS500	5.0	80	47	Pk. 10
THSS550	5.5	86	52	Pk. 10
THSS600	6.0	93	57	Pk. 10
THSS650	6.5	93	57	Pk. 10
THSS670	6.7	101	63	Pk. 10
THSS680	6.8	109	69	Pk. 10

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
THSS700	7.0	109	69	Pk. 10
THSS750	7.5	109	69	Pk. 10
THSS800	8.0	117	75	Pk. 10
THSS850	8.5	117	75	Pk. 10
THSS880	8.8	125	81	Pk. 10
THSS900	9.0	125	81	Pk. 5
THSS950	9.5	125	81	Pk. 5
THSS1000	10.0	133	87	Pk. 5
THSS1020	10.2	133	87	Pk. 5
THSS1050	10.5	133	87	Pk. 5
THSS1100	11.0	142	94	Pk. 5
THSS1150	11.5	142	94	Pk. 5
THSS1200	12.0	151	101	Pk. 5
THSS1250	12.5	151	101	Pk. 5
THSS1300	13.0	151	101	Pk. 5

## M2 TIN COATED TWIST DRILL BIT PACKS (IMPERIAL)

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
THSS0108	1/8"	65	36	Pk. 10
THSS0732	7/32"	93	57	Pk. 10
THSS1764	17/64"	109	69	Pk. 10

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
THSS1332	13/32"	133	87	Pk. 5
THSS0102	1/2"	151	101	Pk. 5

## M2 TIN COATED TWIST DRILL BIT SETS (METRIC)

Product Code	Size mm	Quantity
THSSSET19	19 Piece, 1 - 10 mm (in 1/2 increments)	Pk. 1
THSSSET25	25 Piece, 1 - 13 mm (in 1/2 increments)	Pk. 1

# Premium HSS ground twist drill bits.

Precision ground steel drill bits for a wide range of applications

**LONGER LIFE**



SEE IN ACTION



## FEATURES

Manufactured to DIN338 standards

135° split point tip for spot drilling without pre-centring

Ground cutting edge offers fast drilling and perfect finishing


Ground flute ensures fast chip removal

For general purpose applications

Right hand cutting at 30°, Type N

Industrial quality drill bits manufactured from high quality High Speed Steel and hardened for superb strength

Suitable for drilling cast iron, sheet metal, non-ferrous metal, steel, stainless steel, brass, wood and PVC



## HSS GROUND TWIST DRILL BIT PACKS (METRIC)

Product Code	Size mm	Overall Length mm	Working Length mm	Qty	Product Code	Size mm	Overall Length mm	Working Length mm	Qty
BHSS100	1.0	34	12	Pk. 10	BHSS530	5.3	86	52	Pk. 10
BHSS150	1.5	40	18	Pk. 10	BHSS550	5.5	93	57	Pk. 10
BHSS200	2.0	49	24	Pk. 10	BHSS570	5.7	93	57	Pk. 10
BHSS230	2.3	49	23	Pk. 10	BHSS590	5.9	93	57	Pk. 10
BHSS250	2.5	57	30	Pk. 10	BHSS600	6.0	93	57	Pk. 10
BHSS280	2.8	61	33	Pk. 10	BHSS640	6.4	101	63	Pk. 10
BHSS300	3.0	61	33	Pk. 10	BHSS650	6.5	101	63	Pk. 10
BHSS320	3.2	65	36	Pk. 10	BHSS670	6.7	109	69	Pk. 10
BHSS330	3.3	65	36	Pk. 10	BHSS680	6.8	109	69	Pk. 10
BHSS350	3.5	70	39	Pk. 10	BHSS700	7.0	109	69	Pk. 10
BHSS360	3.6	70	39	Pk. 10	BHSS750	7.5	109	69	Pk. 10
BHSS370	3.7	70	39	Pk. 10	BHSS800	8.0	117	75	Pk. 10
BHSS380	3.8	75	43	Pk. 10	BHSS850	8.5	117	75	Pk. 10
BHSS400	4.0	75	43	Pk. 10	BHSS900	9.0	125	81	Pk. 5
BHSS410	4.1	75	43	Pk. 10	BHSS950	9.5	125	81	Pk. 5
BHSS420	4.2	75	43	Pk. 10	BHSS1000	10.0	133	87	Pk. 5
BHSS430	4.3	80	47	Pk. 10	BHSS1050	10.5	133	87	Pk. 5
BHSS450	4.5	80	47	Pk. 10	BHSS1100	11.0	142	94	Pk. 5
BHSS480	4.8	86	52	Pk. 10	BHSS1150	11.5	142	94	Pk. 5
BHSS490	4.9	86	52	Pk. 10	BHSS1200	12.0	151	101	Pk. 5
BHSS500	5.0	86	52	Pk. 10	BHSS1250	12.5	151	101	Pk. 5
BHSS510	5.1	86	52	Pk. 10	BHSS1300	13.0	151	101	Pk. 5
BHSS520	5.2	86	52	Pk. 10					

## HSS GROUND TWIST DRILL BIT SETS (METRIC)

Product Code	Size mm	Quantity
BHSSSET19	19 Piece, 1 - 10 mm (in 1/2 increments)	Pk. 1
BHSSSET25	25 Piece, 1 - 13 mm (in 1/2 increments)	Pk. 1





### HSS GROUND TWIST DRILL BIT (METRIC) - SINGLES

Product Code	Size mm	Overall Length mm	Working Length mm	Qty	Product Code	Size mm	Overall Length mm	Working Length mm	Qty
SGTD100	1.0	34	12	Pk. 2	SGTD650	6.5	93	57	Pk. 1
SGTD150	1.5	40	18	Pk. 2	SGTD700	7.0	109	69	Pk. 1
SGTD200	2.0	49	24	Pk. 2	SGTD750	7.5	109	69	Pk. 1
SGTD250	2.5	57	30	Pk. 2	SGTD800	8.0	117	75	Pk. 1
SGTD300	3.0	61	30	Pk. 1	SGTD850	8.5	117	75	Pk. 1
SGTD350	3.5	70	36	Pk. 1	SGTD900	9.0	125	81	Pk. 1
SGTD400	4.0	75	39	Pk. 1	SGTD950	9.5	125	81	Pk. 1
SGTD450	4.5	80	43	Pk. 1	SGTD1000	10.0	133	87	Pk. 1
SGTD500	5.0	86	47	Pk. 1	SGTD1100	11.0	142	94	Pk. 1
SGTD550	5.5	93	52	Pk. 1	SGTD1200	12.0	151	101	Pk. 1
SGTD600	6.0	93	57	Pk. 1	SGTD1300	13.0	151	101	Pk. 1



### HSS GROUND TWIST DRILL BIT PACKS (IMPERIAL)

Product Code	Size inches	Overall Length mm	Working Length mm	Qty	Product Code	Size inches	Overall Length mm	Working Length mm	Qty
IHSS0116	1/16"	43	20	Pk. 10	IHSS0732	7/32"	93	57	Pk. 10
IHSS0564	5/64"	49	24	Pk. 10	IHSS1564	15/64"	93	57	Pk. 10
IHSS0332	3/32"	57	30	Pk. 10	IHSS0104	1/4"	101	63	Pk. 10
IHSS0764	7/64"	61	33	Pk. 10	IHSS1764	17/64"	109	69	Pk. 10
IHSS0108	1/8"	65	36	Pk. 10	IHSS0516	5/16"	117	75	Pk. 10
IHSS0964	9/64"	70	39	Pk. 10	IHSS2164	21/64"	117	75	Pk. 10
IHSS0532	5/32"	75	43	Pk. 10	IHSS1132	11/32"	125	81	Pk. 10
IHSS1164	11/64"	80	47	Pk. 10	IHSS0308	3/8"	125	81	Pk. 10
IHSS0316	3/16"	86	52	Pk. 10	IHSS0716	7/16"	142	94	Pk. 5
IHSS1364	13/64"	86	52	Pk. 10	IHSS0102	1/2"	151	101	Pk. 5



# Premium HSS long series ground twist drill bits.

Precision ground steel drill bits for a wide range of applications



## FEATURES

Manufactured to DIN340 standards

135° split point tip for spot drilling without pre-centring

Ground cutting edge offers fast drilling and perfect finishing


Ground flute ensures fast chip removal

Suitable for general applications used by professional tradesmen

Right hand cutting at 30°, Type N

Industrial quality drill bits manufactured from high quality High Speed Steel and hardened for superb strength

Suitable for drilling cast iron, sheet metal, non-ferrous metal, steel, wood and PVC



## HSS LONG SERIES GROUND TWIST DRILL BIT PACKS (METRIC)

Product Code	Size mm	Overall Length mm	Working Length mm	Qty	Product Code	Size mm	Overall Length mm	Working Length mm	Qty
LHSS200	2.0	85	56	Pk. 10	LHSS600	6.0	139	91	Pk. 10
LHSS250	2.5	95	62	Pk. 10	LHSS650	6.5	148	97	Pk. 10
LHSS300	3.0	100	66	Pk. 10	LHSS700	7.0	156	102	Pk. 10
LHSS320	3.2	106	69	Pk. 10	LHSS750	7.5	156	102	Pk. 5
LHSS350	3.5	112	73	Pk. 10	LHSS800	8.0	165	109	Pk. 5
LHSS380	3.8	119	78	Pk. 10	LHSS850	8.5	165	109	Pk. 5
LHSS400	4.0	119	78	Pk. 10	LHSS900	9.0	170	115	Pk. 5
LHSS420	4.2	119	78	Pk. 10	LHSS950	9.5	170	115	Pk. 5
LHSS450	4.5	119	78	Pk. 10	LHSS1000	10.0	184	121	Pk. 5
LHSS490	4.9	132	87	Pk. 10	LHSS1100	11.0	195	128	Pk. 5
LHSS500	5.0	132	87	Pk. 10	LHSS1200	12.0	205	134	Pk. 5
LHSS550	5.5	139	91	Pk. 10	LHSS1300	13.0	205	134	Pk. 5



## HSS LONG SERIES GROUND TWIST DRILL BIT SET (METRIC)


Product Code	Size mm	Quantity
LHSSSET19	19 Piece, 1-10mm (in ½ increments)	Pk. 1

# HSS rolled twist drill bits.

High speed steel drill bits for general purpose applications

### FEATURES

- Manufactured to DIN338 standards
- 118° standard tip angle
- Right hand cutting at 30°, Type N
- Black finish
- Suitable for drilling sheet metal, non-ferrous metal, hard & soft wood and PVC



## HSS ROLLED TWIST DRILL BIT PACKS

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
HSS100	1.0	34	12	Pk. 10
HSS150	1.5	40	18	Pk. 10
HSS200	2.0	49	24	Pk. 10
HSS250	2.5	57	30	Pk. 10
HSS280	2.8	61	33	Pk. 10
HSS300	3.0	61	33	Pk. 10
HSS320	3.2	65	36	Pk. 10
HSS330	3.3	65	36	Pk. 10
HSS350	3.5	70	39	Pk. 10
HSS370	3.7	70	39	Pk. 10
HSS380	3.8	75	43	Pk. 10
HSS400	4.0	75	43	Pk. 10
HSS410	4.1	75	43	Pk. 10
HSS420	4.2	75	43	Pk. 10
HSS450	4.5	80	47	Pk. 10
HSS480	4.8	86	52	Pk. 10
HSS490	4.9	86	52	Pk. 10
HSS500	5.0	86	52	Pk. 10
HSS530	5.3	86	52	Pk. 10
HSS550	5.5	93	57	Pk. 10

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
HSS570	5.7	93	57	Pk. 10
HSS590	5.9	93	57	Pk. 10
HSS600	6.0	93	57	Pk. 10
HSS650	6.5	101	63	Pk. 10
HSS680	6.8	109	63	Pk. 10
HSS700	7.0	109	69	Pk. 10
HSS750	7.5	109	69	Pk. 10
HSS770	7.7	117	75	Pk. 10
HSS800	8.0	117	75	Pk. 10
HSS850	8.5	117	75	Pk. 10
HSS900	9.0	125	81	Pk. 5
HSS950	9.5	125	81	Pk. 5
HSS1000	10.0	133	87	Pk. 5
HSS1050	10.5	133	87	Pk. 5
HSS1100	11.0	142	94	Pk. 5
HSS1150	11.5	142	94	Pk. 5
HSS1200	12.0	151	101	Pk. 5
HSS1250	12.5	151	101	Pk. 5
HSS1300	13.0	151	101	Pk. 5



## HSS ROLLED TWIST DRILL BIT SETS

Product Code	Size mm	Quantity
HSSSET19	19 Piece, 1 - 10 mm (in 1/2 Increments)	Pk. 1
HSSSET25	25 Piece, 1 - 13 mm (in 1/2 Increments)	Pk. 1

# Premium HSS ground blacksmith drill bits.

Precision ground twist drill bits with reduced shank and split point for drilling



## FEATURES


Manufactured to DIN338 standards

Ground flute

135° Split point for spot drilling without pre-centring

Right hand cutting at 30°, Type N

Suitable for drilling cast iron, non-ferrous metals, sheet metal, mild metal, steel, wood and PVC



## BLACKSMITH DRILL BITS

Product Code	Size mm	Overall Length mm	Working Length mm	Shank mm	Quantity
BSD13010	13.0	151	101	10	Pk. 1
BSD13510	13.5	160	108	10	Pk. 1
BSD14010	14.0	169	114	10	Pk. 1
BSD14510	14.5	169	114	10	Pk. 1
BSD15010	15.0	169	114	10	Pk. 1
BSD15510	15.5	178	120	10	Pk. 1
BSD16010	16.0	178	120	10	Pk. 1
BSD16513	16.5	184	125	13	Pk. 1
BSD17013	17.0	184	125	13	Pk. 1
BSD17513	17.5	191	130	13	Pk. 1
BSD18013	18.0	191	130	13	Pk. 1
BSD18513	18.5	198	135	13	Pk. 1
BSD19013	19.0	198	135	13	Pk. 1
BSD19513	19.5	205	140	13	Pk. 1
BSD20013	20.0	205	140	13	Pk. 1
BSD22013	22.0	215	145	13	Pk. 1
BSD24013	24.0	230	160	13	Pk. 1
BSD25013	25.0	230	160	13	Pk. 1

# Premium HSS ground stub drill bits.

Precision ground stub drill bits for accurate drilling in sheet metal

**LONGER LIFE**



## FEATURES

Manufactured to DIN1897 standards

135° Split point tip for spot drilling without pre-centring

Ground flute ensures fast chip removal

For the engineering industry, for drilling rivets

Ground cutting edge offers fast drilling and perfect finishing

Suitable for drilling sheet metal, cast iron, non-ferrous metal, steel, metal/mild steel and aluminium



## HSS GROUND STUB DRILL BIT PACKS

Product Code	Size mm	Overall Length mm	Working Length mm	Quantity
STB320	3.2	49	18	Pk. 10
STB330	3.3	49	18	Pk. 10
STB350	3.5	52	20	Pk. 10
STB400	4.0	55	22	Pk. 10
STB410	4.1	55	22	Pk. 10
STB420	4.2	55	22	Pk. 10
STB490	4.9	62	26	Pk. 10
STB500	5.0	62	26	Pk. 10
STB510	5.1	62	26	Pk. 10
STB1000	10.0	89	43	Pk. 10
STB1200	12.0	100	52	Pk. 10

# Brad point drill bits.

Precision engineered  
brad point wood drill bits




## FEATURES

Manufactured from high grade steel for accuracy and precision

Extremely sharp point for precise, tear free holes

For joiners, clean and precise holes in wood

Suitable for hard wood, soft wood and man-made board



## BRAD POINT DRILL BIT SINGLES

Product Code	Size mm	Overall Length mm	Working Length mm	Quantity
BRD300	3.0	60	32	Pk. 1
BRD350	3.5	69	39	Pk. 1
BRD400	4.0	75	42	Pk. 1
BRD450	4.5	81	49	Pk. 1
BRD500	5.0	86	53	Pk. 1
BRD550	5.5	93	58	Pk. 1
BRD600	6.0	92	57	Pk. 1
BRD650	6.5	101	63	Pk. 1
BRD700	7.0	109	69	Pk. 1
BRD750	7.5	109	69	Pk. 1
BRD800	8.0	117	77	Pk. 1
BRD900	9.0	124	83	Pk. 1
BRD1000	10.0	130	83	Pk. 1


## BRAD POINT DRILL BIT SETS

Product Code	Size mm
BRDSET08	3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0
BRDSET15	3.0, 3.0, 3.0, 3.5, 3.5, 4.0, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 8.0, 10.0



# Flat wood drill bits.

Precision engineered flat bit for fast and exact cutting



## FEATURES

Features double side spurs providing cleaner holes and reduces vibration

Designed to ensure faster and easier drilling

1/4" Hex quick change shank

Side scoops optimises removal of wood chippings

Suitable for general use in drilling wood, plastic and plasterboard

## FLAT WOOD DRILL BITS

Product Code	Size mm	Overall Length mm	Working Length mm
DFB06	6	152	50
DFB08	8	152	50
DFB10	10	152	50
DFB12	12	152	50
DFB13	13	152	50
DFB14	14	152	50
DFB16	16	152	50
DFB18	18	152	50
DFB19	19	152	50
DFB20	20	152	50
DFB22	22	152	50

Product Code	Size mm	Overall Length mm	Working Length mm
DFB24	24	152	50
DFB25	25	152	50
DFB26	26	152	50
DFB28	28	152	50
DFB30	30	152	50
DFB32	32	152	50
DFB34	34	152	50
DFB35	35	152	50
DFB36	36	152	50
DFB38	38	152	50
DFB40	40	152	50

## FLAT WOOD DRILL BIT SETS

Product Code	Size mm
DFB6SET	10, 12, 16, 18, 20, 25
DFB8SET	10, 13, 16, 20, 22, 25, 32, 38

## FLAT BIT EXTENSION

Product Code	Size mm
DFBE300	300



## LONG SERIES FLAT WOOD DRILL BITS

Product Code	Size mm	Overall Length mm	Working Length mm
DFBL08	8	400	50
DFBL10	10	400	50
DFBL12	12	400	50
DFBL14	14	400	50
DFBL16	16	400	50
DFBL18	18	400	50

Product Code	Size mm	Overall Length mm	Working Length mm
DFBL20	20	400	50
DFBL22	22	400	50
DFBL24	24	400	50
DFBL25	25	400	50
DFBL32	32	400	50
DFBL38	38	400	50

SEE IN ACTION



# Auger bits.

Precision ground bit for fast clean drilling in all types of wood

## FEATURES

Threaded tip for self centring and self feeding


One main spur and one pre-cutting spur for accuracy

Smooth flute ensures fast chip removal without jamming

Flute geometry enables fast drilling

Available in hex and SDS shanks

Suitable for drilling construction timber, soft and hard wood - dry or wet, laminated chipboard and veneered wood



## AUGER BITS

Product Code	Size mm	Overall Length mm	Working Length mm
DAB1010	10	100	57
DAB1210	12	100	57
DAB1610	16	100	57
DAB2010	20	100	57
DAB2210	22	100	57
DAB2510	25	100	57
DAB3210	32	100	57
DAB0623	6	230	170
DAB0823	8	230	170
DAB1023	10	230	170
DAB1223	12	230	170
DAB1323	13	230	170
DAB1423	14	230	170
DAB1623	16	230	170
DAB1823	18	230	170
DAB1923	19	230	170
DAB2023	20	230	170
DAB2223	22	230	170
DAB2423	24	230	170
DAB2523	25	230	170

Product Code	Size mm	Overall Length mm	Working Length mm
DAB2623	26	230	170
DAB2823	28	230	170
DAB3023	30	230	170
DAB3223	32	230	170
DAB3823	38	230	170
DAB2226	22	260	200
DAB0846	8	460	370
DAB1046	10	460	370
DAB1246	12	460	370
DAB1446	14	460	370
DAB1646	16	460	370
DAB1846	18	460	370
DAB1946	19	460	370
DAB2046	20	460	370
DAB2246	22	460	370
DAB2446	24	460	370
DAB2546	25	460	370
DAB2846	28	460	370
DAB3046	30	460	370
DAB3246	32	460	370
DAB3846	38	460	370

## AUGER BIT SET

Product Code	Size mm
DABSET236	13,16, 18, 20, 22, 25 x 230



## SDS AUGER BITS

Product Code	Size mm	Overall Length mm	Working Length mm
SDSDAB0623	6	230	160
SDSDAB0823	8	230	160
SDSDAB1023	10	230	160
SDSDAB1323	13	230	160
SDSDAB1623	16	230	160
SDSDAB2023	20	230	160
SDSDAB2223	22	230	160
SDSDAB2523	25	230	160



SEE IN ACTION






# 4 wing auger bits.

4 cutting spurs ensuring a smooth, fast and clean cut in all types of wood

## EXTREME SPEED



### FEATURES

4 Wing Augers designed for faster cutting in all types of wood

4 Cutting spurs ensuring a smooth and clean cut

Wings designed for faster chip ejection

Threaded tip for self centering and self feeding

Tapered flute for less binding

1/4" hex quick change shank

### 4 WING AUGER BITS

Product Code	Size mm	Overall Length mm	Working Length mm
D4AB13	13	165	130
D4AB16	16	165	130
D4AB20	20	165	130
D4AB22	22	165	130
D4AB25	25	165	130
D4AB28	28	165	130
D4AB32	32	165	130



### 4 WING AUGER BIT SET

Product Code	Size mm
D4ABSET6	13, 16, 20, 22, 25, 32

### 4 WING SDS AUGER BITS


Product Code	Size mm	Overall Length mm	Working Length mm
SDSD4AB16	16	165	130
SDSD4AB20	20	165	130
SDSD4AB25	25	165	130
SDSD4AB32	32	165	130

SEE IN ACTION



# Quick change countersink bits.

Countersink with a replaceable HSS drill that creates a sharp clean finish without burring



## FEATURES

Drill bit produces a pilot hole ahead of countersinking

1/4" hex quick change shank

Adjustable HSS drill that can be used for different length screws

Heat treated for greater strength

Split point pilot drill for more accurate drilling

Suitable for wood and PVC

## QUICK CHANGE COUNTERSINK BITS

Product Code	Drill Diameter mm	Softwood Screw No.	Hardwood Screw No.
DCS04	2.0 (5/64")	-	4
DCS06	2.5 (3/32")	6	-
DCS08	2.75 (7/64")	8	6
DCS10	3.25 (1/8")	10	8
DCS12	3.5 (9/64")	12	10



## QUICK CHANGE COUNTERSINK BIT SET

Product Code	Drill Diameter mm
DCSSET5	2.0 (5/64"), 2.5 (3/32"), 2.75 (7/64"), 3.25 (1/8"), 3.5 (9/64")



## QUICK CHANGE COUNTERSINK REPLACEMENT DRILL BITS

Product Code	Size mm	Quantity
DCSDB04	2.0 (5/64")	Pk. 10
DCSDB06	2.5 (3/32")	Pk. 10
DCSDB08	2.75 (7/64")	Pk. 10
DCSDB10	3.25 (1/8")	Pk. 10
DCSDB12	3.5 (9/64")	Pk. 10

# Hinge drill bit guides.

Precision engineered self-centring drills for exact drilling of pilot holes



## FEATURES


Spring loaded drill bit guides are self-centring and are used for accurate drilling of holes for fittings such as hinges to ensure exact alignment

Replacement drill bits are available

¼" hex quick change shank

Drill bit guides can easily be dismantled for cleaning and are supplied with a HSS drill bit

Suitable for Wood and PVC



## HINGE DRILL BIT GUIDES

Product Code	Drill Diameter mm	Screw No.
DHDBG200	2	6
DHDBG275	2.75	8
DHDBG350	3.5	10

## HINGE DRILL BIT GUIDE SET

Product Code	Contents
DHDBGSET5	2mm, 2.75mm, 3.5mm Drill Bit Guides, PZ2 and PH2 Driver Bits, Hex Key

## HINGE DRILL BIT REPLACEMENTS

Product Code	Drill Diameter mm	Quantity
DHDBR200	2	Pk. 5
DHDBR275	2.75	Pk. 5
DHDBR350	3.5	Pk. 5

DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# Tile/glass drill bits.

Quality straight shank carbon steel drill bits for clean cutting



## FEATURES


Spear point, tungsten carbide bit heads

For use with portable drills

Best used at low rpm

Use water to cool when drilling - failure to do so will result in premature wear and overheating

Suitable for drilling through glass, tiles, ceramic tiles, mirrors and ceramics. Not recommended for porcelain



## TILE/GLASS DRILL BITS

Product Code	Size mm	Overall Length mm
TDC05	5	70
TDC06	6	75
TDC07	7	80
TDC08	8	80
TDC10	10	100



## TILE/GLASS DRILL BIT SET

Product Code	Size mm
TDCSET5	5,6,7,8,10



# Countersink bits.


Precision engineered, high speed ground steel countersink bits

## FEATURES

Manufactured to DIN335C standards

Vibration free working

Suitable for use on metal/ mild metal, non ferrous metals, aluminium, sheet metal, veneered wood, laminated chipboard and PVC



Three sharp 90° cutting edges for rapid swarf clearance

## COUNTERSINK BITS - 90° 3 FLUTED

Product Code	Size mm
CS3063	6.3
CS3083	8.3
CS3104	10.4
CS3124	12.4
CS3165	16.5
CS3205	20.5
CS3250	25.0
CS3310	31.0

## COUNTERSINK BITS - 90° 3 FLUTED SET

Product Code	Size mm
CS3SET6	6.3, 8.3, 10.4, 12.4, 16.5, 20.5



90° slanting hole for smooth, burr free finish

## COUNTERSINK BITS - 90° SLANTING HOLE

Product Code	Size mm
CSCH2-5	2-5
CSCH5-10	5-10
CSCH10-15	10-15
CSCH15-20	15-20

## COUNTERSINK BITS - 90° SLANTING HOLE SET

Product Code	Size mm
CSCHSET4	2-5, 5-10, 10-15, 15-20



Carbide tipped holesaw - see page 27

# Step drill bits.

Precision engineered steel bits with straight tapered cutting edges allowing for de-burring or chamfering of the hole drilled



## FEATURES

HSS Ground with straight flute

Split point for spot drilling without pre-centring

Vibration free working

Made in the UK

Suitable for use on sheet metal, stainless steel, steel, metal/mild steel, cast iron, aluminium, non-ferrous metals and plastic



## STRAIGHT FLUTE STEP DRILL BITS

Product Code	Size mm
SSTF094-12	4-12 (9 steps)
SSTF094-20	4-20 (9 steps)
SSTF144-30	4-30 (14 steps)
SSTF134-39	4-39 (13 steps)
SSTF136-37	6-37 (13 steps)



## STRAIGHT FLUTE STEP DRILL BITS SET

Product Code	Size mm
SSTFSET3	4-12, 4-20, 4-30



## STRAIGHT FLUTE STEP DRILL BITS - HEX END

Product Code	Size mm
SSTF096-25H	6-25 (9 steps)

# Forstner bits.

Precision drill bits for drilling wood materials quickly and efficiently




## FEATURES

Ideal for hinge sinking

Smooth hole drilling action giving tear free hole edges

Features 2 cutting blades

Suitable for drilling hardwood, softwood, laminated chipboard, veneered wood, plywood and MDF



## FORSTNER BITS

Product Code	Diameter mm	Cutting Depth mm	Overall Length mm	Shank Size mm
FOR010	10	8.5	90	8
FOR012	12	7.5	90	8
FOR015	15	9.5	90	8
FOR018	18	10.5	90	8
FOR020	20	10.5	90	8
FOR022	22	11.5	90	8
FOR025	25	11.5	90	8
FOR026	26	11.5	90	8
FOR030	30	12.5	90	8
FOR035	35	13.5	90	10
FOR045	45	15	90	25

## FORSTNER BIT SET

Product Code	Diameter mm
FORST5	15, 20, 25, 30, 35





# Self-feed forstner bits.

Precision engineered self-feed bit for rapid penetration into material




## FEATURES

Two sharp cutting edges and self feed spur for a fast and clean cut

Suitable for hard and softwood, MDF, plywood, chipboard and construction timber

Aggressive self-feed spur for rapid penetration into material



## SELF-FEED FORSTNER BITS

Product Code	Size mm	Overall Length mm
DSFB38	38	130
DSFB45	45	130
DSFB50	50	130

## SELF-FEED PILOT DRILL

Product Code	Description
DSFBP	Self feed pilot drill



# Premium multi-purpose drill bits.

Extremely high quality, durable and long life multi-purpose drill bits for cutting through all materials



### FEATURES


Robust and reliable, long life multi-purpose drill bits that give outstanding performance

120° diamond ground, carbide tip for long life and even faster drilling even in hard materials

Steep, aggressive u-type flute gives optimal waste removal

Suitable for use in all materials including wood, masonry, tiles, aluminium, cast iron, steel, corian and hard & soft plastic

Available in round and hex shank



## PREMIUM MULTI-PURPOSE DRILL BITS

Product Code	Size mm	Overall Length mm	Working Length mm
MUP04075	4.0	75	40
MUP05085	5.0	85	50
MUP05585	5.5	85	50
MUP060100	6.0	100	60
MUP065100	6.5	100	60
MUP070100	7.0	100	60
MUP080120	8.0	120	80
MUP100120	10.0	120	80
MUP050150	5.0	150	90
MUP055150	5.5	150	90
MUP060150	6.0	150	90
MUP065150	6.5	150	90
MUP070150	7.0	150	90
MUP120150	12.0	150	90
MUP055200	5.5	200	133
MUP060200	6.0	200	135
MUP065200	6.5	200	135
MUP070200	7.0	200	135
MUP080200	8.0	200	135
MUP100200	10.0	200	135
MUP120200	12.0	200	135
MUP080250	8.0	250	165
MUP100250	10.0	250	165
MUP120250	12.0	250	165
MUP060260	6.0	260	165






## PREMIUM MULTI-PURPOSE DRILL BITS – HEX

Product Code	Size mm	Overall Length mm	Working Length mm
MUP04085H	4.0	85	50
MUP05095H	5.0	95	55
MUP05595H	5.5	95	55
MUP060100H	6.0	100	60
MUP070100H	7.0	100	60
MUP080120H	8.0	120	80
MUP100150H	10	150	90
MUP120150H	12	150	90



## PREMIUM MULTI-PURPOSE DRILL BIT SET – HEX

Product Code	Contents
MUPSET5H	5.5, 6, 6, 7, 8mm



DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# Premium SDS+ hammer drill bits.

High quality hammer masonry drill bits manufactured in Germany for the professional tradesman



## FEATURES


SDS+ shank

Carbide tip with special centring point for accurate drilling

Certified by the Prüfgemeinschaft Mauerbohrer (PGM)

Toothed carbide tip guides the drilling dust directly into the flute and increases the speed

Suitable for rapid drilling in masonry and the hardest concrete or granite



**SELF CENTERING TIP**



## PREMIUM SDS+ HAMMER DRILL BITS

Product Code	Size mm	Overall Length mm	Working Length mm	Product Code	Size mm	Overall Length mm	Working Length mm
GSDS05011	5	115	50	GSDS14026	14	265	200
GSDS05511	5.5	115	50	GSDS06031	6	315	250
GSDS06011	6	115	50	GSDS06531	6.5	315	250
GSDS07011	7	115	50	GSDS08031	8	315	250
GSDS05016	5	165	100	GSDS10031	10	315	250
GSDS05516	5.5	165	100	GSDS12031	12	315	250
GSDS06016	6	165	100	GSDS14031	14	315	250
GSDS06516	6.5	165	100	GSDS16031	16	315	250
GSDS07016	7	165	100	GSDS18031	18	315	250
GSDS08016	8	165	100	GSDS20031	20	315	250
GSDS10016	10	165	100	GSDS10045	10	465	400
GSDS12016	12	165	100	GSDS12045	12	465	400
GSDS14016	14	165	100	GSDS14045	14	465	400
GSDS18020	18	200	135	GSDS16045	16	465	400
GSDS20020	20	200	135	GSDS18045	18	465	400
GSDS05021	5	215	150	GSDS20045	20	465	400
GSDS05521	5.5	215	150	GSDS22045	22	465	400
GSDS06021	6	215	150	GSDS24045	24	465	400
GSDS06521	6.5	215	150	GSDS25045	25	465	400
GSDS07021	7	215	150	GSDS10060	10	615	550
GSDS08021	8	215	150	GSDS12060	12	615	550
GSDS10021	10	215	150	GSDS14060	14	615	550
GSDS12021	12	215	150	GSDS16060	16	615	550
GSDS14021	14	215	150	GSDS20060	20	615	550
GSDS16021	16	215	150	GSDS100100	10	1005	950
GSDS06026	6	265	200	GSDS120100	12	1005	950
GSDS06526	6.5	265	200	GSDS140100	14	1005	950
GSDS08026	8	265	200	GSDS160100	16	1005	950
GSDS10026	10	265	200	GSDS200100	20	1005	950
GSDS12026	12	265	200	GSDS250100	25	1005	950




The drill bits bear the test mark from Prüfgemeinschaft Mauerbohrer e.V. (masonry drill bit testing association) (PGM). The PGM test mark guarantees compliance with tighter tolerances.

The PGM seal:

- The guarantor for good hammer drill bits
- The guarantor for exact drill holes
- The guarantor for firm hold of fixings

# Super flute SDS+ hammer drill bits.

Hardened steel hammer masonry drill bits for general purpose applications



## FEATURES

SDS+ shank

Super flute spiral aids consistent drilling speed and efficient debris removal

Tungsten carbide tipped for longer life

Hardened steel body for extra strength and reduced breakage

Suitable for masonry, concrete and stone




## SUPER FLUTE SDS+ HAMMER DRILL BITS

Product Code	Size mm	Overall Length mm	Working Length mm	Product Code	Size mm	Overall Length mm	Working Length mm	Product Code	Size mm	Overall Length mm	Working Length mm
MSDS04011	4.0	110	50	MSDS12021	12.0	210	150	MSDS06546	6.5	460	400
MSDS05011	5.0	110	50	MSDS14021	14.0	210	150	MSDS08046	8.0	460	400
MSDS05511	5.5	110	50	MSDS16021	16.0	210	150	MSDS10046	10.0	460	400
MSDS06011	6.0	110	50	MSDS18021	18.0	210	150	MSDS12046	12.0	460	400
MSDS06511	6.5	110	50	MSDS20021	20.0	210	150	MSDS13046	13.0	460	400
MSDS07011	7.0	110	50	MSDS05526	5.5	260	200	MSDS14046	14.0	460	400
MSDS08011	8.0	110	50	MSDS06026	6.0	260	200	MSDS15046	15.0	460	400
MSDS10011	10.0	110	50	MSDS06526	6.5	260	200	MSDS16046	16.0	460	400
MSDS04016	4.0	160	110	MSDS07026	7.0	260	200	MSDS18046	18.0	460	400
MSDS05016	5.0	160	110	MSDS08026	8.0	260	200	MSDS20046	20.0	460	400
MSDS05516	5.5	160	110	MSDS10026	10.0	260	200	MSDS22046	22.0	460	400
MSDS06016	6.0	160	110	MSDS12026	12.0	260	200	MSDS24046	24.0	460	400
MSDS06516	6.5	160	110	MSDS14026	14.0	260	200	MSDS25046	25.0	460	400
MSDS07016	7.0	160	110	MSDS15026	15.0	260	200	MSDS26046	26.0	460	400
MSDS08016	8.0	160	110	MSDS24026	24.0	260	200	MSDS28046	28.0	460	400
MSDS09016	9.0	160	110	MSDS25026	25.0	260	200	MSDS30046	30.0	460	400
MSDS10016	10.0	160	110	MSDS06031	6.0	310	240	MSDS32046	32.0	460	400
MSDS11016	11.0	160	110	MSDS06531	6.5	310	240	MSDS10060	10.0	600	550
MSDS12016	12.0	160	110	MSDS10031	10.0	310	240	MSDS12060	12.0	600	550
MSDS13016	13.0	160	110	MSDS11031	11.0	310	240	MSDS16060	16.0	600	550
MSDS14016	14.0	160	110	MSDS12031	12.0	310	240	MSDS20060	20.0	600	550
MSDS15016	15.0	160	110	MSDS13031	13.0	310	240	MSDS22060	22.0	600	550
MSDS16016	16.0	160	110	MSDS14031	14.0	310	240	MSDS25060	25.0	600	550
MSDS05521	5.5	210	150	MSDS15031	15.0	310	240	MSDS26060	26.0	600	550
MSDS06021	6.0	210	150	MSDS16031	16.0	310	240	MSDS100100	10.0	1000	950
MSDS06521	6.5	210	150	MSDS18031	18.0	310	240	MSDS120100	12.0	1000	950
MSDS07021	7.0	210	150	MSDS20031	20.0	310	240	MSDS140100	14.0	1000	950
MSDS08021	8.0	210	150	MSDS22031	22.0	310	240	MSDS160100	16.0	1000	950
MSDS09021	9.0	210	150	MSDS25031	25.0	310	240	MSDS200100	20.0	1000	950
MSDS10021	10.0	210	150	MSDS26031	26.0	310	240	MSDS220100	22.0	1000	950
MSDS11021	11	210	150	MSDS06046	6.0	460	400	MSDS250100	25.0	1000	950



## SDS+ HAMMER DRILL BITS SETS

Product Code	Size mm
SDSSET5	5.5x110, 6.0x110, 7.0x160, 8.0x160, 10.0x160
SDSSET11	5.5x110, 6.0x110, 5.5x160, 7.0x160, 10.0x160, 10.0x210, 12.0x210, 10.0x450, 12.0x450, 16.0x450, 20.0x450



# SDS+ hammer chisel bits.

Hardened steel, heavy-duty chisels




## FEATURES

Hardened steel body for extra strength and reduced breakage

For use with hammer drills with a rotary stop feature

Ideal for all chising and demolition work in mortar, brick and concrete. Also suitable for chipping and chiselling of tile and glazing compounds



## SDS+ HAMMER CHISEL BITS

Product Code	Size mm
SDSPP25	250 Pointed
SDSP2025	20 x 250 Flat
SDSP4025	40 x 250 Spade
SDSPU25	250 U-Type
SDSPB4025	40 x 250 Bent Spade



## SDS+ 250MM 3PC CHISEL SET

Product Code	Contents
SDSP25S3	250mm Pointed, 20x250mm Flat, 40x250mm Spade SDS+ Chisels



DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# SDS+ cross head hammer drill bits.

A quality cross-head design SDS+ hammer drill bit for accurate, rounder holes and longer life – ideal for reinforced concrete

## FEATURES


### SDS+ shank

Cross-head design ensures all 4 cutting edges work at the same time to provide an even drilling action for accurate, rounder holes

Carbide side tips in addition to the main carbide tip to help provide a more powerful drilling action

Deep precision clearways allow waste to discharge away from the cutting edge, avoiding trapped material and resulting in longer tool life

Suitable for use in reinforced concrete, masonry and natural stone



## SDS+ CROSS HEAD HAMMER DRILL BITS

Product Code	Size mm	Overall Length mm	Working Length mm	Product Code	Size mm	Overall Length mm	Working Length mm
SDSPX04011	4.0	110	50	SDSPX06526	6.5	260	200
SDSPX05011	5.0	110	50	SDSPX08026	8.0	260	200
SDSPX05511	5.5	110	50	SDSPX10026	10.0	260	200
SDSPX06011	6.0	110	50	SDSPX12026	12.0	260	200
SDSPX08011	8.0	110	50	SDSPX14026	14.0	260	200
SDSPX05016	5.0	160	110	SDSPX16026	16.0	260	200
SDSPX05516	5.5	160	110	SDSPX18026	18.0	260	200
SDSPX06016	6.0	160	110	SDSPX20026	20.0	260	200
SDSPX06516	6.5	160	110	SDSPX06530	6.5	300	240
SDSPX07016	7.0	160	110	SDSPX08030	8.0	300	240
SDSPX08016	8.0	160	110	SDSPX10030	10.0	300	240
SDSPX10016	10.0	160	110	SDSPX12030	12.0	300	240
SDSPX12016	12.0	160	110	SDSPX08045	8.0	450	400
SDSPX05021	5.0	210	150	SDSPX10045	10.0	450	400
SDSPX06021	6.0	210	150	SDSPX12045	12.0	450	400
SDSPX06521	6.5	210	150	SDSPX16045	16	450	400
SDSPX07021	7.0	210	150	SDSPX18045	18	450	400
SDSPX08021	8.0	210	150	SDSPX20045	20	450	400
SDSPX10021	10.0	210	150	SDSPX22045	22	450	400
SDSPX12021	12.0	210	150	SDSPX25045	25	450	400
SDSPX06026	6.0	260	200	SDSPX32045	32	450	400





# SDS max cross head hammer drill bits.


SDS max cross head hammer drill bits for very heavy duty work that require large diameter and deep hole drilling

## FEATURES

Extra long life for heavy masonry work - perfect for large industrial construction

Suitable for use in reinforced concrete, concrete, masonry and natural stone

Cross-head design ensures all 4 cutting edges work at the same time to provide an even drilling action for accurate, rounder holes



## SDS MAX CROSS HEAD HAMMER DRILL BITS

Product Code	Size mm	Overall Length mm	Working Length mm
SDSMX2032	20	320	200
SDSMX2232	22	320	200
SDSMX2432	24	320	200
SDSMX2532	25	320	200
SDSMX1234	12	340	200
SDSMX1434	14	340	200
SDSMX1634	16	340	200
SDSMX1834	18	340	200
SDSMX2837	28	370	250
SDSMX3037	30	370	250
SDSMX3537	35	370	250
SDSMX2052	20	520	400
SDSMX2252	22	520	400
SDSMX2452	24	520	400
SDSMX2552	25	520	400
SDSMX2652	26	520	400
SDSMX1254	12	540	400
SDSMX1454	14	540	400
SDSMX1654	16	540	400
SDSMX1854	18	540	400
SDSMX2857	28	570	450
SDSMX3057	30	570	450
SDSMX3257	32	570	450
SDSMX3557	35	570	450
SDSMX4057	40	570	450
SDSMX3567	35	670	550
SDSMX2092	20	920	800
SDSMX2292	22	920	800
SDSMX2592	25	920	800
SDSMX3292	32	920	800
SDSMX4092	40	920	800




## SDS MAX HAMMER CHISEL BITS

Product Code	Size mm
SDSMP28	280 Pointed
SDSMP40	400 Pointed
SDSMP60	600 Pointed
SDSM2528	25 x 280 Flat
SDSM2540	25 x 400 Flat
SDSM2560	25 x 600 Flat
SDSM5040	50 x 400 Spade
SDSM8030	80 x 300 Spade
SDSM11535	115 x 350 Spade



# Know your DART blade.



## Saw Blade Compatibility Chart.


DART Circular Saw Blades are suitable for all Circular Saw Machines. Find out the Diameter and Bore Size of blade your machine needs on Pages 61-64

## Circular saw blade cut type.




### WOOD: COARSE FINISH

These blades have between 16 and 20 teeth for smaller blades and 28 teeth for blades with a diameter greater than 190mm. Suitable for ripping through woods such as softwood, hardwood and plywood



### WOOD: MEDIUM FINISH

These blades have between 20 and 28 teeth for small blades and 40 teeth for blades with a diameter greater than 190mm. Suitable for cutting through woods such as softwood, hardwood and plywood



### WOOD: FINE FINISH

These blades have between 40 and 80 teeth; 40 teeth for blades with a diameter of up to 190mm, 60 teeth for 210-260mm diameter and 80 teeth for blades with a larger diameter. Suitable for cutting through woods such as softwood, hardwood, particle board, MDF, single-sided wood laminates, hardboard and plywood



### WOOD: EXTRA FINE FINISH

These blades have between 60 and 100 teeth; 60 teeth for blades with a diameter of up to 190mm, 80 teeth for 210-260mm diameter and 100 teeth for blades with a larger diameter. Use for an extra fine finish cut through woods such as softwood, hardwood, particle board, MDF, wood laminates, hardboard and plywood




### ALU/PLASTIC/ LAMINATES: FINE FINISH

These Blades have Triple Chip Tooth configurations and have between 40 and 100 teeth. Suitable for cutting non-ferrous metals including aluminium, plastic and wood laminates

# Tooth Type Key.


## ATB TOOTH

Suitable for most applications including rip saws and table saws. Tooth Angle (5° - 30°) differs slightly on some machines to optimize cut quality




## ATB NEG TOOTH

Suitable for use on mitre saws and chop saws. Minimises snatching and pick up of material



## TCG TOOTH

Suitable for materials such as aluminium, plastic, wood laminates and other man-made materials. Leaves a chip-free finish due to its bevelled corner tooth which cuts first followed by a flat top tooth



# Blade Application Chart.

TEETH	TOOTH	WOOD	WOOD	WOOD	WOOD	WOOD	ALU	PVC	PLASTIC	PLASTIC	PLASTIC	FAST CUT	CLEAN CUT
16-24	ATB	■	■	■	■	■	■	■	■	■	■	■	■
28-32	ATB	■	■	■	■	■	■	■	■	■	■	■	■
40	ATB	■	■	■	■	■	■	■	■	■	■	■	■
40	ATB NEG	■	■	■	■	■	■	■	■	■	■	■	■
60	ATB	■	■	■	■	■	■	■	■	■	■	■	■
60	ATB NEG	■	■	■	■	■	■	■	■	■	■	■	■
80	ATB	■	■	■	■	■	■	■	■	■	■	■	■
100	ATB	■	■	■	■	■	■	■	■	■	■	■	■
100	ATB NEG	■	■	■	■	■	■	■	■	■	■	■	■
40-60	T.CHIP	■	■	■	■	■	■	■	■	■	■	■	■
80	T.CHIP	■	■	■	■	■	■	■	■	■	■	■	■
100	T.CHIP	■	■	■	■	■	■	■	■	■	■	■	■




\*ON ALL BLADES WITH CHIP LIMITER TEETH

# Gold TCT wood saw blades – thin kerf.

Professional TCT thin kerf blades designed for cordless machines to reduce power drain

**ADVANCE**  
**/// RUNTIME**



## FEATURES

Thin kerf for increased efficiency and runtime on cordless machines

Quality blades featuring an alternate top bevel (ATB) tooth configuration for the professional tradesman

Unique 'gold' coating creates ultra low friction and wear resistance

Reamed bore ensures precise fit to spindle

Front bevel tooth form for a superior quality of cut

Suitable for use on rip saws

Anti-kickback for smooth action & safety during use

Body hardened and tempered to maintain trueness

Range includes blades from 120mm to 190mm diameter for coarse cutting through to fine cutting

Suitable for cutting softwood, hardwood, particle board, MDF, hardboard and plywood

Reducing rings available

## GOLD TCT WOOD BLADES - THIN KERF

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type	Cut Type
STK851524	85	15	24	1.0	0.7	ATB	■
STK1159524	115	9.5	24	1.5	1.0	ATB	■
STK1202028	120	20	28	1.8	1.2	ATB	■
STK1361020	136	10	20	1.5	1.0	ATB	■
STK1362020	136	20	20	1.5	1.0	ATB	■
STK1402024	140	20	24	1.8	1.0	ATB	■
STK1402042	140	20	42	1.8	1.0	ATB	■
STK1501016	150	10	16	1.5	1.0	ATB	■
STK1602024	160	20	24	1.5	1.0	ATB	■
STK1602040	160	20	40	1.6	1.0	ATB	■
STK1602060	160	20	60	1.6	1.0	ATB	■
STK1651016	165	10	16	1.5	1.0	ATB	■
STK1651024	165	10	24	1.6	1.0	ATB	■
STK1651624	165	16	24	1.6	1.0	ATB	■
STK1652012	165	20	12	1.6	1.0	ATB	■
STK1652024	165	20	24	1.6	1.0	ATB	■
STK1652040	165	20	40	1.6	1.0	ATB	■
STK1653024	165	30	24	1.6	1.0	ATB	■
STK1653036	165	30	36	1.6	1.0	ATB	■
STK1841620	184	16	20	1.6	1.0	ATB	■
STK1841628	184	16	28	1.6	1.0	ATB	■
STK1841640	184	16	40	1.6	1.0	ATB	■
STK1842024	184	20	24	1.6	1.0	ATB	■
STK1842036	184	20	36	1.6	1.0	ATB	■
STK1901628	190	16	28	1.6	1.0	ATB	■
STK1901640	190	16	40	1.6	1.0	ATB	■
STK1903028	190	30	28	1.6	1.0	ATB	■
STK1903040	190	30	40	1.6	1.0	ATB	■

## CUT TYPE

- WOOD – Coarse finish      ■ WOOD – Medium Finish
- WOOD – Fine Finish      ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish



Expansion Slots



Axial Front Shear Cutting Angle



Ventilation Ports



Embedded Tungsten Tip



Hardened Steel Saw Blade



Chip Limiter Tooth



## GOLD TCT WOOD BLADES - THIN KERF

(SUITABLE FOR DEWALT FLEXVOLT POWER TOOLS)

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type	Cut Type
DCL1652024	165	20	24	1.76	1.2	ATB+10°	■
DCL1652042	165	20	42	1.76	1.2	ATB+10°	■
DCL1903024	190	30	24	1.55	0.99	ATB+25°	■
DCL1903036	190	30	36	1.55	0.99	ATB+25°	■
DCL1903060	190	30	60	1.55	0.99	ATB+25°	■
DCL2103024	210	30	24	1.8	1.24	ATB+20°	■
DCL2103036	210	30	36	1.8	1.24	ATB+20°	■
DCL2103060	210	30	60	1.8	1.24	ATB+20°	■
DCL2163024	216	30	24	2.16	1.6	ATB+7°	■
DCL2163036	216	30	36	2.16	1.6	ATB+7°	■
DCL2163060	216	30	60	2.16	1.6	ATB+7°	■
DCL2503024	250	30	24	2.16	1.6	ATB+7°	■
DCL2503036	250	30	36	2.16	1.6	ATB+7°	■
DCL2503060	250	30	60	2.16	1.6	ATB+7°	■
DCL3053042	305	30	42	2.16	1.6	ATB+7°	■
DCL3053060	305	30	60	2.16	1.6	ATB+7°	■
DCL3053078	305	30	78	2.16	1.6	ATB+7°	■



Axial Front Shear Cutting Angle



Ventilation Ports



Embedded Tungsten Tip



Hardened Steel Saw Blade



Blade compatibility chart  
- see pages 71-74

### CUT TYPE

- WOOD – Coarse Finish      ■ WOOD – Medium Finish
- WOOD – Fine Finish        ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish

DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# Gold TCT wood saw blades.

Professional TCT blades featuring an alternate top bevel (ATB) tooth configuration for a professional finish and long cutting life



Blade compatibility chart - see pages 71-74

## FEATURES

Unique 'gold' coating creates ultra low friction and wear resistance

Body hardened and tempered to maintain trueness

Reamed bore ensures precise fit to spindle

Range includes blades from 150mm to 305mm diameter for coarse cutting through to fine cutting

Front bevel tooth form for a superior quality of cut


Suitable for cutting softwood, hardwood, particle board, MDF, hardboard and plywood

Cooling slots to negate heat build up. Ideal for continuous use

Suitable for wood with nails on blades with up to 40 teeth

Cooling slots also assist in clearing swarf

Reducing rings available



## GOLD TCT WOOD BLADES

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type	Cut Type
DES1502028	150	20	28	2.6	1.8	ATB	■
DES1602020	160	20	20	2.6	1.8	ATB	■
DES1602028	160	20	28	2.6	1.8	ATB	■
DES1602040	160	20	40	2.6	1.8	ATB	■
DES1602048	160	20	48	2.2	1.6	ATB +5°	■
DES1602060	160	20	60	2.6	1.8	ATB	■
DES1652028	165	20	28	2.2	1.6	ATB +23°	■
DES1652048	165	20	48	2.2	1.6	ATB +8°	■
DES1803024	180	30	24	2.8	2.0	ATB	■
DES1803040	180	30	40	2.8	2.0	ATB	■
DES1843028	184	30	28	2.8	2.0	ATB	■
DES1843040	184	30	40	2.8	2.0	ATB	■
DES1902028	190	20	28	2.8	2.0	ATB	■
DES1902040	190	20	40	2.8	2.0	ATB	■
DES1903020	190	30	20	2.8	2.0	ATB	■
DES1903028	190	30	28	2.8	2.0	ATB	■
DES1903040	190	30	40	2.8	2.0	ATB	■
DES1903048	190	30	48	2.8	2.0	ATB	■
DES1903060	190	30	60	2.8	2.0	ATB	■
DES2103028	210	30	28	2.8	2.0	ATB	■
DES2103040	210	30	40	2.8	2.0	ATB	■
DES2103048	210	30	48	2.8	2.0	ATB	■
DES2103060	210	30	60	2.8	2.0	ATB	■
SSK2163028	216	30	28	2.8	2.0	ATB	■
SSK2163040	216	30	40	2.8	2.0	ATB	■
SNA2163040	216	30	40	2.8	2.0	ATB neg.	■
SSK2163060	216	30	60	2.8	2.0	ATB	■
SNA2163060	216	30	60	2.8	2.0	ATB neg.	■
SSK2163080	216	30	80	2.8	2.0	ATB	■

## CUT TYPE

- WOOD – Coarse Finish      ■ WOOD – Medium Finish
- WOOD – Fine Finish      ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish



### GOLD TCT WOOD BLADES (CONT.)

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type	Cut Type
DES2303018	230	30	18	2.8	2.0	ATB	■
DES2303028	230	30	28	2.8	2.0	ATB	■
DES2303040	230	30	40	2.8	2.0	ATB	■
DES2303048	230	30	48	2.8	2.0	ATB	■
DES2303060	230	30	60	2.8	2.0	ATB	■
DES2353028	235	30	28	2.8	2.0	ATB	■
DES2353040	235	30	40	2.8	2.0	ATB	■
DES2353060	235	30	60	2.8	2.0	ATB	■
SSK2503028	250	30	28	2.8	2.0	ATB	■
SSK2503040	250	30	40	2.8	2.0	ATB	■
SSK2503060	250	30	60	2.8	2.0	ATB	■
SNA2503060	250	30	60	2.8	2.0	ATB neg.	■
SSK2503080	250	30	80	2.8	2.0	ATB	■
SSK2503100	250	30	100	2.8	2.0	ATB	■
SSK2603048	260	30	48	2.8	2.0	ATB	■
SSK2603060	260	30	60	2.8	2.0	ATB	■
SNA2603060	260	30	60	2.8	2.0	ATB neg.	■
SSK3003024	300	30	24	3.0	2.0	ATB	■
SSK3003048	300	30	48	3.0	2.0	ATB	■
SSK3003060	300	30	60	3.0	2.0	ATB	■
SSK3003080	300	30	80	3.0	2.0	ATB	■
SSK3053032	305	30	32	3.0	2.0	ATB	■
SSK3053060	305	30	60	3.0	2.0	ATB	■
SSK3053096	305	30	96	3.0	2.0	ATB	■
SNA30530100	305	30	100	3.0	2.0	ATB neg.	■



Expansion Slots



Axial Front Shear Cutting Angle



Ventilation Ports



Embedded Tungsten Tip



Hardened Steel Saw Blade



Chip Limiter Tooth

Blade compatibility chart  
- see pages 71-74

#### CUT TYPE

- WOOD – Coarse Finish      ■ WOOD – Medium Finish
- WOOD – Fine Finish        ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish



# Gold TCT aluminium/plastic/laminate saw blades.

Professional TCT blades featuring a triple chip ground (TCG) tooth configuration for a professional finish and long cutting life

**ADVANCE  
CUT**



Blade compatibility chart - see pages 71-74

## FEATURES

Unique 'gold' coating creates ultra low friction and wear resistance


Reamed bore ensures precise fit to spindle

Body hardened and tempered to maintain trueness

Range includes blades from 120mm to 300mm diameter with 40 teeth to 100 teeth

Suitable for cutting non-ferrous metals including aluminium, plastic and wood laminates

Reducing rings available



## GOLD TCT ALUMINIUM/PLASTIC/LAMINATE BLADES

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type	Cut Type
SNT1202040	120	20	40	1.8	1.2	TCG	■
SNT1602048	160	20	48	2.4	1.8	TCG	■
SNT1652048	165	20	48	2.4	1.8	TCG	■
SNT1841648	184	16	48	2.4	1.8	TCG	■
SNT1903048	190	30	48	2.6	2.0	TCG	■
SNT2163060	216	30	60	2.8	2.2	TCG	■
SNT2163080	216	30	80	2.8	2.2	TCG	■
SNT2353056	235	30	56	2.8	2.2	TCG	■
SNT2503080	250	30	80	2.8	2.2	TCG	■
SNT25030100	250	30	100	2.8	2.2	TCG	■
SNT2603080	260	30	80	2.8	2.2	TCG	■
SNT30030100	300	30	100	3.0	2.4	TCG	■



Expansion Slots



Axial Front Shear Cutting Angle



Ventilation Ports



Embedded Tungsten Tip



Hardened Steel Saw Blade

## CUT TYPE

- WOOD – Coarse Finish      ■ WOOD – Medium Finish
- WOOD – Fine Finish        ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish



# Silver TCT wood saw blades.

Professional TCT blades featuring an alternate top bevel (ATB) tooth configuration for universal wood cutting applications



Blade compatibility chart - see pages 71-74

## CUT TYPE

- WOOD – Coarse Finish      ■ WOOD – Medium Finish
- WOOD – Fine Finish            ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish

## FEATURES


Reamed bore ensures precise fit to spindle

Body hardened and tempered to maintain trueness

Range includes blades from 136mm to 305mm diameter for coarse cutting through to fine cutting

Suitable for cutting softwood, hardwood, particle board, MDF, hardboard and plywood

Reducing rings available



## SILVER TCT WOOD BLADES

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type	Cut Type
SVR1362020	136	20	20	1.5	1.0	ATB	■
SVR1602048	160	20	48	2.2	1.6	ATB	■
SVR1602060	160	20	60	1.6	1.0	ATB	■
SVR1652024	165	20	24	1.6	1.0	ATB	■
SVR1652040	165	20	40	1.6	1.0	ATB	■
SVR1841624	184	16	24	1.6	1.0	ATB	■
SVR1841640	184	16	40	1.6	1.0	ATB	■
SVR1843024	184	30	24	2.8	2.0	ATB	■
SVR1843040	184	30	40	2.8	2.0	ATB	■
SVR1903024	190	30	24	2.8	2.0	ATB	■
SVR1903040	190	30	40	2.8	2.0	ATB	■
SVR2163040	216	30	40	2.8	2.0	ATB	■
SVR2163060	216	30	60	2.8	2.0	ATB	■
SVR2303024	230	30	24	2.8	2.0	ATB	■
SVR2303040	230	30	40	2.8	2.0	ATB	■
SVR2353024	235	30	24	2.8	2.0	ATB	■
SVR2353040	235	30	40	2.8	2.0	ATB	■
SVR2503040	250	30	40	2.8	2.0	ATB	■
SVR2503060	250	30	60	2.8	2.0	ATB	■
SVR3053060	305	30	60	3.0	2.0	ATB	■
SVR3053096	305	30	96	3.0	2.0	ATB	■



Expansion Slots



Axial Front Shear Cutting Angle



Ventilation Ports



Embedded Tungsten Tip



Hardened Steel Saw Blade

# Platinum TCT saw blades.

Professional TCT blades manufactured in Germany to the highest specifications and include superior length of tungsten tip



**LONGER LIFE** **ADVANCE CUT**



Blade compatibility chart - see pages 71-74

## FEATURES

Each tooth is diamond ground for longer durability


Body of blade is precision flattened for good cutting quality

Suitable for use on Festool TSC55 Festool Plunge Saw\*

Suitable for use on Festool TS55 plunge saw\*\*


Alternate top bevel (ATB) Blades suitable for clean cuts in softwood, hardwood and panel materials

Triple chip ground (TCG) Blades suitable for aluminium, plastic and wood laminates




## PLATINUM TCT WOOD BLADES

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type
PWC1602028*	160	20	28	2.2	1.6	ATB +15°
PWC1602048*	160	20	48	2.2	1.6	ATB +5°
PWC1652028	165	20	28	2.2	1.6	ATB +23°
PWC1652048	165	20	48	2.2	1.6	ATB +8°
PWC2103036	210	30	36	2.4	1.9	ATB +15°
PWC2163048	216	30	48	2.5	1.6	ATB +8°
PWC2603060	260	30	60	2.5	1.8	ATB -5°



## PLATINUM TCT WOOD BLADES - THIN KERF


Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type
PTK1602028*	160	20	28	1.8	1.2	ATB+15
PTK1602042*	160	20	42	1.8	1.2	ATB/V+10
PTK1602052*	160	20	52	1.8	1.2	ATB-5



## PLATINUM TCT ALUMINIUM/ PLASTIC/LAMINATE BLADES

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type
PAC1602052*	160	20	52	2.2	1.6	TCG -5°

\*Suitable for use on Festool TS55 plunge saw



# Metal TCT saw blades.

Quality TCT blades featuring a triple chip ground (TCG) tooth configuration for fast and clean cuts in various metal sections



## FEATURES


Anti-kick back tooth for smooth action and increased safety during use

Reamed bore ensures precise fit to spindle

Hardened steel body with lock embedded tungsten tip giving a spark free cut


Range includes blades from 136mm to 355mm diameter with 32 teeth to 72 teeth

Suitable for cutting construction steel, aluminium, stainless steel, metal tube, U-steel, I-beam and sheet metal cased insulation panels



## METAL TCT BLADES

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type
PMC1362032	136	20	32	1.6	1.1	TCG
PMC1502032	150	20	32	1.6	1.2	TCG
PMC1652040	165	20	40	2.0	1.6	TCG
PMC1802036	180	20	36	2.2	1.6	TCG
PMC1853038	185	30	38	2.2	1.6	TCG
PMC23025444	230	25.4	44	2.4	2.0	TCG
PMC25525444	255	25.4	44	2.2	1.6	TCG
PMC30525460	305	25.4	60	2.4	2.0	TCG
PMC35525472	355	25.4	72	2.5	2.0	TCG
PMC3553072	355	30	72	2.5	2.0	TCG



## BLADE CUTTING SPEED

BLADE Diameter	faster                     slower		
	Thin Sections Up to 1.6mm (20-45 m/sec)	Medium Sections 2mm to 4mm (20 - 25 m/sec)	Thick Sections 5mm to 12mm (20 - 30 m/sec)
136mm	2800-6300 rpm	2800-4900 rpm	2800-4200 rpm
165mm	2400-5300 rpm	2400-4200 rpm	2400-3600 rpm
180mm	2100-4800 rpm	2100-3700 rpm	2100-3200 rpm
185mm	2100-4800 rpm	2100-3700 rpm	2100-3200 rpm
230mm	1800-4100 rpm	1800-3200 rpm	1800-2700 rpm
255mm	1500-3600 rpm	1500-3100 rpm	1500-2100 rpm
305mm	1250-2800 rpm	1250-2200 rpm	1250-1900 rpm
355mm	1100-2400 rpm	1100-1900 rpm	1100-1600 rpm



# PCD fibre cement saw blades.

Quality Poly Crystalline Diamond (PCD) fibre cement saw blades with flat teeth configuration for use in specialist applications, providing durability and long life



Blade compatibility chart - see pages 71-74

## FEATURES


Extra large gullet design minimises dust and improves removal of material

\*Lasts up to 15 times longer compared to a standard TCT blade

Range includes blades from 160mm to 300mm diameter with 4, 6 and 8 teeth



Suitable for cutting aggregate decking, composite decking, compressed concrete, MDF, fibre cement and other ultra hard materials - Trespa, HardiePlank, Minerit, Eternit and Corian

Smoother, cleaner and more accurate cutting



## DIAMOND (PCD) BLADES

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type	RPM
PCD1159524	115	9.5	4	1.6	1.0	PCD	12000
PCD160204	160	20	4	2.4	1.6	PCD	12000
PCD160208	160	20	8	2.4	1.6	PCD	12000
PCD165204	165	20	4	2.4	1.6	PCD	12000
PCD165304	165	30	4	2.4	1.6	PCD	12000
PCD185164	185	16	4	2.4	1.6	PCD	11000
PCD190204	190	20	4	2.4	1.6	PCD	11000
PCD190304	190	30	4	2.4	1.6	PCD	11000
PCD190308	190	30	8	2.4	1.6	PCD	11000
PCD216304	216	30	4	2.4	1.6	PCD	10000
PCD216308	216	30	8	2.4	1.6	PCD	10000
PCD230306	230	30	6	2.4	1.6	PCD	8500
PCD250306	250	30	6	2.4	1.6	PCD	6500
PCD300308	300	30	8	2.4	1.6	PCD	5000



# Industrial TCT wood saw blades.

High quality TCT Industrial wood-cutting saw blades manufactured to satisfy the demands of the professional



Blade compatibility chart  
- see pages 71-74


## FEATURES

Suitable for industrial applications and fixed bed machines with blades for ripping, cross-cutting and panel trimming

Reamed bore ensures precise fit to spindle

Superior length of tungsten tip to give maximum number of re-sharpenings

Body of blades are laser cut from hardened steel, tempered and tensioned, complete with euro slots




## INDUSTRIAL TCT WOOD BLADES

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type
PSP2503080	250	30	80	3.2	2.2	TCG
CSP2503042	250	30	42	3.2	2.2	ATB
DSP3003028	300	30	28	3.2	2.2	ATB
PSP3003096	300	30	96	3.2	2.2	TCG
DSP3153028	315	30	28	3.2	2.2	ATB
CSP3153060	315	30	60	3.2	2.2	ATB
CSP3503072	350	30	72	3.2	2.2	ATB
PSP35030108	350	30	108	3.5	2.5	TCG
DSP4003036	400	30	36	3.5	2.5	ATB
DSP4503040	450	30	40	3.8	2.8	ATB
DSP5003044	500	30	44	4.0	3.0	ATB



# Reducing rings.

Quality reducing rings to ensure that blades fit safely to your machine when the bore size is different - accurately machined with reamed bores and splined outside edges for precision fit



## NOTE

Must be inserted correctly; pressed or glued into the body of the blade

Extra care must be taken when mounting saw blades onto a saw machine spindle when using reducing rings

Do not use a reducing ring when the saw flange is not more than 5mm diameter bigger than the original saw blade bore size


For use in DART saw blades only

## REDUCING RINGS

Product Code	Outside D mm	Inside D mm	Thickness mm	Quantity
DBW201611	20	16	1.1	Pk. 1
DBW302010	30	20	1.0	Pk. 1
DBW201618	20	16	1.8	Pk. 1
DBW252018	25	20	1.8	Pk. 1
DBW3012718	30	12.7	1.8	Pk. 1
DBW3015918	30	15.9	1.8	Pk. 1
DBW301618	30	16	1.8	Pk. 1
DBW302018	30	20	1.8	Pk. 1
DBW302518	30	25	1.8	Pk. 1
DBW3025418	30	25.4	1.8	Pk. 1

# Biscuit joint cutter saw blade.

Quality TCT blade designed to cut the exact size for wooden jointing biscuits



For jointing biscuits - see page 105

## FEATURES

Manufactured with fixed carbide tips

Suitable for Panel material and solid wood

Anti-kickback for smooth action and safety during use

## BISCUIT JOINT CUTTER BLADE

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm
BJC1022212	102	22	12	4.0	3.0



# Saw blade compatibility.

From thin kerf blades for cordless machines to a platinum, German-manufactured TCT blade suitable for the Festool TS55 plunge saw, DART blades are manufactured to give you the better choice for your saw. DART blades are perfectly matched to your machine.

## Overview of Machines

Get the right blade for your machine.

Machine	Diam. mm	Bore mm	Machine	Diam. mm	Bore mm	Machine	Diam. mm	Bore mm
<b>AEG</b>			<b>Avola</b>			GTS 10, PTS 10, PTS 10T		
HK 40	140	20	LH 315, TZV 315	315	30	PTS 10, PTS 10T, GTS 10,		
HK 46N	150	20	TZH 350	350	30	GTS 10 J, GTS 10 XC	254	30
HK 55, K 55, K 55S, K 55SE	160	20	ZB400, ZBV400	400	30	GTM 12	305	30
HK 66, HK 66E, KS 66S	190	30	ZB450, ZBV450	450	30	PCM 7, PCM 7 S	190	30
HK 75A	210	30	ZB500, ZBV500	500	30	PCM 8ST, PCM 8 S	210	30
<b>Atika</b>			<b>Black &amp; Decker</b>			GCM 8 S		
T 205	205	16	BD 227, BD 840, BD 846,			GCM 10, GCM 10 S,		
Toptronic, T 250 ECO, TK 250,			CD 600, DN 227, KS 40,	140	12,7	GCM 10 SD, GKG 24 V,	250	30
PTK 250 S	250	30	KS 227, KS 840, KS 846,			GTS 10, PCM 10		
T 250	254	30	P 3601			PCM 10, GCM 10, GCM 10 S,		
BTA 90, HAT 315	315	30	BD 855, KS 855, SR 325E,	160	16	GCM 10 SD, GKG 24 V,	254	30
ABH400, ABK 400	400	30	U 336, U 975, U 976			PCM 10 T, GCM 10 J		
ABH450, ABK 450, ATU	450	30	CD601, CSI1030L	170	16	GCM 12, GCM 12 SD,		
ABH500, ABK 500	500	30	HD 1200	180	20	GCM 12 GDL, GTM 12	305	30
KGS 210, KGS 210 N, KGSZ 210	210	30	BD 229, BD 865, BD 865E,			<b>Bosch</b>		
KGSZ 250 N	250	30	DN 59, DN 229, DN 820,			PKS 38, PKS 40, PKS 14,4 V	130	16
KGSZ 255	255	25,4	GD 60, HD 100, HD 1000,	184	16	PKS 46	150	16
KGSZ 305	305	25,4	HD 2062, KS 865, KS 865E,			GKS 54, GKS 54 CE		
<b>Atlas Copco</b>			P3703, P3705, PL40, PS 3703,			PKS 54, PKS 54 CE,	160	16
TKS 42	130	20	PS 3705, SR 300, SR 362E			GKS 55, GKS 55, CE, GKS 55		
K 55, K 55S	160	20	KS 64, KS 65K,	190	16	GCE, GKS 160, GKS 24 V,	160	20
K 66S, K 66SE, SCS 66Q	190	30	KS1300, KS1400L, KS1500LK			PKS 55 A		
HKS 75	210	30	BD 365, PL 41	190	30	GKS 36 V-LI, GKT 55 GCE,	165	20
HKS 85	230	30	HD 2075S	210	30	GKS 18 V		
MS 3 C	250	30	KS 805, KS 810, P 3802	210	30	GKS 65, GKS 68 BC,		
MS 3 C	254	30	P 3902, HD 2066S	230	30	GKS 65 CE, PKS 66,	190	30
			T 250 Eco	250	30	PKS 66 A, PKS 66 AF, GKS 66,		
			SR 700, BD 800, DN 800,	210	30	GKS 66 CE, GKS 65 GCE		
			DN 810, SEC 818			GKS 75 S	210	30
						GKS 85 S, GKS 85 G, GKS 85	235	30
						PPS 75	190	30

## BLADE COMPATIBILITY

Machine	Diam. mm	Bore mm	Machine	Diam. mm	Bore mm	Machine	Diam. mm	Bore mm
<b>DeWalt</b>			<b>Elu</b>			<b>Flex</b>		
DW 935K, DW 936K	136	10	MH 151	150	20	CSM 4060	185	20
DW 351	150	20	GKS 24V	160	20	TCS 3602	355	16
DW 390KA, DW 007	165	10	GKS 36V-LI	165	20			
D23550, D23551	165	20	MH 155	170	30	<b>Güde</b>		16
DW 62, DW 62K, D23620	184	16	MH 65	180	30	GKS 1100 P, KT 210	210	20
DW 65, DW 365, D23650K, D23651K	190	30	MH 165, MH 265	190	30			
D23700	235	30	MH 85, MH 286	240	30	<b>Hanning</b>		
DW 86	240	30	PS 174, PS 274, PS 274E, ETS 41	216	20	HTK 315/3 SV, HTK 315/1.6, HTK 2.1, HTK 315/3.0, HTK 4.0	315	30
DW744, DW746, DW745, DW745RS, DW744XPRS DW744XP, DW743N	250	30	TGS 170, TGS 171, TGS 172, TGS 173, TGS 271, TGS 273 PS 374, EMS 705	250 305	20 20			
D27107, D27107V	305	30				<b>Hitachi</b>		
DW 700, DW 701, DW 707, DW 777	216	30	<b>Evolution</b>			C 6BU, C 6BU2, C 6U, C 6U2	165	30
DW 702, DW 703, DW 710, DW 713, DW 742, DW 744, DW 743, DW 713, XPS, DW 743 N, DW 704, D 27107, D 27107 V, DW 716	250	30	EVO 180, E180 Xtreme	184	20	C 7BU, C 7U	184	30
DW 709, DW 711	260	30	FURY 185, RAGE, RAGE-B RAGE230	185 230	20 25,4	C 7U2, C 7BU2	190	30
DW 705, DW 706, DW 708, D27105, DW 716 EXPS	305	30	EVO 230	235	25,4	C 8U	210	30
DW 872, DW 872XE	355	25,4	FURY2 355	355	25,4	C 9U, C 9U2, C 9BU2	235	30
DCS7485	210	30	FURY6 210	210	25,4	C 8 U, C 8 FA, PSM 8 A, PSU 8	210	16
DCS777	216	30	FURY5 255, RAGE5 255, RAGE6 255	255	25,4	C 8 FC, C 8 FS	216	30
DCS575	190	30	FURY3B 210, FURY3 210, RAGE3-B 210, RAGE3-S 210, RAGE3-S300 210	210	30	C 10 FCA, C 10 FCB	250	30
DCS520	165	20	FURY3XL 255, RAGE3 255, RAGE3-DB 255	255		C 10 FCA, C 10 FCB	254	30
DCS778	250	30	355 Raptor	355	20	C 10 FCE2, C 10 FCH2	255	30
DHS780	305	30				CD 12 F, C 12LCH, C 12YA, C 12YB	305	
			<b>Ferm</b>			CD 14 F	355	
<b>Einhell</b>			FZT 250	250	30	PSU 13	315	30
BT-CS 1200/1	160	16						
RT-CS 165	165	16	<b>Festool</b>			<b>Holz-Her</b>		
BT-CS 1400/1	190	20	AP 55, AP 55E, ATF 55, ATF 55E, ATF 55EB, TS 55, TS 55 R	160	20	2110, 2111, 2171	130	20
RT-CS 190/1	190	30	AT 55E, AXT 50LA	170	30	2260, 2270	140	20
BT-TS 800, BT-TS 1500 U, TKS 1500 ECO	200	16	AU 55S, AU 60P	180	30	2103, 2104, 2105, 2106, AP 55EB, ATF 55EB,	160	20
RT-TS 920	205	16	AP 65, AP 65E, AP 65EB, AT 65, AT 65EB	190	30	2115, 2266, 2271, 2281	170	30
RT-TS 1221	210	30	AU 65, AD 65	200	30	2112, HKU 55	180	30
RT-TS 1725 U, RT-TS 1825 U	250	30	TS 75	210	30	2117, 2119, AP 65EB, AT 65EB	190	30
BKS 315, RT-TS 2031 U, RT-TS 2231 DU	315	30	CS 70, CS 70EB	225	30	2113	200	30
KGS 210, BT-MS, 210, BT-MS 2112, RT-SM 305 L, KGTN 245, KGTN 250, BT-MS 250 L, RT-SM 430 U	250	30	AP 85, AP 85E, AP 85 EB AXP 130, AXP 132 E, BD 125 BD 145, BD 145/1	240 350 400	30 30 30	2267	210	30
KGTN 245, KGTN 250, KGS 250	254	30	BD 170	450	30	2118, 2120, 2294	230	30
			SYM 70 E	216	30	2268	240	30
			AD 100, AD 85, AE 85, AE 88 KS 120	250 260	30 30	2279, 2264, 2555, HK 201	210	
						2161, 14101 symstric	216	
						PKS 1210, PKS 1211, PKS 1212, PKS 1213, PKS 1215, PKS 1220, PKS 275, HKD 85, HKD 275 150, 176, 276, HKS 130, HKS 150, HKS 276, HKS 176 277, BZK, HKS 155	300 300 350 400	30 30 30 30
						<b>Huvema</b>		
						HU 355	355	
						315 ST	315	30



Machine	Diam. mm	Bore mm
<b>Jepson</b>		
8219 Hand Dry Cutter	190	20
8230 Hand Dry Cutter	235	25,4
9211D Dry Mitre Cutter	254	25,4
9430 Premium Dry Cutter	305	25,4
9435 Premium Super Dry,		
9515 Cut-Off Saw	355	25,4
<b>Jet</b>		
JMS 8	215	16
JMS 10	254	30
JTS-600X	250	30
JTS-315SP	315	30
<b>Keyang</b>		
DC-355	355	25,4
<b>Kress</b>		
GST 90	250	30
GST 90	254	30
CHKS 6055	160	20
1400 HKS, CHKS 6066, 1500KS	190	20
<b>Lutz</b>		
TKS HVK, TKS	315	30
TKS HVH, TKS V, Eurocut	315	30
BK 450	450	30
<b>Mafell</b>		
KSP 40, KSP 55F, KST 55,		
KSP 55, MKS 55, MKS 55F,	160	20
MS 55		
SP6000X1, 5603RK	165	20
FS 130K, FS 165 K, KSP 65F,		
MKS 65	190	30
B 65	200	30
MKS 75	210	30
MKS 85	225	30
KSP 85 FC, KSP 85, KSP 85F	230	30
Biber, Biberix, FS 85, MKS 105,		
MKS 105E, Monika,	315	30
TFK 85, TFK 8		
AZB, BK 3, BSK 4, BSK 5,		
BSK 6, TD 3, TDH 4,	400	30
TDH 425, TK 150, VKS 130,		
VKS 160, FKB 150, FS 1305,		
FS 130 (S)		
TDH 450, TDH 5, FSG 200,		
FSG 240 K	450	30
170, BKV 5, TDH 5	500	30

Machine	Diam. mm	Bore mm
<b>Makita</b>		
5603R, 5604R, 5603RK,		
SP6000K1, SP6000X1	165	20
5017RKB	165	30
5017R, 5703R, 5704R, 5705R,	190	30
5704RK, 5705RX		
5900B, 5900BR, SR 2300	235	25
5903R, 5903RK, N5900B	235	30
5103R	270	30
5143R	355	30
LS 0714FB	190	20
LS 1013, LS 1030, LS 1040	250	30
LS 1013, LS 1030, LS 1040	254	30
MLS 100	255	30
LS 1040F, LS 1013, LS 1013LB,	260	30
LS 1018L		
LC 1230	305	25,4
LS 1216LB, LS 1214L, LS 1214F,		
LS 121	305	30
MLT 100X, 2704	260	30
<b>Metabo, Elektra Beckum</b>		
TK 1685, TKU 1633, TKU 1693,		
TS 250, KGT 501	250	30
TK 1685, TK 1685	300	30
Magnum, TK 1688 (D) (Magnum)		
TK 1685, TK 1685 Magnum,		
TK 1688 Magnum, TKHS 315,	315	30
TKHS 315 C, TKHS 315 M,		
KGT 300		
BKS 400	400	30
BKS 450, BKH 450	450	30
<b>Metabo</b>		
KS 0852S	150	20
KS 54, KS 54 SP, KSE 55 Plus	160	20
KSA 18 LTX	165	16
KS 1155S, KS 1157S KSTE 1357S	165	20
KS 1266S, KS 1468S	190	20
KS 66, KS 66 Plus, KSE 68,		
KSE 68 Plus	190	30
KSE 1678S	210	30

Machine	Diam. mm	Bore mm
<b>Metabo, Elektra Beckum</b>		
GKSE 16705, Signal,		
KGSE 1670 S, KGS 255,	210	30
KS 250, KS 304, KGT 250,		
P 200, PK 200, UK 220 E, UK 220 W		
KS 215 M Lasercut,	216	30
KS 216 M Lasercut, KS 216 Plus		
KGS 250, KGS 300, KGT 500,		
KGT 501, KGT 550, KGS 330,	250	30
KGS 331, Hobby- master, KGS 301, KGS 303		
KS 254 Plus, KSG 254 Plus,	254	30
KSG 254, Plus, KSG 254 M		
KS 304, KS 305 Plus	305	30
KSG 315 Plus	315	30
<b>Metallkraft</b>		
HKS 230	230	25,4
MTS 500	305	30
MTS 355, MTS 356	355	25,4
<b>Milwaukee</b>		
CS 55	165	30
CS 60	184	30
SCS 65 Q, CS 75	190	30
MCS 65	203	16
6494-50, 6496-50	250	30
MS 305 DB	305	30
6190-20	355	25,4
<b>Rexon</b>		
MS 8 RAL, SM 2151 AL,		
M 2150, AE, SM 2150 AE,	216	30
SM 2153AE		
SM 2500 VA, M 2500 AE,		
SM 2502AE	250	30
M 2500 AL, M 2503 AL	254	30
SM 2501 AE, TMS 10 A	255	30
SCM 12 A, MS 12 RA,		
SM 3051 AL, M 3051 AL,	305	30
DC 356A	355	25,4
BT 2160 A	216	30
BT 2500 AE, BT 2504AE,		
BT2502AE	250	30
JT 2501 A	255	30
TS 3150 A	315	30

DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

## BLADE COMPATIBILITY

Machine	Diam. mm	Bore mm
<b>Ridgid</b>		
590	305	25,4
590 L	355	25,4
<b>Ryobi</b>		
EWS1150RS,		
EWS1150RS2	170	20
EWS1366HG	190	16
EMS 2026 SCC,		
EMS 2025 SCL	254	30
<b>Scheppach</b>		
Capas 1, Capas 2	216	30
KG 260 E, KSE 250, TKG 260 i,		
TKG 260, E, TKG 280 E	250	30
KG 260E, TKG 260i, TKG 260E,		
TKG 280E	254	30
TKG 305i, TKH, TKU, TS 400,		
TS 4010, Mitas 7	300	30
Capas 3, Capas 7	305	30
TKU, TS 315GT, TS 4010 ci	315	30
BS 400, BSH 500	400	30
BS 500	500	30

Machine	Diam. mm	Bore mm
<b>Skil</b>		
5140, 5240, 5740, 5144	130	16
5840, 5840AB	140	20
5750, 5855	160	16
5155	170	16
5003, 5164, 5064	184	16
5066, 5166, 5266, 5366, 5466,		
5566, 5766, 5866	190	16
5885	235	30
1131AA	210	30
<b>Stayer</b>		
SC 211W, SC206BW,	210	30
SLL 250, SCE 1600, SC 270,		
SC 271, SLL 250 E, SLL 251,	250	30
SL 251 E		
SC 241 W, SC 251, W, SLL 250,		
SCE 1600, SC 270, SC 271,	254	30
SLL 250, SLL 250 E,		
SLL 251, SL 251 E		

Machine	Diam. mm	Bore mm
<b>Ulmia</b>		
1610, 1622, 1625, 1710 S, 1710 R,		
1711, KS 1	250	30
1711, 1712, 1725	300	30
1711, 1712,		
1712 RT, 1712 R	350	30
<b>Wegoma</b>		
TM 43 D, KGS48, KGS48 T	250	30
KGS33, KGS33T, KGS72,		
KGS72T	300	30
TM 43 D, TS 48 D	250	30
TM 33 H, TS 33 H,		
TM 72 C, TS 72 C	300	30
S 5 D	350	30
TKS 400 M, TKS 400 A	400	30
<b>Variolux</b>		
OKS 315	315	30

# Reciprocating blades.

Popular range of precision made blades designed for a wide variety of applications



## RECIPROCATING BLADES - WOOD CUTTING

Product Code	Bosch Ref.	Application	TPI	Working Length	Quantity
DRB51	S1531L	Ideal for cuts in wooden exteriors. For fast, rough cuts and tree pruning. Hardened teeth for extra durability	5	220mm	Pk. 5

**DART** S1531L 5tpi  
HCS 240x19x1,5mm

**FAST+CLEAN CUT** FOR WOOD

5.0mm HCS WOOD FAST CUT 15-190mm

**FAST+CLEAN CUT**

DRB52	S644D	For straight and curved cuts. For fast, clean cuts in hardwoods, softwoods, chipboard, plywood and synthetics	6	130mm	Pk. 5
-------	-------	---	---	-------	-------

**DART** S644D 6tpi  
HCS 150x19x1,25mm

**PLUNGE CUT** **CLEAN CUT** FOR WOOD

4.3mm HCS PVC WOOD 6-100mm

**PLUNGE CUT** **CLEAN CUT**

DRB53	S1111K	Ideal for rough, fast cuts in hardwoods and softwoods	3	205mm	Pk. 5
-------	--------	---	---	-------	-------

**DART** S1111K 3tpi  
HCS 225x19x1,2mm

**COARSE CUT** FOR WOOD

8.5mm HCS WOOD 20-150mm

**COARSE CUT**

## RECIPROCATING BLADES - METAL CUTTING

Product Code	Bosch Ref.	Application	TPI	Working Length	Quantity
DRB71	S922HF	Ideal for wood with nails. Flexible and shatter-proof, metals, non-ferrous metals, aluminium, sheet metal, pipes and profiling	10	130mm	Pk. 5

**DART** S922HF 10tpi  
Bi-metal 150x19x0.9mm

**FLEXIBLE** FOR WOOD AND METAL

2.5mm

BIM ALU

3-12mm

**FLEXIBLE**

DRB72	S1122VF	Variable tooth spacing for cuts in different materials, flexible and shatter-proof. For cutting metals, woods with nails and synthetics	10/14	205mm	Pk. 5
-------	---------	---	-------	-------	-------

**DART** S1122VF 10/14tpi  
Bi-metal 225x19x0.9mm

**LOW HAV** **FLEXIBLE** FOR WOOD AND METAL

1.8-2.6mm

BIM ALU PVC

3-150mm

**LOW HAV** **FLEXIBLE**

DRB73	S922BF	For thick metals. Fast, straight cuts, flexible and shatter-proof, metals, non-ferrous metals, aluminium, sheet metal, pipes and profiling	14	130mm	Pk. 5
-------	--------	--	----	-------	-------

**DART** S922BF 14tpi  
Bi-metal 150x19x0.9mm

**FAST CUT** **FLEXIBLE** FOR METAL

1.8mm

BIM SS/INOX FAST CUT

3-8mm

**FAST CUT** **FLEXIBLE**

DRB74	S922EF	For thin metals. Fast, straight cuts, flexible and shatter-proof, metals, sheet metal, pipes and profiling	18	130mm	Pk. 5
-------	--------	--	----	-------	-------

**DART** S922EF 18tpi  
Bi-metal 150x19x0.9mm

**FLEXIBLE** FOR METAL

1.4mm

BIM SS/INOX LONG LIFE

1.5-4mm

**FLEXIBLE**

DRB75	S1122EF	For thin metals. Fast, straight cuts, flexible and shatter-proof, metals, sheet metal, pipes and profiling	18	205mm	Pk. 5
-------	---------	--	----	-------	-------

**DART** S1122EF 18tpi  
Bi-metal 225x19x0.9mm

**FLUSH CUT** **FLEXIBLE** FOR METAL

1.4mm


BIM ALU LONG LIFE

1.5-4mm


**FLUSH CUT** **FLEXIBLE**

## RECIPROCATING BLADES - METAL CUTTING

Product Code	Bosch Ref.	Application	TPI	Working Length	Quantity
DRB76	S1122BF	For thick metals. Fast, straight cuts, flexible and shatter-proof, metals, non-ferrous metals, aluminium, sheet metal, pipes and profiling	14	205mm	Pk. 5



DRB77	S922VF	Variable tooth spacing for cutting in various materials. Flexible and shatter-proof. For cuts in metals, woods with nails and synthetics	10/14	130mm	Pk. 5
-------	--------	--	-------	-------	-------




## RECIPROCATING BLADES - MASONRY CUTTING

Product Code	Bosch Ref.	Application	TPI	Working Length	Quantity
DRB101	S1243HM	A long life, straight cut blade. For fast, course cutting through brick, aerated concrete, limestone, fibre cement and composite boards	2	255mm	Pk. 1



DRB102	S2243HM	A long life, straight cut blade. For fast, course cutting through brick, aerated concrete, limestone, fibre cement and composite boards	2	405mm	Pk. 1
--------	---------	---	---	-------	-------



# 10 piece reciprocating blade set.


Popular range of precision made blades designed for a variety of applications



## FEATURES


Popular range of precision made blades designed for a wide variety of applications

Suitable for: Dewalt, Makita, Milwaukee, Bosch, Hilti, Black+Decker, Flex, Skil, Einhell, Sealey, Ryobi, Hikoki, Metabo, Evolution, Draper



## 10PC RECIPROCATING BLADE SET

Product Code	Contents
DRBSET10	2x DRB52 (S644D), 2x DRB53 (S1111K), 2x DRB72 (S1122VF), 2x DRB73 (S922BF), 2x DRB75 (S1122EF)



# Jigsaw blades.

Popular range of precision made blades designed for a wide variety of applications



## JIGSAW BLADES - WOOD CUTTING

Product Code	Bosch Ref.	Application	Type	TPI	Working Length	Quantity
DJB11	T101B	Wood to 30mm, plastics, finer cut	HCS	10	75mm	Pk. 5
DJB12	T101D	Wood to 60mm, plastics, clean and straight cut	HCS	6	75mm	Pk. 5
DJB13	T101BR	Laminated boards to 30mm, chip-free finish. Cuts on down stroke (use without orbital action)	HCS	10	75mm	Pk. 5
DJB14	T111C	Wood to 60mm, plastics, coarse fast cut HSS	HCS	8	75mm	Pk. 5



## JIGSAW BLADES - WOOD CUTTING

Product Code	Bosch Ref.	Application	Type	TPI	Working Length	Quantity
DJB15	T101AO	Wood and laminated chipboard to 25mm, plastics, clean and curve cut	HCS	20	50mm	Pk. 5
DJB16	T144D	Hard and soft woods to 60mm, plastics to 50mm and acrylgas to 30mm. Fast coarse cut	HCS	6	75mm	Pk. 5
DJB17	T119B	Ideal for acrylic glass. For straight cuts in hardwoods, softwoods, plywood, insulation materials and plastic	HCS	12	50mm	Pk. 5
DJB18	T119BO	For tight curved cuts in hardwoods, softwoods, plywood, chipboard, synthetic materials and acrylic glass	HCS	12	50mm	Pk. 5
DJB19	T301CD	Ideal for fast, precise cuts in hardwoods, softwoods, chipboard, fibre board, wooden fibreboard and synthetic materials	HCS	8	90mm	Pk. 5
DJB20	T244D	Ideal for curved cuts. High-speed cuts in hardwoods, softwoods and chipboard	HCS	6	75mm	Pk. 5

DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

## JIGSAW BLADES - WOOD CUTTING

Product Code	Bosch Ref.	Application	Type	TPI	Working Length	Quantity
DJB21	T344D	Ideal for straight, parallel cuts. High-speed cuts in construction timber, softwoods and chipboard	HCS	6	110mm	Pk. 5

DJB22	T301DL	Ideal for clean cuts in hardwoods, softwoods, chipboard, fibre board and synthetic materials	HCS	6	110mm	Pk. 5
-------	--------	--	-----	---	-------	-------

## JIGSAW BLADES - METAL/OTHER CUTTING

Product Code	Bosch Ref.	Application	Type	TPI	Working Length	Quantity
DJB31	T118A	Mild steel, non ferrous and aluminium 1.5-4mm, acrylic to 3mm. Straight cut	HSS	21	50mm	Pk. 5

DJB32	T118B	For thicker metals. Straight cuts in metals, non-ferrous metals and aluminium	HSS	12	50mm	Pk. 5
-------	-------	---	-----	----	------	-------

DJB33	T318A	Mild steel profiles, aluminium, stainless steel 1.5-4mm and sandwich-material to 70mm. Straight cut	HSS	21	110mm	Pk. 5
-------	-------	---	-----	----	-------	-------

## JIGSAW BLADES - METAL/OTHER CUTTING

Product Code	Bosch Ref.	Application	Type	TPI	Working Length	Quantity
DJB34	T127D	Mild steel 3-6mm, aluminium 3-15mm	HSS	8	75mm	Pk. 5
DJB35	T118AF	Mild steel and non-ferrous metal to 4mm, perspex to 20mm, aluminium to 10mm, stainless steel to 2mm. Flexible. Bi-metal for long life	BIM	21	50mm	Pk. 5
DJB41	T141HM	Glass fibre reinforced plastics (5-20 mm), plasterboard, fibre cement boards (5-50 mm). Pro Cut	HM	6	75mm	Pk. 3

## 10 piece jigsaw blade set.

Quality jigsaw set with all the popular sizes



### FEATURES

Precision engineered range of quality blades designed for a wide variety of applications

Suitable for most brands of jigsaw including: AEG, Bosch, DeWalt, Festool, Makita, Metabo, Panasonic, Milwaukee, HiKoki, Mafell, Sealey and Flex

### 10 PIECE JIGSAW SET

Product Code	Contents
DJBS10	DJB11/T101B (x2), DJB12/T101D, DJB13/T101BR, DJB14/T111C, DJB15/T101AO, DJB16/T144D, DJB31/T118A (x2), DJB32/T118B

# Hacksaw blades.

Precision engineered 8% Cobalt Bi-metal blades for cutting metal and plastic



**8% COBALT**  
**LONG LIFE**  
**RESISTANCE**




## FEATURES

Excellent cutting efficiency due to tooth geometry

Suitable for use in standard hacksaws

High resistance to breakage due to 8% Cobalt, increasing flexibility



## HACKSAW BLADES

Product Code	Length	TPI	Quantity
DAHBI8	12"/300mm	18	Pk. 10
DAHBI24	12"/300mm	24	Pk. 10
DAHBI32	12"/300mm	32	Pk. 10

# Junior hacksaw blades.


High quality carbon steel blades suitable for cutting all types of metal and plastic



## FEATURES

Teeth hardened and tempered to give optimum blade life

Fine teeth for high quality sawing



## JUNIOR HACKSAW BLADES

Product Code	Length	TPI	Quantity
DAHBJ32	6"/150mm	32	Pk.10

# Planer blades.

High quality, solid tungsten carbide reversible blades




## FEATURES

Precision ground with 2 cutting edges

Suitable for most makes of portable electric planers

Reversible for extended life

2 Blades per pack



## PLANER BLADES

Product Code	Size mm
PB82	82



# Multi-tool blades.

Precision engineered range of multi-tool oscillating blades designed for a variety of applications

## FEATURES

Precision engineered blades for excellent cutting efficiency

Universal shank fits the following brands of multi-tool: AEG, Black & Decker, Bosch\*, Craftsman, DeWalt, Fein\*, JCB, Makita, Metabo, Milwaukee, Ozito, Ridgid, Rockwell, Ryobi, Skil, Smart, Stanley, Worx



\*Excludes tools with starlock fitting

## MULTI-TOOL BLADES - BI-METAL

DMT32BM  
32 x 51mm

**GENERAL PURPOSE** ✓



For general purpose cutting in wood, wood with nails, soft plastic and non-ferrous metals



DMT44BM  
44 x 51mm

**GENERAL PURPOSE** ✓

For general purpose cutting in wood, wood with nails, soft plastic and non-ferrous metals





## MULTI-TOOL BLADES - FINE TOOTH

DMT32FT  
32 x 42mm

**PRECISE CUT** ⊕



For detailed cutting in timber and plastics



DMT63FT  
63 x 42mm

**PRECISE CUT** ⊕

For detailed cutting in timber and plastics





## MULTI-TOOL BLADES - COARSE/JAPANESE TOOTH

DMT32CJ  
32 x 42mm

**FAST CUT**



For very fast and precise cutting in timber and plastics



DMT63CJ  
63 x 42mm

**FAST CUT**

For very fast and precise cutting in timber and plastics




## MULTI-TOOL BLADES - SEGMENT BLADES


DMT90SB  
90mm



For precise cutting in timber mouldings, soft plastic, fibreglass, plasterboard, interior linings, non-ferrous metals and thin metals




PRECISE CUT



DMT90CSB  
90mm



For quick and effective grout removal from between tiles



TUNGSTEN CARBIDE SEGEMENT



## MULTI-TOOL ACCESSORIES - SANDING

DMTSP82  
82mm



Dust extraction and quick release sanding plate. Ideal for detailed sanding in tight and awkward places



DMTSS50  
82mm



82mm sanding sheets with dust extraction. Contents: 10 x 40, 60, 80, 120 & 240 grit sanding sheets



## MULTI-TOOL BLADE SETS

Product Code	Description	Contents	Materials
DMT7MK	7 Piece blade set	1x 32mm Bi-metal multi-tool blade 1x 44mm Bi-metal multi-tool blade 1x 32mm Japanese booth multi-tool blade 1x 63mm Japanese tooth multi-tool blade 1x 32mm Fine tooth multi-tool blade 1x 63mm Fine tooth multi-tool blade 1x 90mm HSS segment multi-tool blade	Wood & nails Wood & nails Wood & plastic Wood & plastic Wood & plastic Wood & plastic Wood & nails
DMT3MK	3 Piece blade set	1x 32mm Bi-metal multi-tool blade 1x 63mm Japanese tooth multi-tool blade 1x 32mm Fine tooth multi-tool blade	Wood & nails Wood & plastic Wood & plastic



Product Code	Description	Qty
DMT32BM-5	DART 32mm Bi-metal multi-tool blade	Pk. 5
DMT32CJ-5	DART 32mm Japanese tooth multi-tool blade	Pk. 5
DMT44BM-5	DART 44mm Bi-metal multi-tool blade	Pk. 5
DMT63CJ-5	DART 63mm Japanese tooth multi-tool blade	Pk. 5

GENERAL PURPOSE



# Premium router cutters.

Premium router cutters designed to give a precise and clean cut with the added advantage of tungsten carbide for long life

## PREMIUM STRAIGHT PLUNGE ROUTER CUTTERS

### FEATURES

PTFE anti-stick coating on body to minimise resin and heat build up



Designed for plunging for easy and precise vertical cutting, expanding its versatility for various routing tasks

Ideal for housing, grooving, and mortising applications

Robust construction ensures extended lifespan, especially when cutting highly abrasive materials

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods

\*Not suitable for plunging



Product Code	Shank Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR394*	1/2"	12.7mm	50.8mm	96mm	24000	Pk. 1
PDAR395	1/2"	12.7mm	51mm	96mm	24000	Pk. 1
PDAR396	1/2"	12.7mm	51mm	96mm	24000	Pk. 3
PDAR393	1/2"	12.7mm	63mm	108mm	24000	Pk. 1
PDAR398	1/2"	6mm	16mm	61mm	24000	Pk. 1
PDAR399	1/2"	8mm	20mm	65mm	24000	Pk. 1
PDAR387	1/2"	10mm	25mm	70.50mm	24000	Pk. 1
PDAR388	1/2"	15mm	25mm	70mm	24000	Pk. 1
PDAR520	1/4"	6mm	16mm	53mm	24000	Pk. 1
PDAR530	1/4"	10mm	20mm	54mm	24000	Pk. 1
PDAR540	1/4"	12mm	20mm	54mm	24000	Pk. 1
PDAR550	1/4"	15mm	25mm	59mm	24000	Pk. 1
PDAR560	1/4"	20mm	20mm	54mm	24000	Pk. 1







## PREMIUM SOLID TUNGSTEN CARBIDE ROUTER CUTTER

### FEATURES



PTFE anti-stick coating on body to minimise resin and heat build up

Designed for plunging for easy and precise vertical cutting, expanding its versatility for various routing tasks

Ideal for housing, grooving, and mortising applications

Robust construction ensures extended lifespan, especially when cutting highly abrasive materials

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods



Product Code	Shank Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR510	1/4"	5mm	16mm	60mm	24000	Pk. 1

## PREMIUM INTUMESCENT ROUTER CUTTERS



### FEATURES



PTFE anti-stick coating on body to minimise resin and heat build up

Enables accurate and clean groove cutting for seamless integration of intumescent strips into doors, frames, or other fire-rated applications

Durable construction allows for prolonged use when cutting grooves, ensuring long-lasting performance

Designed with specialized geometry for optimal chip removal and precise groove formation

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods



Product Code	Shank Size	Bearing Size	Diameter	Working Length	Overall Length	Cut Depth	RPM n.max	Quantity
PDAR390	1/2"	32mm	40mm	10mm	66.5mm	4mm	18000	Pk. 1
PDAR391	1/2"	32mm	40mm	15mm	71.5mm	4mm	18000	Pk. 1
PDAR392	1/2"	32mm	40mm	20mm	76.5mm	4mm	18000	Pk. 1
PDAR570	1/4"	16mm	24mm	10mm	53.5mm	4mm	24000	Pk. 1
PDAR580	1/4"	16mm	24mm	15mm	58.5mm	4mm	24000	Pk. 1

DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

## PREMIUM GUIDED OVOLO ROUTER CUTTERS



### FEATURES

PTFE anti-stick coating on body to minimise resin and heat build up

Specifically designed for guided ovolo routing, enabling precise and decorative edge profiles



Ensures clean and smooth cuts when creating ovolo-shaped edges. Commonly used in joinery and cabinet making for decorative finishes

Designed to follow templates or edge guides with the help of a bearing attached to the shank

Durable construction allows for prolonged use ensuring long-lasting performance

Designed with precision-guided features for accurate and consistent ovolo routing, delivering professional results

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods



Product Code	Shank Size	Bearing Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR610	1/4"	9.5mm 12.7mm	18.7mm	9.5mm	53.5mm	24000	Pk. 1
PDAR590	1/4"	9.5mm 12.7mm	25.4mm	12.7mm	56mm	24000	Pk. 1
PDAR630	1/4"	9.5mm 12.7mm	31.8mm	16.7mm	60mm	18000	Pk. 1

## PREMIUM DRAINER GROOVE ROUTER CUTTER



### FEATURES



Specifically designed for creating precise drainer grooves in countertops or other work surfaces for efficient water drainage

Durable construction allows for prolonged use when cutting drainer grooves, ensuring long-lasting performance

PTFE coating minimizes resin and heat accumulation for enhanced performance

Designed with specialized geometry for efficient chip removal and precise groove formation, optimizing water flow and drainage

Suitable for cutting Hard & Soft Wood, Plywood, Construction Timber, Laminated Chipboard, Veneered Wood, MDF



Product Code	Shank Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR397	1/2"	19mm	32mm	76mm	24000	Pk. 1

## PREMIUM 45° CHAMFER ROUTER CUTTER



### FEATURES

PTFE anti-stick coating on body to minimise resin and heat build up



Specifically designed to create precise and uniform chamfered edges at a 45-degree angle

Designed to follow templates or edge guides with the help of a bearing attached to the shank

Durable construction allows for prolonged use ensuring long-lasting performance

Designed with precision-guided features for accurate and consistent routing, delivering professional results

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods



Product Code	Shank Size	Bearing Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR620	1/4"	9.5mm	31.8mm	12mm	55mm	18000	Pk. 1

## PREMIUM BISCUIT ROUTER CUTTER



### FEATURES



PTFE anti-stick coating on body to minimise resin and heat build up

Precise and consistent cutting of slots to accommodate biscuit-shaped wooden or composite biscuits

Design of the cutter ensures clean and accurate cuts, resulting in tight-fitting biscuit joints for improved structural integrity

Designed with precision-guided features for accurate and consistent routing, delivering professional results

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods



Product Code	Shank Size	Bearing Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR650	1/4"	12.7mm 15.8mm 19mm	37.2mm	4mm	64mm	18000	Pk. 1

DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# Router cutters.

TCT Router cutters designed to meet the needs of the tradesman and woodworker for quality and performance



## ROUTER CUTTERS



### FEATURES

Precision engineered router set designed to meet the needs of the tradesman with a variety of cutter profiles for precise woodworking applications

Optimal geometry ensures smooth cuts in a range of materials

Durable cutters for flawless finish and smooth performance

Suitable for use on chipboard, MDF, plywood and select hardwoods



Product Code	Shank Size	Overall Length	Working Diameter	Working Length	RPM n.max	Qty
DAR386	1/2"	115mm	12.7mm	75mm	28000	Pk. 1
DAR381	1/2"	72mm	12.7mm	72mm	28000	Pk. 1
DAR383	1/2"	94mm	12.7mm	94mm	26000	Pk. 1
DAR383B-1*	1/2"	94mm	12.7mm	94mm	26000	Pk. 30




\*only available supplied in a counter display of 30 router cutters



## ROUTER CUTTER SETS

Product Code	Size
DASET1/4	1/4"
DASET1/2	1/2"

Ø-28.6 R-9.5 	Ø-12.7 ↕ -90° 	Ø-25 R-4 
Ø-32 ↕ -45° 	Ø-12.7 	Ø-16 
Ø-22 R-6.3 	Ø-12 	Ø-6 
Ø-12.7 R-6.3 	Ø-22 R-6.3 	Ø-12.7 ↕ -14° 



# Premium double magnetic holder.

This unique device enables accurate fixing in overhead or awkward positions without the necessity of pre-drilling. The in-built spring also allows for countersinking

## FEATURES

The surface of the screw head is held on by an additional ultra strong, powerful rare earth magnet allowing for vertical or horizontal screwing without slippage

Allows precision screwing with a single hand operation, saving time

The in-built spring allows for countersinking

Suitable for use with all 25mm driver bits. The bits retract within the mechanism allowing the screw to magnetically attach to the end of the holder

Suitable for use with all standard 1/4" insert bits

German made, premium quality



GMHB01




GMH01

## PREMIUM DOUBLE MAGNETIC HOLDERS

Product Code	Description	Quantity
GMHS25	25 Piece Counter Display	Pk. 25 (Counter Display)
GMHB01	Premium Double Magnetic Holder in Packaging	Pk. 1
GMH01	Premium Double Magnetic Holder - loose	Pk. 1 Pk. 20



GMHS25



# Magnetic bit holders.

Specially designed towards the needs and practice of the tradesman



**MAGNETIC**



## FEATURES

Stainless steel 60mm magnetic bit holders, suitable for all 1/4" Hexagon insert bits

Ideal for difficult and general screw driving applications

Tough and absorbing

Impact Holder with quick release mechanism

1/4" Hex quick change shank

## IMPACT BIT HOLDER

Product Code	Description	Quantity
DIMBH-1	Torsion Magnetic Impact Bit Holder	Pk. 1

## BIT HOLDER

Product Code	Description	Quantity
DSSBH-1	Stainless Steel Magnetic Bit Holder	Pk. 1
DSSBH-20	Stainless Steel Magnetic Bit Holder	Pk. 20



DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# Premium impact torsion screwdriver bits.

High quality impact resistant 25mm and 50mm screwdriver bits ideal for use in the most demanding applications

## IMPACT


### FEATURES

1/4" Hexagon Drive Bits – available in 25mm, 50mm, 70mm, 100mm and 150mm lengths







Tough and absorbing

Specially designed for use with impact drivers

Magnesium phosphate coated for excellent wear resistance



## PREMIUM 25MM IMPACT TORSION SCREWDRIVER BITS

Bit Type	Product Code	Size	Quantity
<b>PHILIPS</b>  	DDIPH1-10	PH1 - 1/4" x 25mm	Pk. 10
	DDIPH2-10	PH2 - 1/4" x 25mm	Pk. 10
	DDIPH3-10	PH3 - 1/4" x 25mm	Pk. 10
	DDIPH2-25	PH2 - 1/4" x 25mm	1 x Pk. 25 12 x Pk. 25 (counter display)
	DDIPH2-100	PH2 - 1/4" x 25mm	1 x Pk. 100 6 x Pk. 100 (counter display)
<b>POZI</b>  	DDIPZ1-10	PZ1 - 1/4" x 25mm	Pk. 10
	DDIPZ2-10	PZ2 - 1/4" x 25mm	Pk. 10
	DDIPZ2-2	PZ2 - 1/4" x 25mm	Pk. 2
	DDIPZ3-10	PZ3 - 1/4" x 25mm	Pk. 10
	DDIPZ2-25	PZ2 - 1/4" x 25mm	1 x Pk. 25 12 x Pk. 25 (counter display)
<b>SLOTTED</b>  	DDISL35-10	3.5 x 0.6 mm - 1/4" x 25 mm	Pk. 10
	DDISL45-10	4.5 x 0.6 mm - 1/4" x 25 mm	Pk. 10
	DDISL55-10	5.5 x 0.8 mm - 1/4" x 25 mm	Pk. 10
	DDISL60-10	6 x 1.0mm - 1/4" x 25 mm	Pk. 10














SEE IN ACTION



## PREMIUM 25MM IMPACT TORSION SCREWDRIVER BITS

Bit Type	Product Code	Size	Quantity
<b>TORX</b> 	<b>DDIT10-10</b>	T10 - 1/4" x 25mm	Pk. 10
	<b>DDIT15-10</b>	T15 - 1/4" x 25mm	Pk. 10
	<b>DDIT20-10</b>	T20 - 1/4" x 25mm	Pk. 10
	<b>DDIT25-10</b>	T25 - 1/4" x 25mm	Pk. 10
	<b>DDIT27-10</b>	T27 - 1/4" x 25mm	Pk. 10
	<b>DDIT30-10</b>	T30 - 1/4" x 25mm	Pk. 10
	<b>DDIT40-10</b>	T40 - 1/4" x 25mm	Pk. 10
<b>HEX</b> 	<b>DDIHX3-10</b>	HX3 - 1/4" x 25 mm	Pk. 10
	<b>DDIHX4-10</b>	HX4 - 1/4" x 25 mm	Pk. 10
	<b>DDIHX5-10</b>	HX5 - 1/4" x 25 mm	Pk. 10
	<b>DDIHX6-10</b>	HX6 - 1/4" x 25 mm	Pk. 10
<b>SQUARE</b> 	<b>DDISQ1-10</b>	SQ1 - 1/4" x 25 mm	Pk. 10
	<b>DDISQ2-10</b>	SQ2 - 1/4" x 25 mm	Pk. 10
	<b>DDISQ3-10</b>	SQ3 - 1/4" x 25 mm	Pk. 10

## PREMIUM 50MM IMPACT TORSION SCREWDRIVER BITS

Bit Type	Product Code	Size	Quantity
<b>PHILIPS</b> 	<b>DI50PH1-10</b>	PH1 - 1/4" x 50mm	Pk. 10
	<b>DI50PH2-10</b>	PH2 - 1/4" x 50mm	Pk. 10
	<b>DI50PH3-10</b>	PH3 - 1/4" x 50mm	Pk. 10
<b>POZI</b> 	<b>DI50PZ1-10</b>	PZ1 - 1/4" x 50mm	Pk. 10
	<b>DI50PZ2-10</b>	PZ2 - 1/4" x 50mm	Pk. 10
	<b>DI50PZ3-10</b>	PZ3 - 1/4" x 50mm	Pk. 10
<b>SLOTTED</b> 	<b>DI50SL35-10</b>	3.5 x 0.6 mm - 1/4" x 50 mm	Pk. 10
	<b>DI50SL45-10</b>	4.5 x 0.6 mm - 1/4" x 50 mm	Pk. 10
	<b>DI50SL55-10</b>	5.5 x 0.8 mm - 1/4" x 50 mm	Pk. 10
	<b>DI50SL60-10</b>	6 x 1.0mm - 1/4" x 50 mm	Pk. 10
<b>TORX</b> 	<b>DI50T10-10</b>	T10 - 1/4" x 50 mm	Pk. 10
	<b>DI50T15-10</b>	T15 - 1/4" x 50 mm	Pk. 10
	<b>DI50T20-10</b>	T20 - 1/4" x 50mm	Pk. 10
	<b>DI50T25-10</b>	T25 - 1/4" x 50 mm	Pk. 10
	<b>DI50T27-10</b>	T27 - 1/4" x 50 mm	Pk. 10
	<b>DI50T30-10</b>	T30 - 1/4" x 50mm	Pk. 10
	<b>DI50T40-10</b>	T40 - 1/4" x 50 mm	Pk. 10
<b>HEX</b> 	<b>DI50HX3-10</b>	HX3 - 1/4" x 50 mm	Pk. 10
	<b>DI50HX4-10</b>	HX4 - 1/4" x 50 mm	Pk. 10
	<b>DI50HX5-10</b>	HX5 - 1/4" x 50 mm	Pk. 10
	<b>DI50HX6-10</b>	HX6 - 1/4" x 50 mm	Pk. 10
<b>SQUARE</b> 	<b>DI50SQ1-10</b>	SQ1 - 1/4" x 50 mm	Pk. 10
	<b>DI50SQ2-10</b>	SQ2 - 1/4" x 50 mm	Pk. 10
	<b>DI50SQ3-10</b>	SQ3 - 1/4" x 50 mm	Pk. 10

# Premium long impact torsion screwdriver bits.

High quality impact resistant long driver bits ideal for use in the most demanding applications



## FEATURES

1/4" Hexagon drive bits

Specially designed for use with impact drivers

Tough - absorbing

Magnesium phosphate coated for excellent wear resistance

Gives greater access in usually inaccessible areas

\*Extreme Impact



## IMPACT++

## DART LONG SERIES PREMIUM IMPACT BITS

Product Code	Size	Quantity
DI70PH2-10	PH2 - 1/4" x 70mm	Pk. 10
DI70PZ2-10	PZ2 - 1/4" x 70mm	Pk. 10
DIL100PH2-1	PH2 - 1/4" x 100mm	Pk. 1
DIL100PZ2-1	PZ2 - 1/4" x 100mm	Pk. 1
DIL100PZ3-1	PZ3 - 1/4" x 100mm	Pk. 1
DIL100T20-1	T20 - 1/4" x 100mm	Pk. 1
DIL100T30-1	T30 - 1/4" x 100mm	Pk. 1
DIL150PH2-1	PH2 - 1/4" x 150mm	Pk. 1
DIL150PZ2-1	PZ2 - 1/4" x 150mm	Pk. 1
DIL150PZ3-1	PZ3 - 1/4" x 150mm	Pk. 1
DIL150T20-1	T20 - 1/4" x 150mm	Pk. 1
DIL150T30-1	T30 - 1/4" x 150mm	Pk. 1
DIL150XPH2-1*	PH2 - 1/4" x 150mm	Pk. 1
DIL150XPZ2-1*	PZ2 - 1/4" x 150mm	Pk. 1



# Insert driver bits.

25mm quality driver bits ideal for general purpose applications

## FEATURES

1/4" Hexagon drive 25mm Bits







Tough - absorbing

Ideal for difficult and general screw driving applications

Zinc phosphate coated



## INSERT DRIVER BITS

Bit Type	Product Code	Size	Quantity
<b>PHILIPS</b>  	<b>DDBPH1-10</b>	PH1 - 1/4" x 25mm	Pk. 10
	<b>DDBPH2-10</b>	PH2 - 1/4" x 25mm	Pk. 10
	<b>DDBPH3-10</b>	PH3 - 1/4" x 25mm	Pk. 10
<b>POZI</b>  	<b>DDBPZ1-10</b>	PZ1 - 1/4" x 25mm	Pk. 10
	<b>DDBPZ2-10</b>	PZ2 - 1/4" x 25mm	Pk. 10
	<b>DDBPZ2-100</b>	PZ2 - 1/4" x 25mm	Pk. 100
	<b>DDBPZ3-10</b>	PZ3 - 1/4" x 25mm	Pk. 10
	<b>DDBPZ4-5</b>	PZ4 - 1/4" x 25mm	Pk. 5
<b>HEX</b>  	<b>DDBHX3-100</b>	No.3 - 1/4" x 25mm	Pk. 100
	<b>DDBHX4-100</b>	No.4 - 1/4" x 25mm	Pk. 100
	<b>DDBHX5-100</b>	No.5 - 1/4" x 25mm	Pk. 100
	<b>DDBHX6-100</b>	No.6 - 1/4" x 25mm	Pk. 100

DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# Driver bit sets.

Versatile and durable driver bit sets for the professional tradesman



DDIBS-4202

**DART Impact Driver Bit Set 42pc**

25mm: PH1, PH2 x2, PH3, PZ1, PZ2 x2, PZ3, T8, T9, T10, T15, T20, T25, T30, T40, H2.0, H2.5, H3.0, H4.0, H5.0, H6.0, SL0.6x4.5, SL0.8x5.5, SL1.0x5.5, SL1.2x6.5, SQ2  
50mm: PH2, PZ1, PZ2, PZ3, T15, T20, T25  
89mm: PH2 x2, PZ1, PZ2, T20, T25  
25mm Socket Adaptor 1/4"  
Magnetic Bit Holder (54mm)



DDIBS-3101

**DART Impact Driver Bit Set 31pc**

25mm: PH1, PH2 x2, PH3, PZ1, PZ2 x2, PZ3, T8, T9, T10, T15, T20 x2, T25, T30, T40, T45, H2.0, H2.5, H3.0, H4.0, H5.0, H6.0, SL0.6x4.5, SL0.8x5.5, SL1.0x5.5, SL1.2x6.5  
25mm Socket Adaptor 1/4"  
Magnetic Bit Holder (54mm)



DDIBS-1802

**DART Impact Driver Bit Set 18pc**

25mm: PH1, PH2, PZ2, PZ3, T20, T25, H4.0, H5.0, H6.0, SL1.0x5.5, SL1.2 x 6.5  
50mm: PZ1, PZ2, PZ3, T20, T25  
Magnetic Bit Holder (54mm)



DDSBS-3302

**DART Driver Bit Set 33pc**

25mm: PH1, PH2, PZ1, PZ2, PZ3, T8, T9, T10, T15, T20, T25, T30, H3.0, H4.0, H5.0, H6.0, SL1.8x5.5, SQ2  
50mm: PH2, PZ1, PZ2, PZ3, T20, T25, H4.0, H5.0  
25mm Socket Adaptor 1/4"  
Magnetic Nut Setters (48mm): 6, 8, 10 mm  
Magnetic Bit Holder (2-3/8")



DDIBDS-3201

**DART Impact Driver Bit and Drill Set 32pc**

25mm: PH2, PH3, PZ2 x2, PZ3, T20, T25, T30  
50mm: PH1, PH2 x2, PH3, PZ1, PZ2 x3, PZ3 x2, T15, T20, T25, T30, T40  
HSS Drill Bits: 2mm, 3mm x2, 4mm, 5mm, 6mm x2, 7mm  
Magnetic Bit Holder



DDSBS-2702

**DART Driver Bit Set 27pc**

25mm: PH1, PH2, PH3, PZ1, PZ2, PZ3, T10, T15, T20, T25, T30, H2.5, H3.0, H4.0, H5.0, H6.0, SL6x4, SL1.0x5.5, SL1.2x6.5  
Sockets: 6, 7, 8, 10, 13 mm  
Socket adaptor: 1/4"  
Mini ratcheting wrench

## FEATURES

Durable and long lasting

Compact case for easy organisation and storage

A wide variety of driver bits to suit all screwdriving applications

## DRIVER BIT SETS

Product Code	Description	Quantity
DDIBS-1802	DART Impact driver bit set 18pc	Pk. 1 Pk. 10 (counter display)
DDIBS-3101	DART Impact driver bit set 31pc	Pk. 1 Pk. 10 (counter display)
DDIBS-4202	DART Impact driver bit set 42pc	Pk. 1 Pk. 6 (counter display)
DDSBS-2702	DART Driver bit set 27pc	Pk. 1 Pk. 10 (counter display)
DDSBS-3302	DART Driver bit set 33pc	Pk. 1 Pk. 6 (counter display)
DDIBDS-3201	DART Impact driver bit and drill set 32pc	Pk. 1 Pk. 6 (counter display)

# Premium angle drivers.

A right angle 25mm driver and magnetic bit holder to help loosen and tighten screws or fixings in the most inaccessible places

ADBSET31



## FEATURES

Helps you achieve the seemingly impossible

1/4" Hex shank for quick release

Suitable for all 1/4" hexagon insert bits

Max 2000 min<sup>-1</sup>/rpm

Zinc alloy housing for high torque applications

Suitable for drills 10.8V - 18V

## ANGLE DRIVERS

Product Code	Description	Quantity
ADB01	Angle driver	Pk. 1
ADS01	Premium mini angle driver	Pk. 1
ADFLEX01	Premium flexible angle driver	Pk. 1
ADBSET31	31 Piece set	Pk. 1

## MAX TORQUE



ADB01

Suitable for up to 57Nm

Head rotates 360° enabling the user to access any tight space

Adjustable handle can be fixed at 0°, 45° or 90° providing stability when screwing



ADS01

Suitable for up to 40Nm



## SEE IN ACTION



ADFLEX01

Flexible drive for hard to reach places

Zinc alloy housing for long life service

Side handle for extra leverage and support



# Premium magnetic nutsetters.

A range of premium magnetic nutsetters for fastening bolts, screws and nuts



## FEATURES

Lobular design drives fastener on side instead of corner for less stripping and longer life

1/4" Hex quick-change shank is designed to work with impact drivers, and reduces slipping in standard drill chucks

Rare earth magnets hold fasteners securely with four times the hold of standard magnets



## PREMIUM MAGNETIC NUTSETTER PACKS

Product Code	Size mm	Quantity
DMINS06-5	6- 1/4" x 65 mm	Pk.5
DMINS07-5	7- 1/4" x 65 mm	Pk.5
DMINS08-5	8- 1/4" x 65 mm	Pk.5
DMINS10-5	10- 1/4" x 65 mm	Pk.5
DMINS11-4	11- 1/4" x 65 mm	Pk.4
DMINS12-4	12- 1/4" x 65 mm	Pk.4
DMINS13-4	13- 1/4" x 65 mm	Pk.4
DMINS1/4-5	1/4" - 1/4" x 65 mm	Pk.5
DMINS5/16-5	5/16" - 1/4" x 65 mm	Pk.5
DMINS3/8-5	3/8" - 1/4" x 65 mm	Pk.5

## PREMIUM MAGNETIC NUTSETTER – SINGLES

Product Code	Size mm	Quantity
DMINS06-1	6 - 1/4" x 65mm	Pk. 1
DMINS07-1	7 - 1/4" x 65mm	Pk. 1
DMINS08-1	8 - 1/4" x 65mm	Pk. 1
DMINS10-1	10 - 1/4" x 65mm	Pk. 1
DMINS11-1	11 - 1/4" x 65mm	Pk. 1
DMINS12-1	12 - 1/4" x 65mm	Pk. 1
DMINS13-1	13 - 1/4" x 65mm	Pk. 1
DMINS14-1	14 - 1/4" x 65mm	Pk. 1
DMINS15-1	15 - 1/4" x 65mm	Pk. 1
DMINS17-1	17 - 1/4" x 65mm	Pk. 1
DMINS1/4-1	1/4" - 1/4" x 65mm	Pk. 1
DMINS5/16-1	5/16" - 1/4" x 65mm	Pk. 1
DMINS3/8-1	3/8" - 1/4" x 65mm	Pk. 1

# Cladding/roofing 11mm bi-hex driver bit.

Precision engineered 11mm bi-hex driver bit, designed for use on coated fixings used on roofs and cladding



## FEATURES

1/4" hexagon drive  
Tough and absorbing

Designed especially for use on coated fixings used on modern commercial building

Suitable for roofing and cladding

## CLADDING/ROOFING 11MM BI-HEX DRIVER BIT

Product Code	Size mm	Quantity
DRFDB11-1	11mm Bi-Hex - 1/4" x 65mm	Pk. 1
DRFDB11-10	11mm Bi-Hex - 1/4" x 65mm	Pk. 10



# Channel trunking socket.

Socket suitable for fitting Unistrut and channel brackets



## FEATURES

Deep length for easy access enables you to fix slotted or drilled channel direct to walls, floors, soffits and ceilings, without the use of brackets

1/2" drive thinwalled for easy access

To fit 21mm x 41mm and 41mm x 41mm brackets

## CHANNEL TRUNKING SOCKET

Product Code	Size mm	Quantity
CHAN17	17mm - 1/2" Drive	Pk. 1

DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# Chucks.

High quality drill chucks for all applications



## FEATURES

1/2" x 20 unf

Supplied with SDS+ Adaptor making them suitable for both Hex and SDS drills

Keyed chuck suitable for bits between 1.5-13mm

Keyless chuck suitable for bits between 2.0 – 13mm and is impact rated

## CHUCKS

Product Code	Description	Quantity
CU4070	1/2" x 20 unf, 1.5-13mm keyed	Pk. 1
CU4080	1/2" x 20 unf, 2.0-13mm keyless	Pk. 1

# Right angled chuck adaptor.

Ideal for drilling in tight corners or at awkward angles



## FEATURES

Designed for accessing awkward places

Ball bearing shaft support for superior strength

Lightweight, compact design

Suitable for up to speed of 6000RPM

Simply attaches to your conventional drill

## RIGHT ANGLED CHUCK ADAPTOR

Product Code	Description	Quantity
CU5090	3/8" x 24 unf, keyless drill chuck adaptor	Pk. 1

# SDS-max to SDS+ adaptor.

Heavy-duty adaptor to extend versatility of SDS-max hammer drill



## FEATURES

Adaptor design allows users to extend the usefulness of SDS-max Hammer Drills with SDS+ accessories

Quick Lock/Release SDS Chuck with secure retention for rapid bit change and durability

Long life and robust for site use

## SDS MAX TO SDS PLUS ADAPTOR

Product Code	Description	Quantity
SDSMXPADP	SDS max to SDS plus adaptor	Pk. 1



# Drywall sanding discs.

Sanding discs are made of white fused aluminium oxide for with a sharp, durable grain that offers a higher removal rate and longer service life than normal aluminium oxide



## FEATURES

Quality pro-flex paper base for extreme durability and tear resistance due to its tight spun-lacing

Suitable for paint, varnish, joint filler, plaster, screed, wood and plastic

Open-pore, reinforced fleece layer that perfectly absorbs sanding dust, creates an even sanding result and perfectly adheres to the driving disc



## DRYWALL SANDING DISCS

Product Code	Size	Grit	Quantity
280739	225mm	40	Pk. 25
260233	225mm	60	Pk. 25
260234	225mm	80	Pk. 25
260235	225mm	100	Pk. 25
260238	225mm	125	Pk. 25
260239	225mm	150	Pk. 25
260236	225mm	220	Pk. 25

	COARSE	MEDIUM	FINE	EXTRA FINE
<b>GRIT</b>	<b>40-60</b>	<b>80-100</b>	<b>120-150</b>	<b>220</b>
	RAPID REMOVAL	GENERAL PURPOSE	SMOOTH FINISH	EXTRA SMOOTH FINISH

# Jointing biscuits.



## FEATURES

Quick and effective joint creation

Strong, accurate joints

More precise than dowelling

## JOINTING BISCUITS

Product Code	Size	Quantity
5551	0	Pk. 1000
5552	10	Pk. 1000
5553	20	Pk. 1000

# Mixing paddles.


Precision made mixing paddles suitable for a wide range of applications

## FEATURES

Strong welded joints for strength and long life


Continuous guard ring protects the tub and guarantees smooth and safe rotation

Available in up and down mixing directions to suite all applications



## MIXING PADDLES

Product Code	Application	Mixing Direction	Length mm	Diameter mm	Fitting
DMP002-55	Liquid materials; paint, varnish, primer, paste, thin plaster	down	350	55	Hex
DMP002-85	Liquid materials; paint, varnish, primer, paste, thin plaster	down	400	85	Hex





## MIXING PADDLES

Product Code	Application	Mixing Direction	Length mm	Diameter mm	Fitting
DMP003-120	Liquid and fibrous materials: paint, plaster, varnish	down	600	120	M14
DMP003-140	Liquid and fibrous materials: paint, plaster, varnish	down	600	140	M14



## MIXING PADDLES

Product Code	Application	Mixing Direction	Length mm	Diameter mm	Fitting
<b>DMP004-120</b>	Dry mixtures and sticky materials: cement, plaster, tile adhesives, mortar	up	600	120	M14
<b>DMP004-140</b>	Dry mixtures and sticky materials: cement, plaster, tile adhesives, mortar	up	600	140	M14



## MIXING PADDLES

Product Code	Application	Mixing Direction	Length mm	Diameter mm	Fitting
<b>DMP015-120</b>	Dense and sticky materials: cement, plasters, tile adhesive, mortar	up	600	120	M14
<b>DMP015-140</b>	Dense and sticky materials: cement, plasters, tile adhesive, mortar	up	600	140	M14
<b>DMP015-160</b>	Dense and sticky materials: cement, plasters, tile adhesive, mortar	up	600	160	M14



DART

RED TEN


NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE



---

# Red Ten range:

The highly respected range of diamond blades and cores that is manufactured to the highest standards. Designed for the construction industry, DART Red Ten gives you better performance.

# Diamond blade application and safety guidelines.



	UNIVERSAL BLADE IDENTIFIED WITH <b>MI</b> IN THE CODE	CONCRETE BLADE IDENTIFIED WITH <b>GP</b> IN THE CODE	ABRASIVE BLADE IDENTIFIED WITH <b>AC</b> IN THE CODE	ASPHALT BLADE IDENTIFIED WITH <b>AS</b> IN THE CODE	TILE BLADE IDENTIFIED WITH <b>T</b> IN THE CODE	MORTAR BLADE IDENTIFIED WITH <b>MR</b> IN THE CODE
<b>TRADE</b>	SMI-7	MGP-10			RT-10	
<b>PRO</b>	BMI-10	SGP-15	AC-DUO	AS-10	ST-10	MR-6
<b>ULTRA</b>	LMI-15 LANDSCAPER	BGP-15 (BM-15)			XT-10	
 SELF-COOLING   DUST REMOVAL TECHNOLOGY   PRECISION ENGINEERED CORE	Hard Materials, Natural Stone, Clay, Engineering Bricks & Metal. Fast Cutting.  	Concrete, General Purpose & Unabrasive Building Products.  	Abrasive Materials, Concrete & Asphalt, Dual Purpose.  	Asphalt and Extremely Abrasive Materials including Cement Screed & Lignacite Blocks.  	Porcelain, Ceramic Tiles, Granite & Marble. (RT-10 Not suitable for porcelain)  	Mortar & Brick Raking, Abrasive Materials.  

## DO

- Observe the Abrasive Wheel Regulations 1970
- Wear protective clothing
- Ensure that the arrow on the blade corresponds with the direction of rotation of the machine spindle
- Ensure that the machine bearing and spindle are not worn. Vibration causes excessive wear and danger
- Use the blade with a gentle reciprocating motion

## DON'T

- Tilt the blade when cutting, this will cause centre fatigue and danger
- Apply pressure and force on your diamond blade through the cut. The weight of the machine will suffice. Increased pressure means increased wear, increased heat and danger
- Let excessive heat be generated at the cutting edge of the blade. Let the blade run free at short intervals to allow for cooling
- Use your blade on unsuitable materials or use a damaged blade. If you have any doubt please contact us for further advice

## IMPORTANT

- Diamond blades sometimes need 'sharpening'. This is necessary if the cutting surface glazes over which can produce hot spots. Sharpen by running the blade through a soft/abrasive material such as aerated concrete or breeze block
- These are high performance blades. To achieve optimum output ensure that your saw is serviced regularly and that the air filter is clean
- Inspect the blade at regular intervals for damage to centre or segments. Do not use a damaged or worn out blade



# LMI-15 universal diamond blades.

Ultra performance hard materials blade

## FEATURES

Fast-cutting, laser-welded blade with long life turbo segments

Large 15mm diamond hard wearing turbo segment


Reinforced flange, cooling holes allowing for constant use

Cuts all concrete and hard building materials including: indian stone, granite, limestone, block paving, kerbs, all clay & brick products, concrete building materials and concrete slabs

Light use for: abrasive breeze and concrete blocks, sandstone, reconstituted stone, roof tiles and thin metal



## ULTRA



## LMI-15 UNIVERSAL DIAMOND BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm
DB04298	115	22	12
DB04299	125	22	12
DB04300	230	22	15
DB04310	300	20	15
DB04320	350	20	15
DB04321	350	25.4	15



# BMI-10 universal diamond blades.

Pro performance hard materials blade



## FEATURES

The popular fast cutting multi-purpose blade


Turbo rim for smooth cut

Reinforced flange, cooling holes allowing for constant use

Cuts all masonry construction products including: steel, granite, indian stone, very hard & medium stone, block paving, kerbs, all clay & brick products, engineering bricks, concrete building materials and concrete slabs

Light use for: abrasive breeze and concrete blocks, sandstone, reconstituted stone and roof tiles

## PRO



## BMI-10 UNIVERSAL DIAMOND BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm
DB00070	115	22	10
DB00080	125	22	10
DB00090	230	22	10
DB00100	300	20	10
DB00110	350	20	10
DB00111	350	25.4	10



DIAMOND INNOVATION



PRECISION ENGINEERED CORE



DUST REMOVAL TECHNOLOGY



ULTRA LOW HAV



SELF COOLING



13236



CERTIFIED



CERTIFIED



# SMI-7 universal diamond blades.

Trade performance hard materials blade

## FEATURES

Cuts all general purpose masonry


Turbo rim for fast cutting speed

Cuts all masonry construction products including: granite, indian stone, very hard & medium stone, block paving, kerbs, all clay & brick products, concrete building materials and concrete slabs

Light use for: mild steel, metal, abrasive concrete, roof tiles and sandstone

Not suitable for ultra hard engineering bricks

## TRADE



## SMI-7 UNIVERSAL DIAMOND BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm	Quantity
DB00120	115	22	8	Pk. 1
DB00121	115	22	8	Pk. 3
DB00130	125	22	8	Pk. 1
DB00140	230	22	8	Pk. 1
DB00150	300	20	10	Pk. 1
DB00160	350	20	10	Pk. 1
DB00161	350	25	10	Pk. 1

3 Pack – only available in 115mm



# BGP-15 concrete diamond blades.

Ultra performance concrete and general purpose blade


## FEATURES

Large 15mm long life diamond turbo segment for all concrete applications


Light use for asphalt and abrasive breeze blocks

Cuts concrete products; unabrasive bricks, paving, stone, roof tiles

Ideal for groundwork and civil engineers



## ULTRA



## BGP-15 CONCRETE DIAMOND BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm
DB00210	115	22	12
DB00220	125	22	12
DB00230	230	22	15
DB00240	300	20	15
DB00250	350	20	15
DB00251	350	25	15
DB00260	400	20	10
DB00261	400	25	10
DB00270	450	25	10



# SGP-15 concrete diamond blades.

Pro performance concrete and general purpose blade

## FEATURES


Impressive cutting speeds and life with 15mm segment height

Light use for: asphalt and abrasive breeze blocks

Cuts concrete products: unabrasive bricks, paving, stone, roof tiles



## PRO



## SGP-15 CONCRETE DIAMOND BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm
DB00290	115	22	13
DB00300	125	22	13
DB00332	230	22	15
DB00333	300	20	15



# MGP-10 concrete diamond blades.


Trade performance concrete and general purpose blade

## FEATURES


Tradesman's concrete and general purpose blade

Cuts concrete products, unabrasive bricks, paving, stone and roof tiles

Impressive cutting speeds and life with 10mm segment height



## TRADE



## MGP-10 CONCRETE DIAMOND BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm	Quantity
DB00125	115	22	10	Pk. 1
DB00126	115	22	10	Pk. 3
DB00135	125	22	10	Pk. 1
DB00145	230	22	10	Pk. 1
DB00155	300	20	10	Pk. 1
DB00165	350	20	10	Pk. 1
DB00166	350	25.4	10	Pk. 1

3 Pack – only available in 115mm



# AC-DUO abrasive diamond blades.

Pro performance abrasive and dual purpose blade

## FEATURES

High performance, fast cutting dual purpose blade


Laser welded segment for increased cutting safety, performance and life

Cooling holes for heat dissipation ensuring increased blade durability

Cuts abrasive materials, concrete & asphalt



PRO  



## AC-DUO ABRASIVE DIAMOND BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm
DB00410	300	20	12
DB00420	350	20	12
DB00430	350	25.4	12
DB00440	400	20	12
DB00450	400	25.4	12
DB00460	450	25.4	12



# AS-10 asphalt diamond blades.

Pro performance asphalt and extremely abrasive materials blade

## FEATURES

High performance asphalt blade with 10mm segment height


Laser welded segment for increased cutting safety, performance and life

'U' gullet to improve air flow which in turn dissipates heat and ensures fast swarf clearance

Cuts asphalt and extremely abrasive materials, including cement screed and lignacite blocks



PRO  



## AS-10 ASPHALT DIAMOND BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm
DB00610	300	20	10
DB00620	350	20	10
DB00630	350	25.4	10
DB00640	400	20	10
DB00650	400	25.4	10
DB00660	450	25.4	10



# XT-10 turbo porcelain diamond blades.

ULTRA Performance super thin turbo porcelain blade for cordless machines

## FEATURES

Body hardened and tempered with a continuous turbo-x rim for a smooth, chip-free cutting finish

Ultra-thin kerf allows for advanced run-time on cordless machines


Reinforced flange for outstanding durability and life

10mm segment height for long life and fast, clean cutting

Suitable for cutting porcelain, marble, granite, ceramic and natural stone tiles. Suitable for dry and wet cutting, with optimum results when used wet



## ULTRA



## XT-10 PORCELAIN DIAMOND BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm
DB02010	115	22.23	10
DB02030	230	22.23	10
DB02040	300	20	10

SEE IN ACTION



DIAMOND INNOVATION



PRECISION ENGINEERED CORE



DUST REMOVAL TECHNOLOGY



ULTRA LOW HAV



SELF COOLING



EN 13236



ISO CERTIFIED

# ST-10 super thin diamond porcelain blades.


Pro Performance super thin hard tiles blade for cordless and corded machines

## FEATURES


Super-thin and super-fast turbo diamond blade

Suitable for ultra hard porcelain including Grade (PEI) 5

Suitable for all tiles including porcelain, ceramic, granite and marble



PRO 



## ST-10 SUPER THIN DIAMOND PORCELAIN BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm
DB01580	100	16	10
DB01590	115	22	10
DB01600	125	22	10
DB01601	150	22	10
DB01610	180	22	10
DB01611	180	25.4	10
DB01620	200	22	10
DB01630	230	22	10
DB01631	250	22	10
DB01632	250	25.4	10
DB01640	250	22.23	10
DB01641	300	22	10
DB01651	350	25.4	10





# RT-10 smooth cut diamond ceramic blades.


Trade Performance smooth and effective ceramic tile blade

## FEATURES

Continuous rim for a very smooth cut

Suitable for all tiles including ceramic and natural stone

## TRADE



## RT-10 SMOOTH CUT DIAMOND CERAMIC BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm
DB01660	100	16	8
DB01670	115	22	8
DB01680	125	22	8
DB01685	150	22	8
DB01690	180	22	8
DB01700	200	22	8
DB01710	230	22	8
DB01711	250	22	8
DB01720	300	20	8
DB01721	300	22	8
DB01730	350	25.4	8




# MR-6 mortar raker diamond blades.

Pro Performance 6mm mortar and brick raking blade


## FEATURES

Fast cutting speed  
8mm Long life segment

Suitable for mortar raking, brick raking and abrasive materials



PRO  



## MR-6 MORTAR RAKER DIAMOND BLADES

Product Code	Diameter mm	Bore mm	Segment Height mm
DB01740	115	22	8
DB01750	125	22	8



DIAMOND INNOVATION



PRECISION ENGINEERED CORE



DUST REMOVAL TECHNOLOGY



ULTRA LOW HAV



SELF COOLING



13236



CERTIFIED

# Diamond twin packs.

Top selling blades available in twin packs with 2 x 100ml oil shots




## FEATURES

2 x 300mm blades and  
2 x 100ml oil shots

Semi synthetic 2-stroke  
oil suitable for all modern  
static 2-stroke engines

## TRADE




### SMI-7 UNIVERSAL DIAMOND BLADES TWIN PACK

Product Code	Description
DB00581	DART Red Ten SMI-7 300mm x 20B Twin Pack with oil



## TRADE




### MGP-10 CONCRETE DIAMOND BLADES TWIN PACK

Product Code	Description
DB00571	DART Red Ten MGP-10 300mm x 20B Twin Pack with oil



## PRO



### SGP-15 CONCRETE DIAMOND BLADES TWIN PACK

Product Code	Description
DB00582	DART Red Ten SGP-15 300mm x 20B Twin Pack with oil

DART

RED TEN

NAILS & GAS

GLOVES


MPS

MERCHANDISE

POINT OF SALE



PRO  




### BMI-10/SGP-15 UNIVERSAL DIAMOND BLADES TWIN PACK

Product Code	Description
DB00595	DART Red Ten BMI-10/SGP-15 300 x 20B Twin Pack with oil



TRADE  PRO  



### BMI-10/SMI-7 CONCRETE DIAMOND BLADES TWIN PACK

Product Code	Description
DB00594	DART Red Ten BMI-10/SMI-7 300mm x 20B Twin Pack with oil



# X Turbo Cut & Grind Diamond Blades.

A multi-purpose diamond blade for both cutting and grinding

## FEATURES

Cuts like a traditional diamond blade and grinds like a cup grinder

Easy to use and long-lasting

Fitted with M14 threaded flange to connect directly onto angle grinder


X Turbo design for premium cut and finish

Can be used for straight cutting, flush cutting, grinding, edge grinding and shaping

Suitable for use on building materials including stone, marble, tile, porcelain and granite



**PRO**  



## PRO X TURBO CUT & GRIND DIAMOND BLADES

Product Code	Diameter mm	Fitting	Segment Height mm
DB0600	115	M14	8
DB0610	230	M14	8



SEE IN ACTION



DIAMOND INNOVATION



DUST REMOVAL TECHNOLOGY



SELF-COOLING

EN

13236

ISO

CERTIFIED

# DCD/spiro premium dry core bits.

A premium dry core bit with spiral barrel design for swift dust removal



**V-GROOVE DIAMOND SEGMENT**  
REDUCED FRICTION

**SPIRAL BARREL**  
FAST SWarf CLEARANCE

**COOLING SLOTS**  
REDUCED FRICTION

SEE IN ACTION



## FEATURES


Fast start segments

Side vents and spiral barrel design help keep the bits cool resulting in longer life

Suitable for use in masonry, brick, concrete with light or medium steel reinforcing

Also effective for granite, marble and stone

# PRO



## DCD/SPIRO PREMIUM DRY CORE BITS

Product Code	Diameter mm	Length mm	Fitting	Quantity
DB00740	22	300	Hex	Pk. 1
DB00750	28	300	Hex	Pk. 1
DB00760	32	145	M14	Pk. 1
DB00770	38	145	M14	Pk. 1
DB00771	42	145	M14	Pk. 1
DB00780	48	145	M14	Pk. 1
DB00790	52	145	M14	Pk. 1
DB00800	65	145	M14	Pk. 1
DB00810	78	145	M14	Pk. 1
DB00811	82	145	M14	Pk. 1
DB00812	91	145	M14	Pk. 1
DB00813	102	145	M14	Pk. 1
DB00820	107	145	M14	Pk. 1
DB00830	117	145	M14	Pk. 1
DB00840	127	145	M14	Pk. 1
DB00841	142	145	M14	Pk. 1
DB00850	152	145	M14	Pk. 1
DB00860	162	145	M14	Pk. 1
DB00861	172	145	M14	Pk. 1
DB00870	182	145	M14	Pk. 1
DB00871	200	145	M14	Pk. 1

## DCD/SPIRO CORE KIT

Product Code	Diameter mm	Quantity
DB00880	38, 52, 65, 117, 127	Pk. 1

5 Piece Core Kit includes:

38mm, 52mm, 65mm, 117mm & 127mm Spiro Cores, SDS Adaptor, Hex Adaptor, Drift Key, 1/2" BSP Extension (200mm), A-Taper Pilot Drill in a heavy duty carry case.

  
**DIAMOND INNOVATION**

  
**DUST REMOVAL TECHNOLOGY**

  
**ULTRA LOW HAV**

**EN ISO**  
13235 **CERTIFIED**

## CORE BIT ACCESSORIES

Product Code	Description	Quantity
DB02340	Hex Adaptor Pack Includes: Hex Adaptor, A-Taper Pilot Drill, Drift Key	Pk. 1
DB02350	SDS Adaptor Pack Includes: SDS Adaptor, A-Taper Pilot Drill, Drift Key	Pk. 1
DB02370	1/2" BSP Drive Extension Rod 200mm	Pk. 1
DB02390	A-Taper Pilot Drill	Pk. 1
DB02410	Drift Key	Pk. 1
DB02420	Hex Adaptor	Pk. 1
DB02430	SDS Adaptor	Pk. 1



## 2 STROKE OIL

Product Code	Description	Quantity
SE00020	2 Stroke Oil (100ml shot)	Pk. 1 Pk. 10



DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# M14 porcelain holesaws.

Quality range of diamond holesaws for durability and long life in hard materials



## FEATURES

High-grade exposed diamond ensures rapid cutting speed, enabling efficient and swift hole cutting

The tough alloy body of the cutter ensures durability and long-lasting performance, even in demanding cutting applications

Automatic waste ejection feature enables multiple hole cutting, improving productivity

No drill guide required

No continuous water feed required


Equipped with an M14 fitting specifically designed for compatibility with angle grinders, providing versatile and easy integration

### USER INSTRUCTIONS:

Start cutting at an angle

Cut in a circular motion to enhance dust removal

## ULTRA



## M14 PORCELAIN HOLESAWS

Product Code	Diameter mm	Type
710006-1	6	M14
710007-1	7	M14
710008-1	8	M14
710010-1	10	M14
710012-1	12	M14
710020-1	20	M14
710028-1	28	M14
710035-1	35	M14
710043-1	43	M14
710050-1	50	M14
710060-1	60	M14
710065-1	6	M14
710068-1	68	M14
710075-1	75	M14

## M14 PORCELAIN HOLESAW ADAPTOR

Product Code	Type
710HADP	M14 to Hex Adapter





# Mini diamond porcelain drills.

A unique product that requires no guiding, minimal coolant, and fast easy waste ejection, which allows for continuous multiple hole cutting



## FEATURES

High grade exposed diamond for fast smooth cutting

No drill guide required

Made in the UK


Excellent performance on cordless and corded drills

Should be dipped in water before drilling and every 5 seconds thereafter to ensure prolonged life

Suitable for very hard tiles, porcelain, ceramic, granite, marble, glass, slate and stone

Suitable for 20mm thick porcelain

## ULTRA



## ULTRA MINI DIAMOND PORCELAIN DRILLS

Product Code	Diameter mm	Quantity
74005-1	5	Pk. 1
74006-1	6	Pk. 1
74007-1	7	Pk. 1
74008-1	8	Pk. 1
74010-1	10	Pk. 1
74012-1	12	Pk. 1
74015-1	15	Pk. 1
74020-1	20	Pk. 1
74025-1	25	Pk. 1
74035-1	35	Pk. 1



## ULTRA MINI DIAMOND PORCELAIN DRILL SET

Product Code	Diameter mm	Quantity
74100-1	5, 6, 10, 15, 20	Pk. 1




**DIAMOND INNOVATION** 

**FAST CUT**

**10x LONGER LIFE**



PRO  



**DIAMOND INNOVATION** 

**FAST CUT**



**PRO MINI DIAMOND PORCELAIN DRILLS**

Product Code	Diameter mm	Quantity
72005-1	5	Pk. 1
72006-1	6	Pk. 1
72007-1	7	Pk. 1
72008-1	8	Pk. 1
72010-1	10	Pk. 1
72020-1	20	Pk. 1
72025-1	25	Pk. 1
72035-1	35	Pk. 1

**PRO MINI DIAMOND PORCELAIN DRILL SET**

Product Code	Diameter mm	Quantity
72100-1	5, 6, 7, 8, 10	Pk. 1



# SS/INOX abrasive discs.

Professional high quality  
resin bonded abrasive discs

## FEATURES

Thin blade suitable for use  
on angle grinders

Manufactured to ISO 9001  
and EN 12413

Not approved for side  
grinding

Suitable for cutting stainless  
steel/INOX



PRO  



## SS/INOX ABRASIVE DISKS

Product Code	Diameter mm	Bore mm	Blade Thickness mm	Quantity
DB0511	115	22.2	1	Pk. 10 (in metal tin)
DB0512	115	22.2	1	Pk. 25
DB0530	230	22.2	1.9	Pk. 1
DB0535	300	20	3	Pk. 1
DB0540	355	25.4	2.8	Pk. 1



SEE IN ACTION



EN  
12413

ISO  
CERTIFIED



# Diamond cup grinders.

Heavy duty, premium quality universal grinding discs available in both ultimate turbo and double row



## FEATURES


Ultimate turbo for superfast grinding and a smoother finish

Double row for fast and aggressive stock removal. Ideal for removal of roughness and ridges in concrete

Open layout designs reduces risk of clogging

5mm segment height for long life

## PRO



### RCG-5 DIAMOND CUP GRINDERS - DOUBLE ROW

Product Code	Diameter mm	Bore mm	Segment Height mm
DCGDR11522	115	22	5
DCGDR12522	125	22	5

### TCG-5 DIAMOND CUP GRINDERS - ULTIMATE TURBO

Product Code	Diameter mm	Bore mm	Segment Height mm
DCGUT11522	115	22	5
DCGUT12522	125	22	5





# CD-X Carbide demolition blade.

Heavy duty, all-purpose demolition blades

**ALL-PURPOSE  
DEMOLITION**



## FEATURES

Carbide welded tip saw blade for all purpose demolition

Ideal for use in applications where a chainsaw is not allowed. It also does not jam or clog in comparison with a chainsaw

Suitable for use on a wide range of materials with minimal segment clean up required even after being used on materials such as rubber

Suitable for use on lightweight concrete block, rubber, wood (all types), railway sleepers, ducting, tree roots/groundwork, plastics

Light use on cement fibre boards, composite boards or laminate/melanine

## PRO



## CD-X DEMOLITION BLADE

Product Code	Diameter mm	Bore mm
DB0580	115	22.23
DB0583	230	22.23
DB0584	300	20



BI-DIRECTIONAL



PRECISION  
ENGINEERED CORE



SELF COOLING



ISO  
CERTIFIED

# CM-X Carbide multi cutting blade.

Super-thin, fast cutting carbide grit disc



## FEATURES


Laser welded carbide grit cutting edge provides a stronger bond, therefore ensuring a durable and safe application

Suitable for use on Timber (all types), Plywood, Timber with embedded nails, chipboard, MDF, laminates, plasterboard, pvc and plastic

The thin body design and expansion slots contribute to a high cutting speed, and help avoid blade deformation

The blade is bi-directional and if the blade becomes blunt you can change direction

## PRO



## CM-X MULTI CUTTING BLADE

Product Code	Diameter mm	Bore mm
DB0590	115	22.23



BI-DIRECTIONAL



DIAMOND INNOVATION



PRECISION ENGINEERED CORE




SELF-COOLING



ISO CERTIFIED



LASER WELDED





---

















# Nails & Gas range:

The DART range of nails is suitable for all popular makes of nail guns, available in a wide range of sizes, with or without gas cells, DART give you a better choice.

# Application chart.

Suitable for use in 34° cordless and pneumatic clipped head first fix nailers.

## 34° CLIPPED D-HEAD NAILS & GAS

TYPE	SERVICE CLASS	INDOOR	COVERED OUTDOOR	OUTDOOR	HIGH CORROSIVE
Galvanised	Service Class 1				
Galvanised+	Service Class 2				
Hot Dipped Galvanised	Service Class 3				
A2 Stainless Steel	Service Class 3				

### BEST PRACTICES:

Keep the cordless or pneumatic nailer clean and well-maintained. Regularly inspect and lubricate the nailer as per the manufacturer's recommendations.

Position the cordless or pneumatic nailer firmly against the surface to be nailed and align it properly with the target area.

Avoid overloading the nailer's magazine with too many nails. Follow the manufacturer's instructions for the maximum nail capacity to prevent jams and malfunctions.

Do not use damaged or bent nails in the nailer, as they can cause jams, misfires, or other issues. Inspect and discard any nails that are defective.

Avoid excessive force or overdriving nails with the nailer. Follow the recommended nail depth and do not force the tool to drive nails deeper than necessary.





# 1st fix nails & gas.

1st Fix 34° clipped D-head galvanised nails and gas cells



## FEATURES

**Galvanised Nails:** Electro-galvanised plated nails suitable for indoor applications. Conforms to service class 1

**Galvanised Plus Nails:** Electro-galvanised plated nails with a minimum of 12 microns of zinc. Suitable for indoor and covered outdoor applications. Conforms to service class 2

**Hot Dipped Galvanised Nails:** Electro-galvanised plated nails with a minimum of 1.7mm of zinc coating to prevent corrosion and enhance driveability. Suitable for use in all indoor and outdoor applications. Conforms to service class 3

**A2 Stainless steel nails:** For use in corrosive environments or where the base material has corrosive characteristics for example, green oak or cedar. Suitable for use in outdoor applications. Conforms to service class 3

Suitable for use in most cordless nailers

Diamond point for maximum penetration

High quality paper strip increases performance and reduces nail jam

UKCA and CE compliant

Ring shanked nails provide secure fixing with super high pull out resistance

Straight shank nails allow low resistance in to all materials

## GALVANISED NAILS - SERVICE CLASS 1 CARDBOARD BOXES WITH GAS

Product Code	Description	Nail Quantity	Gas Quantity
FN50RG	2.8 x 50mm Ring Shank Galvanised Nails & Gas	3300	3
FN64RG	2.8 x 64mm Ring Shank Galvanised Nails & Gas	3300	3
FN6431RG	3.1 x 64mm Ring Shank Galvanised Nails & Gas	2200	2
FN75RG	3.1 x 75mm Ring Shank Galvanised Nails & Gas	2200	2
FN90SG	3.1 x 90mm Smooth Shank Galvanised Nails & Gas	2200	2

## GALVANISED NAILS - SERVICE CLASS 1 CARDBOARD BOXES WITHOUT GAS

Product Code	Description	Nail Quantity	Gas Quantity
FN50RG-NG	2.8 x 50mm Ring Shank Galvanised Nails (No Gas)	3300	0
FN64RG-NG	2.8 x 64mm Ring Shank Galvanised Nails (No Gas)	3300	0
FN75RG-NG	3.1 x 75mm Ring Shank Galvanised Nails (No Gas)	2200	0
FN90SG-NG	3.1 x 90mm Smooth Shank Galvanised Nails (No Gas)	2200	0





## GALVANISED NAILS - SERVICE CLASS 1 BUCKETS WITH GAS

Product Code	Description	Nail Quantity	Gas Quantity
F62-030	2.8 x 50mm Ring Shank Galvanised Nails & Gas	3300	3
F62-080	2.8 x 64mm Ring Shank Galvanised Nails & Gas	3300	3
F62-090	3.1 x 64mm Ring Shank Galvanised Nails & Gas	2200	2
F62-140	3.1 x 75mm Ring Shank Galvanised Nails & Gas	2200	2
F62-180	3.1 x 90mm Smooth Shank Galvanised Nails & Gas	2200	2



## GALVANISED NAILS - SERVICE CLASS 1 HANDY PACK WITH GAS

Product Code	Description	Nail Quantity	Gas Quantity
F62-035	2.8 x 50mm Ring Shank Galvanised Nails & Gas Handy Pack	1100	1
F62-085	2.8 x 64mm Ring Shank Galvanised Shank Galvanised Nails & Gas Handy Pack	1100	1
F62-145	3.1 x 75mm Ring Shank Galvanised Nails & Gas Handy Pack	1100	1
F62-185	3.1 x 90mm Smooth Shank Galvanised Nails & Gas Handy Pack	1100	1



## GALVANISED PLUS - SERVICE CLASS 2 CARDBOARD BOXES WITH GAS

Product Code	Product Description	Nail Quantity	Gas Quantity
FN50RGP	2.8 x 50mm Ring Shank Galvanised Plus Nails & Gas	3300	3
FN64RGP	2.8 x 64mm Ring Shank Galvanised Plus Nails & Gas	3300	3
FN643IRGP	3.1 x 64mm Ring Shank Galvanised Plus Nails & Gas	2200	2
FN75RGP	3.1 x 75mm Ring Shank Galvanised Plus Nails & Gas	2200	2
FN90SGP	3.1 x 90mm Smooth Shank Galvanised Plus Nails & Gas	2200	2

## GALVANISED PLUS - SERVICE CLASS 2 CARDBOARD BOXES WITHOUT GAS

Product Code	Product Description	Nail Quantity	Gas Quantity
FN50RGP-NG	2.8 x 50mm Ring Shank Galvanised Plus Nails (No Gas)	3300	0
FN64RGP-NG	2.8 x 64mm Ring Shank Galvanised Plus Nails (No Gas)	3300	0
FN643IRGO-NG	3.1 x 64mm Ring Shank Galvanised Plus Nails (No Gas)	2200	0
FN75RGP-NG	3.1 x 75mm Ring Shank Galvanised Plus Nails (No Gas)	2200	0
FN90SGP-NG	3.1 x 90mm Smooth Shank Galvanised Plus Nails (No Gas)	2200	0



## GAS CELLS

Product Code	Description	Quantity
RED1	1st Fix Single Gas Cell	1



### HOT DIPPED GALVANISED - SERVICE CLASS 3 CARDBOARD BOXES WITH GAS

Product Code	Product Description	Nail Quantity	Gas Quantity
<b>FN50RHDG</b>	2.8 x 50mm Hot Dipped Smooth Shank Galvanised Nails & Gas	3300	3
<b>FN64RHDG</b>	2.8 x 64mm Hot Dipped Ring Shank Galvanised Nails & Gas	3300	3
<b>FN75RHDG</b>	3.1 x 75mm Hot Dipped Ring Shank Galvanised Nails & Gas	2200	2
<b>FN90SHDG</b>	3.1 x 90mm Hot Dipped Smooth Shank Galvanised Nails & Gas	2000	2

### HOT DIPPED GALVANISED - SERVICE CLASS 3 CARDBOARD BOXES WITHOUT GAS

Product Code	Product Description	Nail Quantity	Gas Quantity
<b>FN50RHDG-NG</b>	2.8 x 50mm Hot Dipped Smooth Shank Galvanised Nails (No Gas)	3300	0
<b>FN64RHDG-NG</b>	2.8 x 64mm Hot Dipped Ring Shank Galvanised Nails (No Gas)	3300	0
<b>FN75RHDG-NG</b>	3.1 x 75mm Hot Dipped Ring Shank Galvanised Nails (No Gas)	2200	0
<b>FN90SHDG-NG</b>	3.1 x 90mm Hot Dipped Smooth Shank Galvanised Nails (No Gas)	2200	0

### A2 STAINLESS STEEL - SERVICE CLASS 3 CARDBOARD BOXES WITH GAS

Product Code	Product Description	Nail Quantity	Gas Quantity
<b>FN50RSS</b>	2.8 x 50mm Ring Shank A2 Stainless Steel Nails & Gas	1100	1
<b>FN64RSS</b>	2.8 x 64mm Ring Shank A2 Stainless Steel Nails & Gas	1100	1
<b>FN80RSS</b>	3.1 x 80mm Ring Shank A2 Stainless Steel Nails & Gas	1100	1

### A2 STAINLESS STEEL - SERVICE CLASS 3 CARDBOARD BOXES WITHOUT GAS


Product Code	Product Description	Nail Quantity	Gas Quantity
<b>FN50RSS-NG</b>	2.8 x 50 Ring Shank A2 Stainless Steel Nails (No Gas)	1100	0
<b>FN64RSS-NG</b>	2.8 x 64 Ring Shank A2 Stainless Steel Nails (No Gas)	1100	0
<b>FN80RSS-NG</b>	3.1 x 80 Ring Shank A2 Stainless Steel Nails (No Gas)	1100	0





# 2nd fix nails & gas.

2nd fix galvanised straight and angled brad nails



## FEATURES

16 gauge blades nails allow for low resistance to all materials

Designed to better productivity and quality with less wood splitting and few jams

Chisel point reduced wood splitting

T-head to give concealed fixings – suitable for finishing

Available without and without gas

## 16 GAUGE STRAIGHT BRAD NAILS CARDBOARD BOX WITH GAS

Product Code	Description	Nail Qty	Gas Qty
FBN19ST	19mm 16 Gauge Straight Brad Nails & Gas	2000	2
FBN25ST	25mm 16 Gauge Straight Brad Nails & Gas	2000	2
FBN32ST	32mm 16 Gauge Straight Brad Nails & Gas	2000	2
FBN38ST	38mm 16 Gauge Straight Brad Nails & Gas	2000	2
FBN45ST	45mm 16 Gauge Straight Brad Nails & Gas	2000	2
FBN50ST	50mm 16 Gauge Straight Brad Nails & Gas	2000	2
FBN64ST	64mm 16 Gauge Straight Brad Nails & Gas	2000	2





## 16 GAUGE STRAIGHT BRAD NAILS CARDBOARD BOX WITHOUT GAS



Product Code	Description	Nail Qty	Gas Qty
<b>FBN19ST-NG</b>	19mm 16 Gauge Straight Brad Nails (No Gas)	2000	0
<b>FBN25ST-NG</b>	25mm 16 Gauge Straight Brad Nails (No Gas)	2000	0
<b>FBN32ST-NG</b>	32mm 16 Gauge Straight Brad Nails (No Gas)	2000	0
<b>FBN38ST-NG</b>	38mm 16 Gauge Straight Brad Nails (No Gas)	2000	0
<b>FBN45ST-NG</b>	45mm 16 Gauge Straight Brad Nails (No Gas)	2000	0
<b>FBN50ST-NG</b>	50mm 16 Gauge Straight Brad Nails (No Gas)	2000	0
<b>FBN64ST-NG</b>	64mm 16 Gauge Straight Brad Nails (No Gas)	2000	0

## 16 GAUGE ANGLED BRAD NAILS CARDBOARD BOX WITH GAS



Product Code	Description	Nail Qty	Gas Qty
<b>FBN25AN</b>	25mm 16 Gauge Angled Brad Nails & Gas	2000	2
<b>FBN32AN</b>	32mm 16 Gauge Angled Brad Nails & Gas	2000	2
<b>FBN38AN</b>	38mm 16 Gauge Angled Brad Nails & Gas	2000	2
<b>FBN45AN</b>	45mm 16 Gauge Angled Brad Nails & Gas	2000	2
<b>FBN50AN</b>	50mm 16 Gauge Angled Brad Nails & Gas	2000	2
<b>FBN64AN</b>	64mm 16 Gauge Angled Brad Nails & Gas	2000	2

## 16 GAUGE ANGLED BRAD NAILS CARDBOARD BOX WITHOUT GAS



Product Code	Description	Nail Qty	Gas Qty
<b>FBN25AN-NG</b>	25mm 16 Gauge Angled Brad Nails (No Gas)	2000	0
<b>FBN32AN-NG</b>	32mm 16 Gauge Angled Brad Nails (No Gas)	2000	0
<b>FBN38AN-NG</b>	38mm 16 Gauge Angled Brad Nails (No Gas)	2000	0
<b>FBN45AN-NG</b>	45mm 16 Gauge Angled Brad Nails (No Gas)	2000	0
<b>FBN50AN-NG</b>	50mm 16 Gauge Angled Brad Nails (No Gas)	2000	0
<b>FBN64AN-NG</b>	64mm 16 Gauge Angled Brad Nails (No Gas)	2000	0



## GAS CELLS

Product Code	Description	Quantity
<b>FBNGAS</b>	2nd Fix Brad Yellow Gas Cell	1



---

# Gloves range:

DART PPE gloves are tailored for multiple applications within the construction industries. Strong wearing but designed for maximum dexterity, the range offers protection from oily or chemical environments, extreme cold or wet weather and glass handling. Get better protected with DART.

# PU glove.

A seamless knitted 13g polyester general purpose glove designed to be tight fitting to give maximum dexterity



## FEATURES

Polyurethane-coated lightweight palm and fingers

Suitable for general purpose, detailed assembly, product protection and packaging protection

Protects against minor cuts and abrasions on the palm and fingers

Prevents fingerprints being left on surfaces

Individually packed in pairs with punched euro slot

## MECHANICAL DATA – EN388:2016

Abrasion	Level 3
Cut (Coup Test)	Level 1
Tear	Level 3
Puncture	Level 1
Cut (TDM - 100 Test)	Level X

## ATLANTA BLACK PU GLOVE

Product Code	Size	Bag Quantity	Box Quantity
ATLANTA-S	S (7)	12 Pairs	120 Pairs
ATLANTA-M	M (8)	12 Pairs	120 Pairs
ATLANTA-L	L (9)	12 Pairs	120 Pairs
ATLANTA-XL	XL (10)	12 Pairs	120 Pairs
ATLANTA-XXL	XXL (11)	12 Pairs	120 Pairs





### ARIZONA GREY PU GLOVE

Product Code	Size	Bag Quantity	Box Quantity
ARIZONA-L	L (9)	12 Pairs	120 Pairs
ARIZONA-XL	XL (10)	12 Pairs	120 Pairs



### ALASKA WHITE PU GLOVE

Product Code	Size	Bag Quantity	Box Quantity
ALASKA-M	M (8)	12 Pairs	120 Pairs
ALASKA-L	L (9)	12 Pairs	120 Pairs
ALASKA-XL	XL (10)	12 Pairs	120 Pairs



# Orange latex builders glove.

A flexible crinkle latex coating provides excellent grip in wet and dry conditions for safe handling




## FEATURES

Seamless knitted cotton liner provides exception comfort and reduces hand fatigue

Suitable for general handling, construction, automotive, warehousing, horticulture, utilities, refuse collection

Back of glove is uncoated allowing the hand to breathe

Individually packed in pairs with punched euro slot



## MECHANICAL DATA – EN388:2016

Abrasion	Level 3
Cut (Coup Test)	Level 1
Tear	Level 3
Puncture	Level 1
Cut (TDM - 100 Test)	Level X

## OREGON ORANGE LATEX BUILDERS GLOVE

Product Code	Size	Bag Quantity	Box Quantity
OREGON-M	M (8)	12 Pairs	120 Pairs
OREGON-L	L (9)	12 Pairs	120 Pairs
OREGON-XL	XL (10)	12 Pairs	120 Pairs
OREGON-XXL	XXL (11)	12 Pairs	120 Pairs



# Thermal latex glove.

A thermal, heavy duty, very long life glove with crinkle latex coating for excellent wet and dry grip



## FEATURES

Seamless and lined for exceptional comfort


Fleece liner keeps the hands warm in cold conditions

Suitable for cold working conditions, general handling, construction & site use and warehousing

Back of the glove is uncoated to allow hand to breathe

Can be used all year round

Individually packed in pairs with punched euro slot



## MECHANICAL DATA – EN388:2016

Abrasion	Level 2
Cut (Coup Test)	Level 1
Tear	Level 4
Puncture	Level 2
Cut (TDM - 100 Test)	Level X

## DAKOTA GREY THERMAL LATEX GLOVE

Product Code	Size	Bag Quantity	Box Quantity
DAKOTA-L	L (9)	12 Pairs	120 Pairs
DAKOTA-XL	XL (10)	12 Pairs	120 Pairs



# Thermal plus latex glove.

A warm and comfortable fluorescent glove, ideal for dark environments where visibility is essential



## FEATURES


High visibility due to fluorescent yellow cotton liner

Suitable for outdoor and indoor use such as warehouses

Blue high grip latex coating on the palm

Individually packed in pairs with punched euro slot

Suitable for cold protection/working conditions, general handling, construction & site use and warehousing



## MECHANICAL DATA – EN388:2016

Abrasion	Level 2
Cut (Coup Test)	Level 1
Tear	Level 4
Puncture	Level 2
Cut (TDM - 100 Test)	Level X
Convective Cold	Level X
Contact Cold	Level 2
Water Penetration	Level X

## MAINE NEON THERMAL PLUS LATEX GLOVE

Product Code	Size	Bag Quantity	Box Quantity
MAINE-M	M (8)	12 Pairs	120 Pairs
MAINE-L	L (9)	12 Pairs	120 Pairs
MAINE-XL	XL (10)	12 Pairs	120 Pairs





# Foam nitrile glove.

A breathable foam nitrile coated glove designed for outstanding grip where precision handling is required

## FEATURES


Glove make up ensures outstanding comfort during extended wear

Nylon and Lycra blend liner provides extreme comfort and support

Suitable for detailed assembly, inspection, light fabrication and small parts handling (including oily items)

Good abrasion resistance with maximum dexterity

Individually packed in pairs with punched euro slot



## MECHANICAL DATA – EN388:2016

Abrasion	Level 4
Cut (Coup Test)	Level 1
Tear	Level 2
Puncture	Level 1
Cut (TDM - 100 Test)	Level X

## KANSAS FOAM NITRILE GLOVE

Product Code	Size	Bag Quantity	Box Quantity
KANSAS-M	M (8)	12 Pairs	120 Pairs
KANSAS-L	L (9)	12 Pairs	120 Pairs
KANSAS-XL	XL (10)	12 Pairs	120 Pairs
KANSAS-XXL	XXL (11)	12 Pairs	120 Pairs



DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# Nitrile glove.

A lightweight glove with nitrile coating on palm and fingers which offers a good grip on oily and wet surfaces

## FEATURES


Uncoated on the back to keep hands cool

Excellent protection against abrasion and chemical resistance

Seamless knitted 13g polyester liner

Individually packed in pairs with punched euro slot

Suitable for light detail assembly, light fabrication (including oily items), small parts handling and scaffolding



## MECHANICAL DATA – EN388:2016

Abrasion	Level 4
Cut (Coup Test)	Level 1
Tear	Level 2
Puncture	Level 1
Cut (TDM - 100 Test)	Level X

## MICHIGAN NITRILE GLOVE

Product Code	Size	Bag Quantity	Box Quantity
MICHIGAN-L	L (9)	12 Pairs	120 Pairs
MICHIGAN-XL	XL (10)	12 Pairs	120 Pairs



# TDM cut level B PU glove.

A TDM cut level B PU Resistance  
lightweight HPPE glove


## FEATURES

HPPE (High Performance Polyethylene) fibre is lightweight, low-linting and doesn't easily absorb liquids

Suitable for glass & sheet metal handling, construction, general purpose

Fine dark grey polyurethane coating on palm and fingers

Coating gives the high cut resistance but is still thin enough for excellent levels of dexterity and comfort



## MECHANICAL DATA – EN388:2016

Abrasion	Level 4
Cut (Coup Test)	Level X
Tear	Level 4
Puncture	Level 2
Cut (TDM - 100 Test)	Level B

## MISSOURI TDM CUT LEVEL B PU GLOVE (3)

Product Code	Size	Bag Quantity	Box Quantity
MISSOURI-M	M (8)	12 Pairs	120 Pairs
MISSOURI-L	L (9)	12 Pairs	120 Pairs
MISSOURI-XL	XL (10)	12 Pairs	120 Pairs



# TDM cut level C PU glove.

A TDM cut level C PU Resistance lightweight HPPE glove




## FEATURES

Seamless strong anti-cut fiberglass mix

Suitable for glass and sheet metal handling, construction and general purpose

Grey polyurethane coating on palm and fingers

Coating gives the high cut resistance combined with the touch element



## MECHANICAL DATA – EN388:2016

Abrasion	Level 4
Cut (Coup Test)	Level X
Tear	Level 4
Puncture	Level 3
Cut (TDM - 100 Test)	Level C

## MINNESOTA TDM CUT LEVEL C PU GLOVE (4)

Product Code	Size	Bag Quantity	Box Quantity
MINNESOTA-L	L (9)	12 Pairs	120 Pairs
MINNESOTA-XL	XL (10)	12 Pairs	120 Pairs



# TDM cut level D PU glove.

A TDM cut level D PU Resistance lightweight HPPE glove


## FEATURES

High dexterity provides user with excellent sensitivity

Coated palm enhances grip

Suitable for glass and sheet metal handling, automotive, construction and recycling

Individually packed in pairs with punched euro slot



## MECHANICAL DATA – EN388:2016

Abrasion	Level 4
Cut (Coup Test)	Level X
Tear	Level 4
Puncture	Level 3
Cut (TDM - 100 Test)	Level D

## VERMONT TDM CUT LEVEL D PU GLOVE (5)

Product Code	Size	Bag Quantity	Box Quantity
VERMONT-M	M (8)	12 Pairs	120 Pairs
VERMONT-L	L (9)	12 Pairs	120 Pairs
VERMONT-XL	XL (10)	12 Pairs	120 Pairs



DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

# Waterproof foam latex glove.

A waterproof, double latex coated glove for excellent protection in wet conditions




## FEATURES

13g polyester with double latex coating, offers extreme proof from water

Outstanding dexterity and foam outer surface offers good grip

Comfortable and flexible

Suitable for general maintenance, automotive industry, building and construction and oil industry



## MECHANICAL DATA – EN388:2016

Abrasion	Level 2
Cut (Coup Test)	Level 1
Tear	Level 3
Puncture	Level 1
Cut (TDM - 100 Test)	Level X

## MISSISSIPPI GLOVE

Product Code	Size	Bag Quantity	Box Quantity
MISSISSIPPI-S	S (7)	12 Pairs	120 Pairs
MISSISSIPPI-M	M (8)	12 Pairs	120 Pairs
MISSISSIPPI-L	L (9)	12 Pairs	120 Pairs
MISSISSIPPI-XL	XL (10)	12 Pairs	120 Pairs



# Thermal waterproof foam latex glove.

A thermal waterproof, double latex coated glove for excellent protection in wet and cold conditions


## FEATURES

13g polyester with double latex and thermal lining, offers extreme proof from wet and cold conditions

Foam outer surface offers good grip

Warm, comfortable and flexible

Suitable for cold protection/working conditions, general maintenance, automotive industry, building and construction and oil industry



## MECHANICAL DATA – EN511:2006

Abrasion	Level 2
Cut (Coup Test)	Level 2
Tear	Level 4
Puncture	Level 2
Cut (TDM - 100 Test)	Level X
Convective Cold	Level X
Contact Cold	Level 2
Water Penetration	Level 1

## WASHINGTON GLOVE

Product Code	Size	Bag Quantity	Box Quantity
WASHINGTON-S	S (7)	12 Pairs	120 Pairs
WASHINGTON-M	M (8)	12 Pairs	120 Pairs
WASHINGTON-L	L (9)	12 Pairs	120 Pairs
WASHINGTON-XL	XL (10)	12 Pairs	120 Pairs







---

# MPS range:

Founded in Germany in 1987, MPS offers high quality jigsaw and reciprocating saw blades from steel sourced in Germany, Austria and Sweden.

DART, as an exclusive distributor in the UK of the MPS jigsaw and reciprocating blades, can offer you a vast choice of quality blades at a competitive price.

# MPS Information systems.

## Wood



Hardwood



Softwood/Construction Wood



Laminated Board



Kitchen Worktop



Plywood



Multiplex/Glued Wood



MDF



Green Wood/Branches



Firewood/Timber



Laminate

## Metal



Stainless Steel



Metal/Steel



Sheet Steel



Non-Ferrous Metal/Aluminium



Open Profile



Closed Profile



Steel Pipe

## Plastics



Plastic



Acrylic Glass



Reinforced Plastics; Epoxy

## Various Materials



Wood and/with Nails



Pallet/Pallet-Construction



Sandwich Material



Old-Building Renovation/Window Frames



Plasterboard



Cork



Rubber

## Abrasive Materials



Cast Iron Pipe



Fibre Cement Plate



Foam Concrete/Gas Concrete



Wall Tile



Glass



Stonework/Brickwork

## Blade Features



Carbide-Coated



Carbide-Tipped



Carbide-Strip



Diamond-Coated



Three Edge Diamond Ground



Curve Cut



Straight Cut



Extra Long Blade



Extra Thick Blade

## Cutting Features



High-Speed Cut



Very Clean Cut











Rough Cut



Precise Angles

# Specific cutting techniques.








	Crossground tapered	Very Clean Cut		The wood grain is cut by the slanted angle of the tooth. CT ground edges don't come in contact with the saw kerf and therefore produce extra-clean cuts
	Crossground, set	High Speed Cut		The angular-sloped tooth cuts the wood grain. CS-ground teeth give the blade an extra high cutting-speed
	Milled, set	Rough Cut		The wood grain is ripped and the saw set moves upwards and downwards in the saw kerf producing a rough cut
	Milled, wavy set	Fine, precise		The cut takes place on the entire surface of the tooth. The only difference is in the tooth formation

**Tooth Shape:**  D = Roof Tooth     P = PositiveTooth     N = Normal Tooth

## What regulates the cut-speed and performance?


- The motor power (wattage) of the machine
- The effort output when sawing
- The quality and accuracy of blade selection
- The accurate selection of pendulum cut. When using a high pendulum cut, cracks may appear on the cutting edge

## Material quality and areas of use


Cutting Geometry			
	 milled, wavy set, straight-set	 crossground, set	 crossground, tapered
Material			
	Standard cut in wood	High Speed Cut	Very Clean Cut
	For metal work		
	Universal application range + High Endurance = Long Life Span	Very Fast Cuts + High Endurance = Long Life Span	Very Clean Cuts + High Endurance = Long Life Span
	For abrasive Materials For work on metals	For abrasive Materials For work on woods	

DART  
RED TEN  
NAILS & GAS  
GLOVES  
MPS  
MERCHANDISE  
POINT OF SALE

# Jigsaw blades.



**3106-5**




Bosch T11C  
Makita B13/A85656  
Metabo 623649000  
Lenox CFS406S  
Milwaukee  
4932254071

A = 3 mm · 8 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,25 mm · 0.049" E = 8 mm · 0.315"



Softwood/Construction Wood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Straight Cut, High-Speed Cut, Rough Cut

**3109-5**




Bosch T119B0  
Makita B18/  
A85709  
Metabo  
623646000  
Milwaukee  
4932274650


A = 2 mm · 12 t.p.i. B = 60 mm · 2.362" C = 85 mm · 3.346" D = 1,25 mm · 0.049" E = 8 mm · 0.315"



Softwood/Construction Wood, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, fine, clean curve cut



**3150-F-5**



VARIOZAHN  
(Universalblatt)  
(universal blade)

A = 1,8-2,5 mm · 10-14 t.p.i. B = 110 mm · 4.331" C = 132 mm · 5.197" D = 1,27 mm · 0.050" E = 8 mm · 0.315"




**VARIABLE TEETH**



Hardwood, Reinforced Plastics/Epoxy/CFK/GFK, Stainless Steel/INOX, Metal/Steel (Fe), Non-Ferrous Metal/Aluminium, Wood with Nails, Thin and Thick Material, Straight Cut, Extra Long Blade

**3156-F-5**



Bosch T345XF  
Makita P49638  
Metabo  
623677000


A = 2,5-4,2 mm · 6-10 t.p.i. B = 110 mm · 4.331" C = 130 mm · 5.118" D = 1,27 mm · 0.050" E = 8 mm · 0.315"



**PROGRESSIVE**



Hardwood, Reinforced Plastics/Epoxy/CFK/GFK, Stainless Steel/INOX, Metal/Steel (Fe), Non-Ferrous Metal/Aluminium, Wood with Nails, Thin and Thick Material, Straight Cut, Extra Long Blade




**CV** Chrome Vanadium

**MPS**

to use as

**3104-5**




Bosch T144D  
Festool S75/4  
Makita B16/A85684  
Metabo 623633000  
Milwaukee  
4932213116

A = 4 mm · 6 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,25 mm · 0.049" E = 8 mm · 0.315"



Softwood/Construction Wood, Kitchen Worktop, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Straight Cut, High-Speed Cut, Rough Cut

**3104-L-5**




Festool S105/4  
Metabo L2/  
P06454

A = 4 mm · 6 t.p.i. B = 110 mm · 4.331" C = 130 mm · 5.118" D = 1,25 mm · 0.049" E = 8 mm · 0.315"



Softwood/Construction Wood, Kitchen Worktop, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Straight Cut, Extra Long Blade, High-Speed Cut, Rough Cut

**3104-XL-5**




Bosch T344D  
Metabo  
623678000

A = 4 mm · 6 t.p.i. B = 130 mm · 5.118" C = 150 mm · 5.906" D = 1,25 mm · 0.049" E = 8 mm · 0.315"



Softwood/Construction Wood, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Straight Cut, Extra Long Blade, High-Speed Cut, Rough Cut

**3105-5**




Bosch T244D  
Festool S75/4K  
Makita B17/  
A85690  
Metabo  
623649000

A = 4 mm · 6 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,25 mm · 0.049" E = 8 mm · 0.315"



Softwood/Construction Wood, Kitchen Worktop, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, rough/coarse curve cut, High-Speed Cut, Rough Cut

**3101-5**




Bosch T101B  
Festool S75/2,5  
Makita B11/A85634  
Metabo 623634000  
Milwaukee  
4932254061

A = 2,5 mm · 10 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,45 mm · 0.057" E = 8 mm · 0.315"



Softwood/Construction Wood, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Straight Cut, Very Clean Cut

**3103-5**



Bosch T101D  
Makita B12/A85640  
Metabo 623635000  
Lenox CF456S  
Milwaukee  
4932274351

A = 4 mm · 6 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,45 mm · 0.057" E = 8 mm · 0.315"



Softwood/Construction Wood, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Straight Cut, High-Speed Cut, Very Clean Cut

DART

RED TEN


NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE




**CV** Chrome Vanadium

**MPS** to use as

**31035-5**

Bosch T301D

A = 4 mm · 6 t.p.i. B = 95 mm · 3.740" C = 115 mm · 4.528" D = 1,45 mm · 0.057" E = 8 mm · 0.315"




Softwood/Construction Wood, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Straight Cut, High-Speed Cut, Very Clean Cut

**3103-L-5**

Bosch T301DL  
Makita A86290  
Milwaukee  
4932346071


A = 4 mm · 6 t.p.i. B = 110 mm · 4.331" C = 130 mm · 5.118" D = 1,45 mm · 0.057" E = 8 mm · 0.315"




Softwood/Construction Wood, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Straight Cut, Extra Long Blade, High-Speed Cut, Very Clean Cut

**3160-PC-5**

A = 1,5 mm · 17 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,45 mm · 0.057" E = 8 mm · 0.315"



**SKELETON**




Softwood/Construction Wood, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Straight Cut, Very Clean Cut, Splinter-free cutting on both side, top edge and bottom edge


**3164-PC-5**

T102BF

A = 1,5 mm · 17 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,45 mm · 0.057" E = 8 mm · 0.315"



Softwood/Construction Wood, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Straight Cut, Very Clean Cut, Splinter-free cutting on both side, top edge and bottom edge






**MPS**

to use as

**3182-5**

teeth on both sides

A = 2,2 - 3,2 / 2,5 mm · 8 - 11; 10 t.p.i. B = 95 mm · 3.740" C = 115 mm · 4.528" D = 1,45 mm · 0.057" E = 8 mm · 0.315"




Softwood/Construction Wood, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Thin and Thick Material, fine, clean curve cut



**3102-5**

Bosch T101BR  
Makita B19/A85715  
Metabo 623650000  
Lenox CF450SR  
Milwaukee 4932346079

A = 2,5 mm · 10 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,45 mm · 0.057" E = 8 mm · 0.315"






Softwood/Construction Wood, Laminated Board, Kitchen Worktop, Plywood, Blockboard/Wood, Core, Plywood, Straight Cut, Very Clean Cut



**3161-5**


Bosch T308B  
Metabo 623998000

A = 2 mm · 12 t.p.i. B = 110 mm · 4.331" C = 132 mm · 5.197" D = 1,45 mm · 0.057" E = 8 mm · 0.315"




Softwood/Construction Wood, Laminated Board, Kitchen Worktop, Plywood, Blockboard/Wood, Core, Plywood, Straight Cut, Extra Long Blade, Very Clean Cut, Splinter-free cutting on both side, top edge and bottom edge





**3171-5**



Bosch T101AO  
Festool S50K/1,4  
Metabo 623651000  
Lenox 320SC  
Milwaukee  
4932373392




A = 1,35 mm · 19 t.p.i. B = 50 mm · 1.969" C = 75 mm · 2.953" D = 1,25 mm · 0.049" E = 8 mm · 0.315"



Softwood/Construction Wood, Laminated Board, Plywood, Laminate, fine, clean curve cut


**3180-5**




Bosch T234X  
Metabo 623675000  
Milwaukee  
4932430141




A = 2,8 mm · 9 t.p.i. B = 90 mm · 3.543" C = 115 mm · 4.528" D = 1,45 mm · 0.057" E = 8 mm · 0.315"



Softwood/Construction Wood, Laminated Board, Kitchen Worktop, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, Straight Cut, High-Speed Cut, Very Clean Cut



**3116-5**




Bosch T101A  
Makita B21/  
A85721  
Metabo  
623640000  
Milwaukee  
4932274651




A = 2 mm · 12 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,27 mm · 0.050" E = 8,00 mm · 0.315"



Plastic/PP/PE/PVC, Acrylic Glass/PA/PC/PE/PP/PVC, HPL (High Pressure Laminate), Trespa, Straight Cut



**3160-5**



Bosch T101A  
Makita B21/  
A85721  
Metabo  
623640000  
Milwaukee  
4932274651




A = 1,5 mm · 17 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,45 mm · 0.057" E = 8 mm · 0.315"



Laminated Board, Laminate, Plastic/PP/PE/PVC, Acrylic Glass/PA/PC/PE/PP/PVC, Straight Cut, Very Clean Cut, Splinter-free cutting on both side, top edge and bottom edge






**BIM** Bimetal

**MPS**

to use as

**3101-F-5**



Bosch T101BF  
Festool S75/2,-  
5BI  
Makita P31594  
Metabo  
623975000  
Lenox 4505

A = 2,5 mm · 10 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,27 mm · 0.050" E = 8 mm · 0.315"



Hardwood, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, HPL (High Pressure Laminate), Trespa, Straight Cut, Very Clean Cut



**HSS** Highspeed Steel

**MPS**

to use as

**3110-5**



Bosch T118G  
Makita B24/  
A85759  
Metabo  
623636000  
Milwaukee  
4932274652

A = 0,9 mm · 28 t.p.i. B = 50 mm · 1.969" C = 75 mm · 2.953" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"



Sheet Steel, Non-Ferrous Metal/Aluminium, Straight Cut

**3111-5**



Bosch T118A  
Makita B22/  
A85737  
Metabo  
623637000  
Milwaukee  
4932254063

A = 1,2 mm · 21 t.p.i. B = 50 mm · 1.969" C = 75 mm · 2.953" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"



Sheet Steel, Non-Ferrous Metal/Aluminium, Straight Cut

**3112-5**



Bosch T 218 A  
Makita B27/  
A85787  
Metabo  
623647000  
Milwaukee  
4932346082

A = 1,2 mm · 21 t.p.i. B = 50 mm · 1.969" C = 75 mm · 2.953" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"



Sheet Steel, Non-Ferrous Metal/Aluminium, fine, clean curve cut

**3113-5**




Bosch T118B  
Makita B23/  
A85743  
Milwaukee  
4932254064

A = 2 mm · 12 t.p.i. B = 50 mm · 1.969" C = 75 mm · 2.953" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"



Sheet Steel, Non-Ferrous Metal/Aluminium, Straight Cut



DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE

MPS JIGSAW BLADES




**HSS** Highspeed Steel

**MPS**

to use as

**3114-5**



Bosch T318A  
Makita P47204  
Metabo  
623629000  
Milwaukee  
4932399307




A = 1,2 mm · 21 t.p.i. B = 110 mm · 4.331" C = 132 mm · 5.197" D = 1,15 mm · 0.045" E = 8,00 mm · 0.315"



Sheet Steel, Non-Ferrous Metal/Aluminium, Open Profile thin, Closed Profile thin, Steel Pipe thin, Straight Cut, Extra Long Blade

**3115-5**




Bosch T318B  
Metabo  
623697000

A = 2 mm · 12 t.p.i. B = 110 mm · 4.331" C = 132 mm · 5.197" D = 1,15 mm · 0.045" E = 8,00 mm · 0.315"



Sheet Steel, Non-Ferrous Metal/Aluminium, Open Profile thin, Closed Profile thin, Steel Pipe thin, Straight Cut, Extra Long Blade

**3118-5**




Bosch T127D  
Makita B25/  
A85765  
Metabo  
623639000  
Milwaukee  
4932274315

A = 3 mm · 8 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,15 mm · 0.045" E = 8,00 mm · 0.315"



Metal/Steel (Fe), Sheet Steel, Non-Ferrous Metal/Aluminium, Steel Pipe medium strong, Straight Cut, High-Speed Cut




**BiM** Bimetal

**MPS**

to use as

**3111-F-5**



Bosch T118AF  
Makita P47226  
Metabo  
623950000  
Milwaukee  
4932240011




A = 1,2 mm · 21 t.p.i. B = 50 mm · 1.969" C = 75 mm · 2.953" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"



Stainless Steel/INOX, Sheet Steel, Straight Cut

**3113-F-5**




Bosch T118BF  
Festool HS60/2BI  
Makita P47232  
Metabo  
623973000  
Milwaukee  
4932340012



A = 2 mm · 12 t.p.i. B = 50 mm · 1.969" C = 75 mm · 2.953" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"



Stainless Steel/INOX, Sheet Steel, Straight Cut




**BiM** Bimetal

**MPS**


to use as

**3127-F-5**




Bosch T118EFS  
Festool HS60/1,-  
4bi  
Metabo  
623972000

A = 1,5 mm · 17 t.p.i. B = 50 mm · 1.969" C = 75 mm · 2.953" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"




Stainless Steel/INOX, Sheet Steel, Straight Cut

**3175-F-5**




Bosch T123XF  
Metabo  
623676000  
Milwaukee  
4932430142  
**PROGRESSIVE**

A = 1,6-2,5 mm · 10-16 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"




Stainless Steel/INOX, Sheet Steel, Non-Ferrous Metal/Aluminium, Steel Pipe medium strong, Thin and Thick Material, Straight Cut, High-Speed Cut

**3114-F-5**




Bosch T318AF  
Festool  
HS105/1,2BI  
Metabo  
623978000  
Lenox 518S  
Milwaukee  
4932274654

A = 1,2 mm · 21 t.p.i. B = 110 mm · 4.331" C = 130 mm · 5.118" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"




Reinforced Plastics/Epoxy/CFK/GFK, Sheet Steel, Non-Ferrous Metal/Aluminium, Open Profile thin, Steel Pipe thin, Sandwich Material, Straight Cut, Extra Long Blade

**3115-F-5**




Bosch T318BF  
Festool HS105/  
2BI  
Makita P47210  
Metabo  
623979000  
Milwaukee  
4932274653

A = 2 mm · 12 t.p.i. B = 110 mm · 4.331" C = 130 mm · 5.118" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"




Reinforced Plastics/Epoxy/CFK/GFK, Sheet Steel, Non-Ferrous Metal/Aluminium, Open Profile thin, Steel Pipe medium strong, Sandwich Material, Straight Cut, Extra Long Blade

**3159-F-5**



Bosch T718BF  
Festool  
HS155/1,2BI  
Makita P49644  
Metabo  
623604000  
Milwaukee  
4932373086

A = 1,2 mm · 21 t.p.i. B = 180 mm · 7.087" C = 200 mm · 7.874" D = 1,27 mm · 0.050" E = 8,00 mm · 0.315"



Open Profile thin, Closed Profile thin, Steel Pipe thin, Sandwich Material, Straight Cut, Extra Long Blade

DART

RED TEN


NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE



**3121-1**

Bosch T150RIF  
Makita P38794  
Metabo 623658000  
Milwaukee 4932213232

A = KORN 50 mm · GRIT 50 t.p.i. B = 60 mm · 2.362" C = 85 mm · 3.346" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"



Wall Tile, Carbide-Coated, Straight Cut

**3122-1**

Bosch T130RIF  
Festool R54/G Riff  
Makita P38788  
Metabo 623657000  
Lenox GT300S  
Milwaukee 4932213231

A = KORN 30 mm · GRIT 30 t.p.i. B = 60 mm · 2.362" C = 85 mm · 3.346" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"




Wall Tile, Carbide-Coated, Straight Cut

**3125-1**

Bosch T141HM  
Festool HM75/4,5  
Makita P38772  
Metabo 623652000  
Milwaukee 4932399308

A = 4,3 mm · 6 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 1,25 mm · 0.049" E = 8,00 mm · 0.315"




Reinforced Plastics/Epoxy/CFK/GFK, Fibre Cement Board, Foam Concrete/Gas Concrete, Plasterboard, Straight Cut

**3130-3**

Bosch T118AHM  
Makita P05929  
Metabo 623662000  
Milwaukee 4932373393

A = 1,1 mm · 24 t.p.i. B = 54 mm · 2.16" C = 85 mm · 3.346" D = 1,00 mm · 0.039" E = 8,00 mm · 0.315"



Stainless Steel/INOX, Straight Cut




**3188-5**  
**5 Piece Professional jigsaw blade kit**


Multiple applications including fast, clean cutting in hard and softwood, MDF, laminated board, metal and aluminium. Some blades suitable for curve cutting.

- Containing:  
1 x 3101-KR  
1 x 3145  
1 x 3160  
1 x 3111-LF  
1 x 3150-F

# Reciprocating saw blades.



## 4702-2



A = 2,5 mm · 10 t.p.i. B = 130 mm · 5.118" C = 150 mm · 5.906" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748" F = 1,8 mm · 14 t.p.i.  
N = 2,5 mm · 10 t.p.i.



Softwood/Construction Wood, Plywood, Chipboard/Particle Board, Sheet Steel, Closed Profile strong, Steel Pipe medium strong, Steel Pipe strong, Wood with Nails


## 4710-2




A = 1,8 - 2,5 mm · 10 - 14 t.p.i. B = 230 mm · 9.055" C = 250 mm · 9.843" D = 1,27 mm · 0.050" E = 25,40 mm · 1.0" F = 1,8 mm · 14 t.p.i.  
N = 2,5 mm · 10 t.p.i.



Softwood/Construction Wood, Chipboard/Particle Board, Reinforced Plastics/Epoxy/CFK/GFK, Stainless Steel/INOX, Steel Beam, Non-Ferrous Metal/Aluminium, Open Profile strong, Closed Profile strong, Steel Pipe strong, Wood with Nails, Rectangular Cut



## 4010-5



Bosch S 1344 D A = 4,2 mm · 6 t.p.i. B = 280 mm · 11.024" C = 300 mm · 11.811" D = 1,20 mm · 0.047" E = 19,00 · 0.748"

Metabo 631472000  
Milwaukee 48-00-1079




TOPSELLER



Softwood/Construction Wood, Plywood, Chipboard/Particle Board, PVC-Pipe

## 4011-5



Bosch S 644 D A = 4,2 mm · 6 t.p.i. B = 130 mm · 5.118" C = 150 mm · 5.906" D = 1,20 mm · 0.047" E = 19,00 mm · 0.748"

Metabo 631470000  
Milwaukee 48-00-1075



TOPSELLER



Softwood/Construction Wood, Kitchen Worktop, Plywood, Blockboard/Wood, Core, Plywood, Chipboard/Particle Board, rough/coarse curve cut

DART

RED TEN

NAILS & GAS


GLOVES

MPS

MERCHANDISE

POINT OF SALE

**CV** Chrome Vanadium



**MPS**


to use as

**4020-5**

Bosch S1617 K  
Metabo  
628242000

A = 8,5 mm · 3 t.p.i. B = 280 mm · 11.024" C = 300 mm · 11.811" D = 1,20 mm · 0.047" E = 19,00 mm · 0.748"

**MS**




Softwood/Construction Wood, Green Wood/Branches, Firewood/Beam, Rough Cut

**4021-5**

Bosch S 617 K  
Metabo  
628241000

A = 8,5 mm · 3 t.p.i. B = 130 mm · 5.118" C = 150 mm · 5.906" D = 1,20 mm · 0.047" E = 19,00 mm · 0.748"

**MS**




Softwood/Construction Wood, Firewood/Beam, rough/coarse curve cut, Rough Cut

**4022-5**

Bosch S1111K  
Metabo  
628244000

A = 8,5 mm · 3 t.p.i. B = 210 mm · 8.268" C = 230 mm · 9.055" D = 1,20 mm · 0.047" E = 19,00 mm · 0.748"

**MS**




Softwood/Construction Wood, Green Wood/Branches, Firewood/Beam, Rough Cut

**4052-5**

Bosch S1531 L  
Metabo  
631488000  
Milwaukee  
48-00-1077

A = 5-6,5 mm · 4-5 t.p.i. B = 210 mm · 8.268" C = 240 mm · 9.448" D = 1,20 mm · 0.047" E = 19,00 mm · 0.748"

**CS**





Softwood/Construction Wood, Green Wood/Branches, Firewood/Beam, High-Speed Cut

**4055-5**

Bosch S1542 K  
Milwaukee  
48001078


A = 9,5 mm · 3 t.p.i. B = 210 mm · 8.268" C = 240 mm · 9.448" D = 1,20 mm · 0.047" E = 19,00 mm · 0.748"

**CS**



Softwood/Construction Wood, Firewood/Beam, High-Speed Cut


**BIM** Bimetal



**MPS**

to use as

**4015-5**



Bosch S1411DF; S1411VF  
Metabo 631987000  
Lenox 156R  
Milwaukee 48-00-5037




A = 4,2 mm · 6 t.p.i. B = 280 mm · 11.024" C = 300 mm · 11.811" D = 1,27 mm · 0.050" E = 19,00 mm · 0.748"



Chipboard/Particle Board, Reinforced Plastics/Epoxy/CFK/GFK, Wood with Nails, Demolition

**4016-5**



Bosch S611DF; S611VF  
Metabo 631932000  
Lenox 656R  
Milwaukee 48-00-5035




A = 4,2 mm · 6 t.p.i. B = 130 mm · 5.118" C = 150 mm · 5.906" D = 1,27 mm · 0.050" E = 19,00 mm · 0.748"



Chipboard/Particle Board, Reinforced Plastics/Epoxy/CFK/GFK, Wood with Nails, Demolition, rough/coarse curve cut

**4017-5**



Bosch S111DF; S111VF  
Metabo 631986000  
Lenox 956R  
Milwaukee 48-00-5036




A = 4,2 mm · 6 t.p.i. B = 210 mm · 8.268" C = 230 mm · 9.055" D = 1,27 mm · 0.050" E = 19,00 mm · 0.748"



Chipboard/Particle Board, Reinforced Plastics/Epoxy/CFK/GFK, Wood with Nails, Demolition, rough/coarse curve cut

**4430-5**



Bosch S 922 HF  
Lenox 610R  
Milwaukee 48-00-5092




A = 2,5 mm · 10 t.p.i. B = 130 mm · 5.118" C = 150 mm · 5.906" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



Non-Ferrous Metal/Aluminium, Open Profile strong, Steel Pipe medium strong, Wood with Nail

**4431-5**



Bosch S 1022 HF  
Metabo 631932000  
Milwaukee 48005093




A = 2,5 mm · 10 t.p.i. B = 180 mm · 7.087" C = 200 mm · 7.874" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



Non-Ferrous Metal/Aluminium, Open Profile strong, Steel Pipe medium strong, Wood with Nails, Pallet/Pallet-Construction

**4432-5**



Bosch S 1222 HF  
Metabo 631407000  
Milwaukee 48005094




A = 2,5 mm · 10 t.p.i. B = 280 mm · 11.024" C = 300 mm · 11.811" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



Non-Ferrous Metal/Aluminium, Open Profile strong, Steel Pipe medium strong, Wood with Nails, Pallet/Pallet-Construction

**4434-5**



Bosch S 1122 HF



A = 2,5 mm · 10 t.p.i. B = 210 mm · 8.268" C = 230 mm · 9.055" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



Non-Ferrous Metal/Aluminium, Open Profile strong, Steel Pipe medium strong, Wood with Nails, Pallet/Pallet-Construction

DART

RED TEN

NAILS & GAS


GLOVES

MPS

MERCHANDISE

POINT OF SALE

**BiM** Bimetal





**MPS**

to use as

**4403-5**

Bosch S 522 AF  
Lenox 424R  
Milwaukee  
48-00-5185

A = 1 mm · 25 t.p.i. B = 80 mm · 3.150" C = 100 mm · 3.937" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"





Metal, extra thin, Sheet Steel

**4405-5**

Bosch S 922 AF  
Lenox 624R  
Milwaukee  
48005186

A = 1 mm · 25 t.p.i. B = 130 mm · 5.118" C = 150 mm · 5.906" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"





Sheet Steel, Open Profile thin, Steel Pipe thin



**4407-5**

Bosch S 1122 AF  
Lenox 824R

A = 1 mm · 25 t.p.i. B = 210 mm · 8.268" C = 230 mm · 9.055" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"





Sheet Steel, Open Profile thin, Steel Pipe thin

**4400-5**

Bosch S 522 EF  
Lenox 418R  
Milwaukee  
48005183

A = 1,4 mm · 18 t.p.i. B = 80 mm · 3.150" C = 100 mm · 3.937" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"





Stainless Steel/INOX, Sheet Steel

**4401-5**

Bosch S 922 EF  
Metabo  
631454000  
Lenox 618R  
Milwaukee  
48-00-5184

A = 1,4 mm · 18 t.p.i. B = 130 mm · 5.118" C = 150 mm · 5.906" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"





Stainless Steel/INOX, Sheet Steel, Non-Ferrous Metal/Aluminium, Open Profile thin, Closed Profile thin, Steel Pipe thin



**4402-5**

Bosch S 1022 EF  
Lenox 818R

A = 1,4 mm · 18 t.p.i. B = 180 mm · 7.087" C = 200 mm · 7.874" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"





Stainless Steel/INOX, Sheet Steel, Non-Ferrous Metal/Aluminium, Open Profile thin, Closed Profile thin, Steel Pipe thin



**4429-5**

Bosch S 1122 EF  
Metabo  
631493000  
Lenox 918R  
Milwaukee  
48-00-5188

A = 1,4 mm · 18 t.p.i. B = 210 mm · 8.268" C = 230 mm · 9.055" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"




Stainless Steel/INOX, Sheet Steel, Non-Ferrous Metal/Aluminium, Open Profile thin, Closed Profile thin, Steel Pipe thin






**BiM** Bimetal



**MPS**

to use as

**4415-5**




Bosch S 1022 BF  
Lenox 814R

A = 1,8 mm · 14 t.p.i. B = 180 mm · 7.087" C = 200 mm · 7.874" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



Stainless Steel/INOX, Steel Beam, Sheet Steel, Open Profile strong, Closed Profile strong, Steel Pipe medium strong, Steel Pipe strong

**4416-5**




Bosch S 1122 BF  
Lenox 914R  
Milwaukee 48-00-5187

A = 1,8 mm · 14 t.p.i. B = 210 mm · 8.268" C = 230 mm · 9.055" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



Stainless Steel/INOX, Steel Beam, Sheet Steel, Open Profile strong, Closed Profile strong, Steel Pipe medium strong, Steel Pipe strong

**4422-5**




Lenox 1214R

A = 1,8 mm · 14 t.p.i. B = 280 mm · 11.024" C = 300 mm · 11.811" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



Stainless Steel/INOX, Steel Beam, Sheet Steel, Open Profile strong, Closed Profile strong, Steel Pipe medium strong, Steel Pipe strong

**4441-VP-5**



**VARIABLE TEETH**


Bosch S 1025 VF;  
S 1025 HBF  
Metabo 631991000  
Lenox 850R  
Milwaukee 48-00-5083

A = 1,8-2,5 mm · 10-14 t.p.i. B = 180 mm · 7.087" C = 200 mm · 7.874" D = 1,27 mm · 0.050" E = 19,00 mm · 0.748"



Reinforced Plastics/Epoxy/CFK/GFK, Stainless Steel/INOX, Steel Beam, Open Profile strong, Closed Profile strong, Steel Pipe strong, Wood with Nails, Rectangular Cut

**4430-VP-5**



**VARIABLE TEETH**




Bosch S 922 VF  
Metabo 631492000  
Lenox 635R  
Milwaukee 48-00-5292

A = 1,8-2,5 mm · 10-14 t.p.i. B = 130 mm · 5.118" C = 150 mm · 5.906" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



Reinforced Plastics/Epoxy/CFK/GFK, Stainless Steel/INOX, Non-Ferrous Metal/Aluminium, Steel Pipe medium strong, Wood with Nails

**4431-VP-5**



**VARIABLE TEETH**




Bosch S 1022 VF  
Lenox 835R  
Milwaukee 48-00-5293

A = 1,8-2,5 mm · 10-14 t.p.i. B = 180 mm · 7.087" C = 200 mm · 7.874" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



Reinforced Plastics/Epoxy/CFK/GFK, Stainless Steel/INOX, Non-Ferrous Metal/Aluminium, Steel Pipe medium strong, Wood with Nails, Pallet/Pallet-Construction

**4432-VP-5**



**VARIABLE TEETH**




Bosch S 1222 VF  
Milwaukee 48005194

A = 1,8-2,5 mm · 10-14 t.p.i. B = 280 mm · 11.024" C = 300 mm · 11.811" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



Reinforced Plastics/Epoxy/CFK/GFK, Stainless Steel/INOX, Non-Ferrous Metal/Aluminium, Steel Pipe medium strong, Wood with Nails

**BiM** Bimetal



**MPS**

to use as

**4434-VP-5**

Bosch S 1122 VF  
Metabo  
631495000


A = 1,8-2,5 mm · 10-14 t.p.i. B = 210 mm · 8.268" C = 230 mm · 9.055" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



**VARIABLE TEETH**




Reinforced Plastics/Epoxy/CFK/GFK, Stainless Steel/INOX, Non-Ferrous Metal/Aluminium, Steel Pipe medium strong, Wood with Nails, Pallet/Pallet-Construction




**4444-5**

Bosch S 1110 DF  
Metabo  
631926000  
Lenox 966R  
Milwaukee  
48-00-5026

A = 4,2 mm · 6 t.p.i. B = 210 mm · 8.268" C = 230 mm · 9.055" D = 1,57 mm · 0.062" E = 19,00 mm · 0.748"



Hardwood, Softwood/Construction Wood, Chipboard/Particle Board, Reinforced Plastics/Epoxy/CFK/GFK, Wood with Nails, Demolition, Rectangular Cut



**4447-VP-5**

Bosch S 1110 VF

A = 4,2-6,35 mm · 4-6 t.p.i. B = 210 mm · 8.268" C = 230 mm · 9.055" D = 1,57 mm · 0.062" E = 25,4 mm · 1.000"



Hardwood, Softwood/Construction Wood, Chipboard/Particle Board, Reinforced Plastics/Epoxy/CFK/GFK, Wood with Nails, Demolition, Rectangular Cut



**4448-VP-5**

Bosch S 1210 VF


A = 4,2-6,35 mm · 4-6 t.p.i. B = 280 mm · 11.024" C = 300 mm · 11.811" D = 1,57 mm · 0.062" E = 25,4 mm · 1.000"



Hardwood, Softwood/Construction Wood, Chipboard/Particle Board, Reinforced Plastics/Epoxy/CFK/GFK, Wood with Nails, Demolition, Rectangular Cut



**HM** Carbide




**MPS**

to use as

**4095-1**

Bosch S 1543 HM  
Metabo  
631916000

A = 13 mm · 1.95 t.p.i. B = 148 mm · 5.826" C = 226 mm · 8.898" D = 2,5 mm · 0.098" E = 46,8 mm · 1.843"



**HM**




Foam Concrete/Gas Concrete, Stonework/Brickwork

**4096-1**

Bosch S 1243 HM  
Metabo  
631917000

A = 13 mm · 1.95 t.p.i. B = 254 mm · 10.000" C = 325 mm · 12.795" D = 2,5 mm · 0.098" E = 50 mm · 1.969"



**HM**



Foam Concrete/Gas Concrete, Stonework/Brickwork

**MPS** diamond-coated & **HM** Carbide


to use as

4084-2



Bosch S 1130 RIFF  
Metabo 631818000  
Lenox 800RG  
Milwaukee 48001430

A = 50 KORN · 50 GRIT B = 210 mm · 8.268" C = 230 mm · 9.055" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"




Cast Iron Pipe, Carbide-Coated

**MPS** **HM** Carbide

to use as

4174-1



Bosch S 1155 CHM

A = 3 mm · 8 t.p.i. B = 210 mm · 8.268" C = 230 mm · 9.055" D = 1,25 mm · 0.049" E = 25,4 mm · 1.0"



Stainless Steel/INOX, Open Profile strong, Closed Profile strong, Steel Pipe strong, Cast Iron Pipe

4176-1



Bosch S 956 DHM; S 956 XHM

A = 4,2 mm · 6 t.p.i. B = 130 mm · 5.118" C = 150 mm · 5.906" D = 1,25 mm · 0.049" E = 25,4 mm · 1.0"



Reinforced Plastics/Epoxy/CFK/GFK, Wood with Nails, Demolition

4180-1



Bosch S 1256 XHM

A = 4,2 mm · 6 t.p.i. B = 280 mm · 11.024" C = 300 mm · 11.811" D = 1,25 mm · 0.049" E = 25,4 mm · 1.0"



Reinforced Plastics/Epoxy/CFK/GFK, Wood with Nails, Demolition

DART

RED TEN

NAILS & GAS

GLOVES


MPS

MERCHANDISE

POINT OF SALE

# MPS RECIPROCATING SAW BLADES

**BiM** Bimetal + **MS** milled, set = Fast cut, high endurance, long life span




**MPS** to use as

**4486-5**

REMS 561002

A = 3,2 mm · 8 t.p.i. B = 180 mm · 7.087" C = 200 mm · 7.874" D = 1,57 mm · 0.062" E = 25,40 mm · 1.000"



**TOP**


Steel Beam, Open Profile strong, Closed Profile strong, Steel Pipe strong, Rectangular Cut



**4488-5**

REMS 561008


A = 3,2 mm · 8 t.p.i. B = 280 mm · 11.024" C = 300 mm · 11.811" D = 1,57 mm · 0.062" E = 25,40 mm · 1.000"



Steel Beam, Open Profile strong, Closed Profile strong, Steel Pipe strong, Rectangular Cut



**BiM** Bimetal



**MPS** to use as



SIG, FLEX




Stainless Steel/INOX, Sheet Steel, Non-Ferrous Metal/Aluminium

**3752-5**




A = 1 mm · 24 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 0,65 mm · 0.026" E = 12,30 mm · 0.484"



**3756-5**





A = 1,8 mm · 14 t.p.i. B = 75 mm · 2.953" C = 100 mm · 3.937" D = 0,65 mm · 0.026" E = 12,30 mm · 0.484"



**4400-5**

Bosch S 522 EF  
Lenox 418R  
Milwaukee  
48005183

A = 1,4 mm · 18 t.p.i. B = 80 mm · 3.150" C = 100 mm · 3.937" D = 0,90 mm · 0.035" E = 19,00 mm · 0.748"



Stainless Steel/INOX, Sheet Steel





---

# Merchandise:

A range of work-wear, tool bags and other accessories that are designed for the professional. With your comfort and ease of use in mind, this range will ensure you and your tools are dressed for the occasion.

# DART Workwear Hoodie.


High quality premium hooded sweatshirt with elasticated cuffs, neckline and waistband



## FEATURES

- Brushed fleece inner
- Well padded, taped neckline for comfort

Very comfortable to wear and triple stitch seams give ultimate strength and durability



## DART WORKWEAR HOODIE

Product Code	Sizes
DARTHOODIE-M	M
DARTHOODIE-L	L
DARTHOODIE-XL	XL
DARTHOODIE-2XL	2XL

# DART Baseball Cap.

High quality premium brushed heavy cotton 6 panelled cap



## FEATURES

- One size
- Adjustable buckle on the back to adjust to head size



## DART BASEBALL CAP

Product Code	Sizes
DTGCAP	One Size

# DART Beanie Hat.

100% soft-touch acrylic beanie hat



## FEATURES

- One size
- Classic cuffed, double layer knit provides extra comfort and durability



## DART BEANIE HAT

Product Code	Sizes
DTGBEANIE	One Size



# DART Soft Shell Jacket.

High quality jacket made with 4% spandex for crease resistance




## FEATURES

TPU membrane allows for better breathability and gives water-proofing

Velcro adjustable cuff and soft collar material allow for added comfort

Lined with micro-fleece to retain warmth



## DART SOFT SHELL JACKET

Product Code	Sizes
DTGSCJ-M	M
DTGSCJ-L	L
DTGSCJ-XL	XL
DTGSCJ-2XL	2XL



DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE


POINT OF SALE

# DART 18" Hard Base Zipped Tool Bag.

A waterproof, heavy duty 1680 + 600 denier zip tool bag with a rigid water-resistant base for protection against dirt and moisture

**FEATURES**

- Detachable shoulder strap for easy transportation
- Multiple internal and external pockets for easy organisation and tool storage



## DART 18" HARD BASE ZIPPED TOOL BAG

Product Code  
DTGHBTB




# DART 18" Open Tote Tool Bag.

An open tote tool bag with a heavy duty iron handle and strong sturdy bag construction

## FEATURES

Rigid water-resistant base for protection against dirt and moisture

The open tote design with multiple large and small pockets allows for easy organisation of tools



## DART 18" OPEN TOTE TOOL BAG

Product Code

DTGOTTB



DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE


# DART 24L Tool Back Pack.

A Heavy duty 600 denier backpack for tools to be carried securely. A long lasting, weather resistant bag that is ideal for commuting or moving around site

## FEATURES

2 padded shoulder straps for a weightless feel

Rigid water-resistant base protects against dirt and moisture



## DART 24L TOOL BACK PACK

Product Code

DTGTBP



# Tape measures.

Professional, robust tape measures with 30% thicker blade which triples the durability

## FEATURES

Magnetic ended hook making it easy to use when working with metal and enables the user to take a measurement single handed

Strong and positive recoil action


Rubber casing reduces breakage on impact

11 Accuracy Mark (Roman Numeral 2). This marker will give any site foreman confidence of the accuracy when using these tapes on site

The matt finish of the tape makes it much easier to read measurement

## TAPE MEASURES

Product Code	Size	Quantity
ATP05	5m (16 feet)	Pk. 1 Pk. 12 (counter display)
ATP08	8m (26 feet)	Pk. 1 Pk. 12 (counter display)



DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE



---

# Point of Sale:

DART has a large range of point of sale stands, from one metre modular units that can be connected and adapted to fit any space requirements, to spinner stands and counter top displays. DART Point of sale gives you better design, and better flexibility.



**COUNTER STAND**

Product Code	Description	Size
DASTAN2	DART Small Counter Pegboard Display Stand	h700 x w400 x d220mm



**COUNTER SPINNER**

Product Code	Description	Size
DASTAN3	DART Small Counter Display Pegboard Spinner	h480 x w280 x d280mm



**COUNTER DISPLAY**

Product Code	Description	Size
DASTAN4	DART Perspex Counter Stand Display 6 Peg Slatwall	h330 x w250 x d130mm



**COUNTER DISPLAY**


Product Code	Description	Size
DAMUPSTAN2	6 Peg Counter Display for drill bits	h430 x w360 x d130mm

All products displayed on stands for illustrative purposes only





Multiple 1m stands create a panorama display



Corner Slat Wall Stand  
Can only be used between 2 x DASTAN5



### FLOOR STANDING SPINNER STAND

Product Code	Size
DASTANSP-SW	h1750 x w520 x d520mm

### FULL HEIGHT FLOOR STAND

Product Code	Description	Size
DASTAN5	DART 1m x 2.25m Slat Wall Stand	h2250 x w1030x d550mm
DASTAN5H	DART 1m Stand Header for DASTAN5	w1000mm
DASTAN5C	DART 1m x 2.25m Corner Slat Wall Stand	h2250 x w1030 x d550mm
DASTAN5L	DART 1m x 2.25m Stand Leg (Qty 1)	
DASTAN5S-370	DART 370mm Shelf for DASTAN5	w1000mm x d370mm
DASTAN8-0.5M	DART 0.5m Slat Wall Stand	w685 x h2250 x d550mm



### CARDBOARD BACKING BOARDS

Product Code	Description	Size
DASTANBBH	DART Backing Board Header	1000 x 454mm
DASTANBBL	DART Backing Board Lower	1000 x 502mm



### HALF HEIGHT FLOOR STAND

Product Code	Description	Size
DASTAN6	DART 1m x 1.65m Floor Standing Slat Wall Stand	h1650 x w1030 x d550mm

DART

RED TEN

NAILS & GAS

GLOVES

MPS

MERCHANDISE

POINT OF SALE



Lockable display cabinet



## DISPLAY CABINET

Product Code	Description	Size
DASTANTD	DART Perspex Twist Drill Display Cabinet	h330 x w380 x d255mm

## RED TEN DISPLAY STAND

Product Code	Description	Size
RTBCARDDB	DART Red Ten Cardboard Display for 4x 115mm, 3x 230mm, 2x 300mm blades	h1165 x w250 x d360mm



## DART RED TEN DCD SPIRO 5-PC CORE KIT DISPLAY BOX (FITS 6)

Product Code	Size
DB00880DB	w432 x h1164 x d340mm



## STACKABLE GLOVE BOX

Product Code	Size
GLOVEBOX	h300 x w606 x d430mm



### BLADE SHELF

Product Code	Size
DASTANBS	w1000mm



### BLADE BAR WITH SWINGING SECTIONS

Product Code	Size
DASTANSBB	w1000mm



### 1M HANGING TIERED RAILS (2 RAILS)

Product Code	Size
DASTANHR	w1000mm Tier 1 - d120mm Tier 2 - d240mm



### 10" VIDEO SCREEN FOR SLAT WALL

Product Code	Size
DASTAN10	h185 x w273mm



### 370mm SHELF FOR DASTAN5/6

Product Code	Size
DASTAN5S-370	d370 x w1000mm



### PRODUCT GUIDE HOLDER

Product Code	Size
DASTANPGH	h200 x w160 x d35mm

### STAND HOOKS

Product Code	Description	Size
DASTSW100EH	DART Stand 100mm Euro Hook (Slat Wall)	100mm
DASTSW150EH	DART Stand 150mm Euro Hook (Slat Wall)	150mm
DASTSW200EH	DART Stand 200mm Euro Hook (Slat Wall)	200mm
DASTSW100SH	DART Stand 100mm Single Hook (Slat Wall)	100mm
DASTSW150SH	DART Stand 150mm Single Hook (Slat Wall)	150mm
DASTANPEG150SH	DART Stand 150mm Single Hook (Peg Board)	150mm
DASTANPEG100EH	DART Stand 100mm Euro Hook (Peg Board)	100mm
DASTSW150EHPH	DART Stand 150mm Euro Hook with Price Hanger (Slat Wall)	150mm



### DART RED TEN BLADE APPLICATION CHART

Product Code	Size
DASTANRTBA	h240mm x w440mm









**Your tool, but better.**

**Head Office**

1 Wheatfield Road  
Dunnikier Business Park  
Kirkcaldy  
Fife KY1 3PD

**Regional Office**

38 Royal Scot Road  
Pride Park  
Derby  
DE24 8AJ

**T** +44 (0)1592 652900

**T** +44 (0)1592 654854

**E** [sales@darttoolgroup.com](mailto:sales@darttoolgroup.com)